Index to volume 188

AUTHOR INDEX*

A

Abate G (*see* Croak et al). 2003;188:1148-50 (Residents' papers)
Abel EL, Kruger M. Are users of alcohol in pregnancy necessarily alcohol abusers? 2003;188:297 (Letter reply)
Abel EL, Kruger M. Physician attitudes concerning legal coercion of pregnant alcohol and drug users. 2003;188:299 (Letter reply)
Aboulghar MA, Mansour RT, Serour GI, Al-Inany HG, Aboulghar MM. The outcome of in vitro fertilization in advanced endometriosis with previous surgery: a case-controlled study. 2003;188:371-5
Aboulghar MM (*see* Aboulghar et al). 2003;188:371-5
Acunzo G (*see* Pellicano et al). 2003;188:1664 (Letter reply)
Adair CD (*see* Lewis et al). 2003;188:1413-7 (Editors' choice)
Adam DE (*see* Mao et al). 2003;188:677-84
Adam E (*see* Berkova et al). 2003;188:932-7
Adams KM, Mandel LS, Guthrie KA, Atkinson MW. Interleukin-18 in the plasma of women with preeclampsia. 2003;188:1234-7 (Residents' papers)
Adams Y (*see* Nelson et al). 2003;188:1541-50
Aittomäki K (*see* Väisänen-Tommiska et al). 2003;188:779-85
Akyol D (*see* Ferber et al). 2003;188:1228-30 (Residents' papers)
Alcázar JL, Mercé LT, Laparte C, Jurado M, López-García G. A new scoring system to differentiate benign from malignant adnexal masses. 2003;188:685-92
Alexander GR (*see* Boulet et al). 2003;188:1372-8
Alexander GR (*see* Salihu et al). 2003;188:1305-9
Al-Inany HG (*see* Aboulghar et al). 2003;188:371-5
Allaire G (*see* Tran-Thanh et al). 2003;188:129-34
Allen JE, King MR, Farrar DF, Miller DS, Schorge JO. Postmolar surveillance at a trophoblastic disease center that serves indigent women. 2003;188:1151-3 (Residents' papers)
Allen MH (*see* Quintero et al). 2003;188:1333-40
Allen RH. Complete brachial plexus impairment: a traction–related injury. 2003;188:858-9 (Letter)
Altekruse SF, Lacey JV Jr, Brinton LA, Gravitt PE, Silverberg SG, Barnes WA Jr, Greenberg MD, Hadjimichael OC, McGowan L, Mortel R, Schwartz PE, Hildesheim A. Comparison of human papillomavirus genotypes, sexual, and reproductive risk factors of cervical adenocarcinoma and squamous cell carcinoma: Northeastern United States. 2003;188:657-63
Altshuler L (*see* Hendrick et al). 2003;188:812-5
Amann K (*see* Trollmann et al). 2003;188:517-23
Amer-Wählin I (*see* Norén et al). 2003;188:183-92
Ameye L (*see* Van den Bosch et al). 2003;188:1249-53
Amon E (*see* Krauss et al). 2003;188:1484-90
Amonkar M (*see* Glover et al). 2003;188:1039-45
Amortegui A (*see* Haggerty et al). 2003;188:141-8
Amortegui AA (*see* Yudin et al). 2003;188:318-23
An HJ (*see* Cho et al). 2003;188:56-62
Anachebe NF, Sutton MY. Racial disparities in reproductive health outcomes. 2003;188:S37-42 (Symposium)
Ananth CV, Demissie K, Hanley ML. Birth weight discordancy and adverse perinatal outcomes among twin gestations in the United States: the effect of placental abruption. 2003;188:954-60
Ananth CV, Demissie K, Smulian JC, Vintzileos AM. Placenta previa in singleton and twin births in the United States, 1989 through 1998: a comparison of risk factor profiles and associated conditions. 2003;188:275-81
Ananth CV, Smulian JC, Vintzileos AM. The effect of placenta previa on neonatal mortality: a population-based study in the United States, 1989 through 1997. 2003;188:1299-304
Ananth CV (*see* Smulian et al). 2003;188:269-74
Andersson A-M (*see* Lønberg et al). 2003;188:247-51
Andrews WW (*see* Ramsey et al). 2003;188:714-8
Angioli R (*see* Panici et al). 2003;188:71-5
Ansari Z (*see* Emory et al). 2003;188:S26-32 (Symposium)
Anthony MS (*see* Suparto et al). 2003;188:1132-40 (Editors' choice)
Araki T (*see* Chihara et al). 2003;188:434-8
Arangino S (*see* Cagnacci et al). 2003;188:313-7
Arbeille P (*see* Carles et al). 2003;188:794-9
Arbel R, Rojansky N, Klein BY, Levitzki R, Hartzstark Z, Laufer N, Ben-Bassat H. Inhibitors that target protein kinases for the treatment of ovarian carcinoma. 2003;188:1283-90
Archibold E (*see* Emory et al). 2003;188:S26-32 (Symposium)
Ardon H (*see* Devlieger et al). 2003;188:844-8
Arici A, Sozen I. Expression, menstrual cycle-dependent activation, and bimodal mitogenic effect of transforming growth factor-β1 in human myometrium and leiomyoma. 2003;188:76-83
Arici A (*see* Matalliotakis et al). 2003;188:1103-4
Arici A (*see* Mulayim et al). 2003;188:651-6
Arikan GY (*see* Money et al). 2003;188:122-8. Correction 2003;188:1038
Arnon J (*see* Diav-Citrin et al). 2003;188:282-5
ASCUS-LSIL Triage Study (ALTS) Group (*see* Cox et al). 2003;188:1406-12 (Editors' choice)
ASCUS LSIL Triage Study (ALTS) Group (*see* Guido et al). 2003;188:1401-5 (Editors' choice)
ASCUS-LSIL Triage Study (ALTS) Group (*see* Solomon et al). 2003;188:1383-90 (Editors' choice)
ASCUS-LSIL Triage Study (ALTS) Group (*see* Solomon et al). 2003;188:1391-400 (Editors' choice)
Ashok PW (*see* Hamoda et al). 2003;188:1315-9
Ashton-Miller JA (*see* Tunn et al). 2003;188:116-21
Athayde N (*see* Wang et al). 2003;188:510-6
Atkinson MW (*see* Adams et al). 2003;188:1234-7 (Residents' papers)
Atkuru LV (*see* Goldberg et al). 2003;188:1447-53
Au KT (*see* Wang et al). 2003;188:997-1001
Avni FE (*see* Ismaili et al). 2003;188:242-6

B

Badway DM (*see* Katz et al). 2003;188:1113-4
Bae I (*see* Baek et al). 2003;188:634-9
Baek W-K, Kim D, Jung N, Yi Y-W, Kim JM, Cha S-D, Bae I, Cho C-H. Increased expression of cyclin G1 in leiomyoma compared with normal myometrium. 2003;188:634-9
Bagis T (*see* Gokcel et al). 2003;188:1661 (Letter)
Bagnoli A (*see* Seracchioli et al). 2003;188:1093-5
Baird DD, Dunson DB, Hill MC, Cousins D, Schectman JM. High cumulative incidence of uterine leiomyoma in black and white women: ultrasound evidence. 2003;188:100-7
Baird SM (*see* Jenkins et al). 2003;188:549-52
Baker PN (*see* Wareing et al). 2003;188:196-202

*January, 1-302; February, 303-604; March, 605-862, S1-S24; April 863-1120, S25-S42; May, 1121-1380, S43-S76; June, 1381-1724, S77-S88.

Balderston KD, Towers CV, Rumney PJ, Montgomery D. Is the incidence of fetal-to-maternal hemorrhage increased in patients with third-trimester bleeding? 2003;188:1615-21
Bam RH (*see* Cronjé et al). 2003;188:395-400
Banek CS, Hecher K, Hackeloer BJ, Bartmann P. Long-term neurodevelopmental outcome after intrauterine laser treatment for severe twin-twin transfusion syndrome. 2003;188:876-80 (Editors' choice)
Barnes WA Jr (*see* Altekruse et al). 2003;188:657-63
Barnhart KT, Gracia CR, Reindl B, Wheeler JE. Usefulness of Pipelle endometrial biopsy in the diagnosis of women at risk for ectopic pregnancy. 2003;188:906-9
Barnhart KT (*see* Jabara and Barnhart). 2003;188:623-7 (Clin. opinion)
Barrett JFR (*see* Hogle et al). 2003;188:220-7
Barrett JP (*see* Katz et al). 2003;188:1113-4
Barrilleaux PS (*see* Magann et al). 2003;188:1523-8
Bartelings MM (*see* Haak et al). 2003;188:727-33
Bartha JL (*see* Soothill et al). 2003;188:1107-8
Bartmann P (*see* Banek et al). 2003;188:876-80 (Editors' choice)
Barton JR (*see* Chames et al). 2003;188:1504-8
Bay RC (*see* Stegmann et al). 2003;188:1171-3 (Residents' papers)
Bebbington M (*see* Williams et al). 2003;188:1366-71
Bedrick EJ (*see* Smith et al). 2003;188:357-66
Beinder E (*see* Trollmann et al). 2003;188:517-23
Belfort MA. Cerebral perfusion pressure, and not cerebral blood flow, may be the critical determinant of intracranial injury in preeclampsia: a new hypothesis. 2003;188:860-1 (Letter reply)
Ben-Bassat H (*see* Arbel et al). 2003;188:1283-90
Bennett B (*see* Bustard et al). 2003;188:1118-9 (Letter reply)
Bennett PR (*see* Sawdy et al). 2003;188:1046-51
Bennett PR (*see* Tocci et al). 2003;188:1002-10
Bennett TA (*see* Leslie et al). 2003;188:1238-40 (Residents' papers)
Berek JS. Simplification of the New Bethesda 2001 Classification System. 2003;188:S2-7 (Symposium)
Berger LA (*see* Singh et al). 2003;188:910-5
Berkman ND, Thorp JM Jr, Lohr KN, Carey TS, Hartmann KE, Gavin NI, Hasselblad V, Idicula AE. Tocolytic treatment for the management of preterm labor: a review of the evidence. 2003;188:1648-59 (AJOG reviews)
Berkova Z, Kaufmann RH, Unger ER, Reeves WC, Adam E. The effect of time interval between referral and colposcopy on detection of human papillomavirus DNA and on outcome of biopsy. 2003;188:932-7
Bermúdez C, Martinez JM, Quintero RA. Placental types and twin-twin transfusion syndrome. 2003;188:1119-20 (Letter reply)
Bermúdez C (*see* Quintero et al). 2003;188:1333-40
Bernstein IM, Shapiro RE, Whitsel A, Schonberg AL. Relationship of plasma volume to sympathetic tone in nulliparous women. 2003;188:938-42
Bernstein PS (*see* Morris-Rush et al). 2003;188:1217-9 (Residents' papers)
Berretta MC (*see* Llorente et al). 2003;188:1348-53
Besinger RE (*see* Mittendorf et al). 2003;188:1438-46
Beucher G (*see* Carles et al). 2003;188:794-9
Bhandari V (*see* Smulian et al). 2003;188:269-74
Bhatti H (*see* Wareing et al). 2003;188:196-202
Bhaumik J (*see* Hefni et al). 2003;188:645-50
Billen J (*see* Verhaeghe et al). 2003;188:485-91
Birch P (*see* Money et al). 2003;188:122-8. Correction 2003;188:1038
Bisharah M, Tulandi T. Laparoscopic preservation of ovarian function: an underused procedure. 2003;188:367-70
Bittar RE (*see* da Fonseca et al). 2003;188:419-24
Blackburn CA, Keelan JA, Taylor RS, North RA. Maternal serum activin A is not elevated before preeclampsia in women who are at high risk. 2003;188:807-11
Blackstone J (*see* Wax et al). 2003;188:1105-6
Blackwell SC. Five-year experience with midtrimester amniocentesis performed by a single group of obstetrician-gynecologists at a community hospital. 2003;188:600-1 (Letter reply)
Blazer S (*see* Bronshtein et al). 2003;188:1016-20
Blessed WB (*see* Welch et al). 2003;188:600 (Letter)
Blickstein I, Jacques DL, Keith LG. A novel approach to intertriplet birth weight discordance. 2003;188:1026-30
Bodner-Adler B (*see* Leitich et al). 2003;188:752-8
Boehm FH (*see* Jenkins et al). 2003;188:549-52
Bofill JA (*see* Morrison et al). 2003;188:1460-7
Borko E (*see* Žegura et al). 2003;188:1291-6
Bornick PW (*see* Quintero et al). 2003;188:1333-40
Bost BW. Cesarean delivery on demand: what will it cost? 2003;188:1418-23 (Editors' choice)
Boucher M (*see* Bujold et al). 2003;188:1454-9
Boulet SL, Alexander GR, Salihu HM, Pass M. Macrosomic births in the United States: determinants, outcomes, and proposed grades of risk. 2003;188:1372-8
Boulton J (*see* Lee et al). 2003;188:617-22 (Editors' choice)
Boulvain M (*see* Dällenbach et al). 2003;188:162-7
Bouman A (*see* van Nieuwenhoven et al). 2003;188:1073-7
Bovicelli L (*see* Savelli et al). 2003;188:927-31
Bown S (*see* Visvanathan et al). 2003;188:860 (Letter reply)
Boyd CAR (*see* Kudo et al). 2003;188:719-26
Boyles SH, Weber AM, Meyn L. Procedures for pelvic organ prolapse in the United States, 1979-1997. 2003;188:108-15
Brace RA (*see* Daneshmand et al). 2003;188:786-93
Brady MJ (*see* Stegmann et al). 2003;188:1171-3 (Residents' papers)
Branigan EF, Estes MA. A randomized clinical trial of treatment of clomiphene citrate–resistant anovulation with the use of oral contraceptive pill suppression and repeat clomiphene citrate treatment. 2003;188:1424-30 (Editors' choice)
Breitkopf DM (*see* Rosen et al). 2003;188:1158-60 (Residents' papers)
Bremer RE (*see* Pierce et al). 2003;188:1141-7 (Editors' choice)
Brewster WR (*see* Monk and Brewster). 2003;188:1381-2 (Editorial)
Brinton LA (*see* Altekruse et al). 2003;188:657-63
Brizendine E (*see* Mutone et al). 2003;188:1477-83
Brizot ML (*see* Nishie et al). 2003;188:214-9
Bronshtein M, Zimmer EZ, Blazer S. A characteristic cluster of fetal sonographic markers that are predictive of fetal Turner syndrome in early pregnancy. 2003;188:1016-20
Brown AJ (*see* Johnson et al). 2003;188:1565-72
Brown EB (*see* Pearlstein et al). 2003;188:887-95
Brown ZA (*see* Watts et al). 2003;188:836-43
Bru E (*see* Tomás et al). 2003;188:35-44
Brunbauer M (*see* Leitich et al). 2003;188:752-8
Bryant-Greenwood GD (*see* Millar et al). 2003;188:234-41
Buchanan P (*see* Cusick et al). 2003;188:745-51
Buck HW (*see* Ragan et al). 2003;188:330-3
Buekers TE (*see* Chun et al). 2003;188:1115-6
Buescher PA (*see* Leslie et al). 2003;188:1238-40 (Residents' papers)
Bufkin L (*see* Chauhan et al). 2003;188:862 (Letter reply)
Buhimschi CS, Buhimschi IA, Malinow AM, Weiner CP. Myometrial thickness during human labor and immediately post partum. 2003;188:553-9
Buhimschi CS, Buhimschi IA, Malinow AM, Weiner CP. Uterine contractility in women whose fetus is delivered in the occipitoposterior position. 2003;188:734-9
Buhimschi CS (*see* Buhimschi et al). 2003;188:203-8
Buhimschi IA, Buhimschi CS, Weiner CP. Protective effect of N-acetylcysteine against fetal death and preterm labor induced by maternal inflammation. 2003;188:203-8
Buhimschi IA (*see* Buhimschi et al). 2003;188:553-9
Buhimschi IA (*see* Buhimschi et al). 2003;188:734-9
Bujold E, Gauthier RJ, Hamilton EF. Impact of single-or double-layer closure on uterine rupture. 2003;188:603 (Letter reply)
Bujold E, Hamilton EF, Gauthier RJ. The impact of a single- or double-layer closure on uterine rupture. 2003;188:296 (Letter reply)
Bujold E, Hamilton EF, Gauthier RJ. Impact of single- or double-layer closure on uterine rupture. 2003;188:601-2 (Letter reply)

Bujold E, Marquette GP, Ferreira E, Gauthier RJ, Boucher M. Sublingual nitroglycerin versus intravenous ritodrine as tocolytic for external cephalic version: a double-blinded randomized trial. 2003;188:1454-9
Bukowski R, Burgett AD, Gei A, Saade GR, Hankins GDV. Impairment of fetal growth potential and neonatal encephalopathy. 2003;188:1011-5
Burdge DR (*see* Money et al). 2003;188:122-8. Correction 2003;188:1038
Burgett AD (*see* Bukowski et al). 2003;188:1011-5
Burke L (*see* Guido et al). 2003;188:1401-5 (Editors' choice)
Bustard M, Smith GN, Bennett B. The pharmacokinetics of glyceryl trinitrate with the use of the in vitro term human placental perfusion setup. 2003;188:1118-9 (Letter reply)
Bytautiene E, Vedernikov YP, Saade GR, Romero R, Garfield RE. Effect of histamine on phasic and tonic contractions of isolated uterine tissue from pregnant women. 2003;188:774-8
Bytautiene E (*see* Maul et al). 2003;188:1498-503

C

Cabbad MF (*see* Jones et al). 2003;188:503-9
Cagnacci A, Arangino S, Renzi A, Zanni AL, Volpe A. Raloxifene does not influence flow-mediated endothelium-dependent and endothelium-independent vasodilatation of osteopenic postmenopausal women. 2003;188:313-7
Cagnacci A, Zanni AL, Volpe A. Administration of raloxifene does not influence 24-hour ambulatory blood pressure of postmenopausal women with osteopenia: a double-blind placebo-controlled study. 2003;188:1278-82
Caire J (*see* Twickler et al). 2003;188:492-6
Calhoun BC (*see* O'Boyle et al). 2003;188:1380 (Letter reply)
Cameron IT (*see* Gaudoin et al). 2003;188:611-6 (Editors' choice)
Campbell JQ (*see* Lowery et al). 2003;188:1491-7
Canadian Neonatal Network (*see* Lee et al). 2003;188:617-22 (Editors' choice)
Carey JC (*see* Hauth et al). 2003;188:831-5
Carey JC (*see* Schwartz et al). 2003;188:439-43
Carey TS (*see* Berkman et al). 2003;188:1648-59 (AJOG reviews)
Carles G, Tobal N, Raynal P, Herault S, Beucher G, Marret H, Arbeille P. Doppler assessment of the fetal cerebral hemodynamic response to moderate or severe maternal anemia. 2003;188:794-9
Carpenter MW (*see* Lee et al). 2003;188:209-13
Carr K (*see* Jensen et al). 2003;188:1629-37
Carranza-Lira S (*see* Jackson et al). 2003;188:389-94
Carriere KC (*see* Jin et al). 2003;188:800-6
Carroll CS Sr, Magann EF, Chauhan SP, Klauser CK, Morrison JC. Vaginal birth after cesarean section versus elective repeat cesarean delivery: weight-based outcomes. 2003;188:1516-22
Carroll CS Sr (*see* Morrison et al). 2003;188:1460-7
Carter S (*see* Gross et al). 2003;188:1052-6
Cartin A (*see* Wax et al). 2003;188:1105-6
Carvajal JA, Thompson LP, Weiner CP. Chorion-induced myometrial relaxation is mediated by large-conductance Ca^{2+}-activated K^+ channel opening in the guinea pig. 2003;188:84-91
Carvalho MHB (*see* da Fonseca et al). 2003;188:419-24
Carvalho MHB (*see* Nishie et al). 2003;188:214-9
Casalino B (*see* Panici et al). 2003;188:71-5
Castillo W (*see* Gross et al). 2003;188:1052-6
Castracane VD (*see* Kauffman and Castracane). 2003;188:1661-2 (Letter reply)
Castro LC (*see* Silver et al). 2003;188:1320-5
Catalano P (*see* Ehrenberg et al). 2003;188:1096-9
Cha S-D (*see* Baek et al). 2003;188:634-9
Chalmers J (*see* Gaudoin et al). 2003;188:611-6 (Editors' choice)
Chames MC, Haddad B, Barton JR, Livingston JC, Sibai BM. Subsequent pregnancy outcome in women with a history of HELLP syndrome at ≤28 weeks of gestation. 2003;188:1504-8
Chan A (*see* Yip et al). 2003;188:1244-8
Chan FY (*see* Quintero et al). 2003;188:1333-40
Chan JK, Morrow J, Manetta A. Prevention of ureteral injuries in gynecologic surgery. 2003;188:1273-7
Chan OY (*see* Chia et al). 2003;188:425-33
Chan PJ (*see* Rowland et al). 2003;188:1156-7 (Residents' papers)
Chan W (*see* Sarrel et al). 2003;188:304-9 (Editors' choice)
Chang S-D (*see* Chao et al). 2003;188:597 (Letter reply)
Chao A (*see* Chao et al). 2003;188:597 (Letter reply)
Chao AS, Chao A, Cheng P-J, Chang S-D. Biochemical screening for Down syndrome in renal failure. 2003;188:597 (Letter reply)
Chapnick E (*see* Kaplan et al). 2003;188:1154-5 (Residents' papers)
Chapron C (*see* Vercellini et al). 2003;188:606-10 (Editors' choice)
Chard R (*see* Wax et al). 2003;188:1105-6
Chauhan SP, Magann E, Rodts-Palenik S, Bufkin L, Martin JN Jr, Morrison JC. Subcutaneous stitch closure versus subcutaneous drain to prevent wound disruption after cesarean delivery: a randomized clinical trial. 2003;188:862 (Letter reply)
Chauhan SP (*see* Carroll et al). 2003;188:1516-22
Chauhan SP (*see* Magann et al). 2003;188:1523-8
Chauhan SP (*see* Morrison et al). 2003;188:1460-7
Chavarría ME, Lara-González L, González-Gleason A, García-Paleta Y, Vital-Reyes VS, Reyes A. Prostacyclin/thromboxane early changes in pregnancies that are complicated by preeclampsia. 2003;188:986-92
Chavkin W, Paltrow LM. Physician attitudes concerning legal coercion of pregnant alcohol and drug users. 2003;188:298 (Letter)
Chellakooty M (*see* Lønberg et al). 2003;188:247-51
Chen J (*see* Wang et al). 2003;188:997-1001
Cheng P-J (*see* Chao et al). 2003;188:597 (Letter reply)
Chervenak FA, McCullough LB. Achieving equipoise in maternal-fetal surgery. 2003;188:855-6 (Letter reply)
Chesshyre E (*see* Curley et al). 2003;188:871-5 (Editors' choice)
Cheung CY (*see* Daneshmand et al). 2003;188:786-93
Chevalier J (*see* Emory et al). 2003;188:S26-32 (Symposium)
Chew SK (*see* Chia et al). 2003;188:425-33
Chia K-S (*see* Wang et al). 2003;188:324-9
Chia SE, Shi LM, Chan OY, Chew SK, Foong BH. Parental occupations and other risk factors associated with nonchromosomal single, chromosomal single, and multiple birth defects: a population-based study in Singapore from 1994 to 1998. 2003;188:425-33
Chihara H, Otsubo Y, Yoneyama Y, Sawa R, Suzuki S, Power GG, Araki T. Basal metabolic rate in hyperemesis gravidarum: comparison to normal pregnancy and response to treatment. 2003;188:434-8
Chitayat D (*see* Lepage et al). 2003;188:1354-9
Cho C-H (*see* Baek et al). 2003;188:634-9
Cho NH, An HJ, Jeong JK, Kang S, Kim JW, Kim YT, Park TK. Genotyping of 22 human papillomavirus types by DNA chip in Korean women: comparison with cytologic diagnosis. 2003;188:56-62
Chow KM (*see* Lam et al). 2003;188:597 (Letter)
Christensen HD (*see* Schwartz et al). 2003;188:439-43
Christiansen C (*see* Warming et al). 2003;188:349-53
Chuang L (*see* Jhang et al). 2003;188:1195-7 (Residents' papers)
Chun ML, Buekers TE, Sood AK, Sorosky JI. Postoperative wound infection with *Pasteurella multocida* from a pet cat. 2003;188:1115-6
Chung T (*see* Yip et al). 2003;188:1244-8
Cichna M (*see* Witt et al). 2003;188:816-9
Cincotta R (*see* Quintero et al). 2003;188:1333-40
Ciociola F (*see* Di Lieto et al). 2003;188:702-6
Clapp JF III, Little KD, Widness JA. Effect of maternal exercise and fetoplacental growth rate on serum erythropoietin concentrations. 2003;188:1021-5
Clark SL. Elective induction: an analysis of economic and health consequences. 2003;188:1664-5 (Letter)
Clark SL, Hankins GDV. Temporal and demographic trends in cerebral palsy—fact and fiction. 2003;188:628-33 (Clin. opinion)
Cline JM (*see* Suparto et al). 2003;188:1132-40 (Editors' choice)
Coates KW (*see* Pierce et al). 2003;188:1141-7 (Editors' choice)

Cohen LM (*see* Kroumpouzos and Cohen). 2003;188:1083-92 (AJOG reviews)
Cohen M (*see* Harlow et al). 2003;188:881-6
Cohn DE (*see* Updike et al). 2003;188:901-5
Cohn F, Manetta A. A teachable moment: research ethics revisited. 2003;188:2 (Editorial)
Cole GA (*see* Sheets et al). 2003;188:916-26
Cole LA (*see* Khanlian et al). 2003;188:1254-9
Cole LW (*see* Smith et al). 2003;188:357-66
Coleman RL (*see* Schorge et al). 2003;188:640-4
Colombo FM (*see* Seracchioli et al). 2003;188:1093-5
Connell R (*see* Visvanathan et al). 2003;188:860 (Letter reply)
Consonni D (*see* Vercellini et al). 2003;188:606-10 (Editors' choice)
Contant T (*see* Lee et al). 2003;188:693-8
Coonrod DV (*see* Stegmann et al). 2003;188:1171-3 (Residents' papers)
Cooreman BF (*see* Cronjé et al). 2003;188:395-400
Copeland LJ (*see* Updike et al). 2003;188:901-5
Corey L (*see* Watts et al). 2003;188:836-43
Corry MP (*see* Sakala and Corry). 2003;188:1380 (Letter)
Côté I, Jacobs P, Cumming DC. Use of health services associated with increased menstrual loss in the United States. 2003;188:343-8
Cousins D (*see* Baird et al). 2003;188:100-7
Coutlée F (*see* Tran-Thanh et al). 2003;188:129-34
Cox JT, Schiffman M, Solomon D, ASCUS-LSIL Triage Study (ALTS) Group. Prospective follow-up suggests similar risk of subsequent cervical intraepithelial neoplasia grade 2 or 3 among women with cervical intraepithelial neoplasia grade 1 or negative colposcopy and directed biopsy. 2003;188:1406-12 (Editors' choice)
Craib K (*see* Money et al). 2003;188:122-8. Correction 2003; 188:1038
Craig HR (*see* Stegmann et al). 2003;188:1171-3 (Residents' papers)
Craigie S (*see* McCowan et al). 2003;188:981-5
Crane M (*see* Gross et al). 2003;188:1052-6
Creasman WT (*see* Landen et al). 2003;188:1174-6 (Residents' papers)
Creinin MD, Potter C, Holovanisin M, Janczukiewicz L, Pymar HC, Schwartz JL, Meyn L. Mifepristone and misoprostol and methotrexate/misoprostol in clinical practice for abortion. 2003;188:664-9
Critchlow CM (*see* Janssen et al). 2003;188:1341-7
Croak A, Abate G, Goodrum K, Modrzakowski M. Predominance of serotype V and frequency of erythromycin resistance in *Streptococcus agalactiae* in Ohio. 2003;188:1148-50 (Residents' papers)
Crompton DWT (*see* Savioli et al). 2003;188:5-6 (Editorial)
Cronjé HS, Parham GP, Cooreman BF, de Beer A, Divall P, Bam RH. A comparison of four screening methods for cervical neoplasia in a developing country. 2003;188:395-400
Crosignani PG (*see* Vercellini et al). 2003;188:606-10 (Editors' choice)
Crowley-Nowick PA (*see* Sheets et al). 2003;188:916-26
Cruikshank DP. The impact of a single- or double-layer closure on uterine rupture. 2003;188:295-6 (Letter)
Cruikshank SH, Muniz M. Outcomes study: a comparison of cure rates in 695 patients undergoing sacrospinous ligament fixation alone and with other site-specific procedures—a 16-year study. 2003;188:1509-15
Crum CP (*see* Sheets et al). 2003;188:916-26
Cumming DC (*see* Côté et al). 2003;188:343-8
Cummings S (*see* Modelska and Cummings). 2003;188:286-93 (AJOG reviews)
Cunningham FG (*see* Zeeman et al). 2003;188:532-6
Curley AE, Sweet DG, Thornton CM, O'Hara MD, Chesshyre E, Pizzotti J, Wilbourn MS, Halliday HL, Warner JA. Chorioamnionitis and increased neonatal lung lavage fluid matrix metalloproteinase-9 levels: implications for antenatal origins of chronic lung disease. 2003;188:871-5 (Editors' choice)
Curtis KM, Hillis SD, Marchbanks PA, Peterson HB. The endometrial-myometrial interface. 2003;188:857-8 (Letter reply)
Cusick W, Buchanan P, Hallahan TW, Krantz DA, Larsen JW Jr, Macri JN. Combined first-trimester versus second-trimester serum screening for Down syndrome: a cost analysis. 2003;188:745-51
Cutner A (*see* Visvanathan et al). 2003;188:860 (Letter reply)
Cu-Uvin S (*see* Harlow et al). 2003;188:881-6

D

da Fonseca EB, Bittar RE, Carvalho MHB, Zugaib M. Prophylactic administration of progesterone by vaginal suppository to reduce the incidence of spontaneous preterm birth in women at increased risk: a randomized placebo-controlled double-blind study. 2003;188:419-24
Dällenbach P, Boulvain M, Viardot C, Irion O. Oral misoprostol or vaginal dinoprostone for labor induction: a randomized controlled trial. 2003;188:162-7
Daltveit AK (*see* Kolås et al). 2003;188:864-70 (Editors' choice)
Damm P (*see* Lønberg et al). 2003;188:247-51
Daneshmand SS, Cheung CY, Brace RA. Regulation of amniotic fluid volume by intramembranous absorption in sheep: role of passive permeability and vascular endothelial growth factor. 2003;188:786-93
Danielsen B (*see* Gilbert and Danielsen). 2003;188:1596-601
Dansereau J (*see* Williams et al). 2003;188:1366-71
Darney PD (*see* Steinauer et al). 2003;188:1161-3 (Residents' papers)
Darragh TM (*see* Robinson et al). 2003;188:896-900
David M, Sinha P. The pharmacokinetics of glyceryl trinitrate with the use of the in vitro term human placental perfusion setup. 2003;188:1118 (Letter)
Davila GW. Urogynecologists are not encouraging a higher cesarean section rate. 2003;188:1660 (Letter)
Davila GW, Singh A, Karapanagiotou I, Woodhouse S, Huber K, Zimberg S, Seiler J, Kopka SL. Are women with urogenital atrophy symptomatic? 2003;188:382-8
Davis GD (*see* O'Boyle et al). 2003;188:1380 (Letter reply)
Davis NR (*see* Johnson et al). 2003;188:1565-72
de Beer A (*see* Cronjé et al). 2003;188:395-400
De Brabanter J (*see* Van den Bosch et al). 2003;188:1249-53
Decamps PJ (*see* Silver et al). 2003;188:1320-5
De Falco M (*see* Di Lieto et al). 2003;188:702-6
De Giorgi O (*see* Vercellini et al). 2003;188:606-10 (Editors' choice)
De Iaco P (*see* Savelli et al). 2003;188:927-31
de Kroon CD, Jansen FW, Louwé LA, Dieben SWM, van Houwelingen HC, Trimbos JB. Technology assessment of saline contrast hysterosonography. 2003;188:945-9
DeLancey JOL (*see* Morgan et al). 2003;188:1183-5 (Residents' papers)
DeLancey JOL (*see* Tunn et al). 2003;188:116-21
de la Torre SH, Mandel L, Goff BA. Evaluation of postoperative fever: usefulness and cost-effectiveness of routine workup. 2003;188:1642-7
de Leij LFMH (*see* van Nieuwenhoven et al). 2003;188:1073-7
Demissie K (*see* Ananth et al). 2003;188:275-81
Demissie K (*see* Ananth et al). 2003;188:954-60
Deprest J (*see* Devlieger et al). 2003;188:844-8
De Rosa G (*see* Di Lieto et al). 2003;188:702-6
Derrick EJ (*see* Low et al). 2003;188:461-5
Deutsch V (*see* Littner et al). 2003;188:409-12
DeVeaux R (*see* Gross et al). 2003;188:1052-6
Devlieger R, Ardon H, Verbist L, Gratacós E, Pijnenborg R, Deprest J. Increased polymorphonuclear infiltration and iatrogenic amniotic band after closure of fetoscopic access sites with a bioactive membrane in the rabbit at midgestation. 2003;188:844-8
Devos P (*see* Subtil et al). 2003;188:524-31
Dhont M (*see* Wildemeersch and Dhont). 2003;188:1297-8

Diav-Citrin O, Shechtman S, Arnon J, Lubart I, Ornoy A. Pregnancy outcome after gestational exposure to mebendazole: a prospective controlled cohort study. 2003;188:282-5
Dickinson JE (*see* Quintero et al). 2003;188:1333-40
Dieben SWM (*see* de Kroon et al). 2003;188:945-9
Diehl SJ (*see* Leslie et al). 2003;188:1238-40 (Residents' papers)
Dietz HP, Mouritsen L, Ellis G, Wilson PD. Does the tension-free vaginal tape stay where you put it? 2003;188:950-3
Di Lieto A, Iannotti F, De Falco M, Staibano S, Pollio F, Ciociola F, De Rosa G. Immunohistochemical detection of insulin-like growth factor type I receptor and uterine volume changes in gonadotropin-releasing hormone analog–treated uterine leiomyomas. 2003;188:702-6
Dillner J (*see* Lehtinen et al). 2003;188:49-55
DiPaolo JA (*see* Tran-Thanh et al). 2003;188:129-34
DiSaia PJ. Shedding a new light on Bethesda III: new technologies in cervical screening. 2003;188:S1 (Symposium)
Divall P (*see* Cronjé et al). 2003;188:395-400
Divon MY. Fetal gender affects ultrasound gestation at term. 2003;188:1666 (Letter reply)
Divon MY (*see* Ferber et al). 2003;188:1228-30 (Residents' papers)
Dobbie R (*see* Gaudoin et al). 2003;188:611-6 (Editors' choice)
Doherty DA (*see* Magann et al). 2003;188:1523-8
Dolber PC (*see* Pierce et al). 2003;188:1141-7 (Editors' choice)
Dollberg S (*see* Littner et al). 2003;188:409-12
Dollberg S (*see* Mandel et al). 2003;188:193-5
Dong Y-L, Wimalawansa S, Yallampalli C. Effects of steroid hormones on calcitonin gene–related peptide receptors in cultured human myometrium. 2003;188:466-72
Donner C (*see* Ismaili et al). 2003;188:242-6
Donovan EF (*see* Hashimoto and Donovan). 2003;188:1117 (Letter reply)
Dötsch J (*see* Trollmann et al). 2003;188:517-23
Dotson T (*see* Newman et al). 2003;188:264-8
Drescher KM, Monga M, Williams P, Promecene-Cook P, Schneider K. Perceived quality of life in pregnant adolescent girls. 2003;188:1231-3 (Residents' papers)
Drouin P (*see* Tran-Thanh et al). 2003;188:129-34
Du W-B (*see* Wang et al). 2003;188:324-9
Duarte-Franco E (*see* Tran-Thanh et al). 2003;188:129-34
Dubuc-Lissoir J (*see* Tran-Thanh et al). 2003;188:129-34
Dukler D, Oepkes D, Seaward G, Windrim R, Ryan G. Noninvasive tests to predict fetal anemia: a study comparing Doppler and ultrasound parameters. 2003;188:1310-4
Duleba AJ (*see* Townsend et al). 2003;188:699-701
Dunson DB (*see* Baird et al). 2003;188:100-7
Duska LR (*see* Schorge et al). 2003;188:640-4

E

Eaton LA (*see* Updike et al). 2003;188:901-5
Ebina Y (*see* Todo et al). 2003;188:1265-72
Eckert LO (*see* Wiley et al). 2003;188:1638-41
Edelman A (*see* Johnson et al). 2003;188:1202-4 (Residents' papers)
Eden J. Progestins and breast cancer. 2003;188:1123-31 (Editors' choice)
Edwards RK, Kellner KR, Sistrom CL, Magyari EJ. Medical student self-assessment of performance on an obstetrics and gynecology clerkship. 2003;188:1078-82 (Education)
Egan G (*see* Halbach et al). 2003;188:1198-201 (Residents' papers)
Egarter C (*see* Leitich et al). 2003;188:752-8
Ehrenberg HM, Mercer BM, Catalano P, Fisgus JR. Pregnancy in a spinal cord–injured bilateral total leg amputee: management and considerations. 2003;188:1096-9
Einarsson JI, Sangi-Haghpeykar H, Gardner MO. Sperm exposure and development of preeclampsia. 2003;188:1241-3 (Residents' papers)
Elkousy MA, Sammel M, Stevens E, Peipert JF, Macones G. The effect of birth weight on vaginal birth after cesarean delivery success rates. 2003;188:824-30
Elliott JP (*see* Ogura et al). 2003;188:1223-5 (Residents' papers)
Ellis G (*see* Dietz et al). 2003;188:950-3
El-Refaey H (*see* Sharma and El-Refaey). 2003;188:297-8 (Letter). Correction 2003;188:1378
El-Toukhy T (*see* Hefni et al). 2003;188:645-50
Emanuel I (*see* Janssen et al). 2003;188:1341-7
Emmet E (*see* Haver et al). 2003;188:1189-91 (Residents' papers)
Emory E, Ansari Z, Pattillo R, Archibold E, Chevalier J. Maternal blood lead effects on infant intelligence at age 7 months. 2003;188:S26-32 (Symposium)
Endometrial Cryoablation Study Group (*see* Townsend et al). 2003;188:699-701
Erkkola R. Response of uterine and umbilical circulations to physical exercise. 2003;188:1379 (Letter)
Ernest JM (*see* Hauth et al). 2003;188:831-5
Ervin MG (*see* Smith et al). 2003;188:444-53
Escamilla JO. Cephalopelvic disproportion/failure to progress diagnosis. 2003;188:1660 (Letter)
Eskes TKAB (*see* Kok et al). 2003;188:978-80
Espinosa B (*see* Gross et al). 2003;188:1052-6
Esplin MS, Fausett MB, Faux DS, Graves SW. Changes in the isoforms of the sodium pump in the placenta and myometrium of women in labor. 2003;188:759-64
Estes MA (*see* Branigan and Estes). 2003;188:1424-30 (Editors' choice)
Eswaran H (*see* Lowery et al). 2003;188:1491-7
Ethier KA (*see* Niccolai et al). 2003;188:63-70
Evans AT (*see* Lewis et al). 2003;188:1413-7 (Editors' choice)
Evans MI (*see* Wapner and Evans). 2003;188:300-1 (Letter reply)

F

Faas MM (*see* van Nieuwenhoven et al). 2003;188:1073-7
Falkay G (*see* Resch et al). 2003;188:993-6
Farina A (*see* Sekizawa et al). 2003;188:480-4
Farquharson DF (*see* Williams et al). 2003;188:1366-71
Farrar DF (*see* Allen et al). 2003;188:1151-3 (Residents' papers)
Fausett MB (*see* Esplin et al). 2003;188:759-64
Faux DS (*see* Esplin et al). 2003;188:759-64
Felix JC. The science behind the effectiveness of in vivo screening. 2003;188:S8-12 (Symposium)
Felix JC (*see* Pan et al). 2003;188:1057-62
Ferber A, Grassi A, Akyol D, O'Reilly-Green C, Divon MY. The association of fetal heart rate patterns with nucleated red blood cell counts at birth. 2003;188:1228-30 (Residents' papers)
Fernandes CE (*see* Jackson et al). 2003;188:389-94
Ferreira E (*see* Bujold et al). 2003;188:1454-9
Ferriero DM (*see* Fujii et al). 2003;188:413-8
Figueroa R (*see* Kesselman et al). 2003;188:1220-2 (Residents' papers)
Figueroa-Casas P (*see* Jackson et al). 2003;188:389-94
Fine D (*see* Wiley et al). 2003;188:1638-41
Finlayson A (*see* Gaudoin et al). 2003;188:611-6 (Editors' choice)
Fisgus JR (*see* Ehrenberg et al). 2003;188:1096-9
Fisher SJ (*see* Taylor et al). 2003;188:177-82
Fisk NM (*see* Sawdy et al). 2003;188:1046-51
Fisk NM (*see* Taylor et al). 2003;188:1119 (Letter)
Fisk NM (*see* Tocci et al). 2003;188:1002-10
Fittkow CT (*see* Maul et al). 2003;188:537-41
Fleckenstein JL (*see* Twickler et al). 2003;188:492-6
Fleming R (*see* Gaudoin et al). 2003;188:611-6 (Editors' choice)
Flett GMM (*see* Hamoda et al). 2003;188:1315-9
Fonseca L, Monga M, Silva J. Postdating pregnancy in an indigent population: the financial burden. 2003;188:1214-6 (Residents' papers)
Fontenot MT (*see* Lewis et al). 2003;188:1413-7 (Editors' choice)
Fontenot MT (*see* Newman et al). 2003;188:264-8
Foong BH (*see* Chia et al). 2003;188:425-33
Fowler JM (*see* Updike et al). 2003;188:901-5
Fox JL (*see* Suparto et al). 2003;188:1132-40 (Editors' choice)
Fraley JK (*see* Llorente et al). 2003;188:1348-53
Franco E (*see* Tran-Thanh et al). 2003;188:129-34
Francois K, Johnson JM, Harris C. Is placenta previa more common in multiple gestations? 2003;188:1226-7 (Residents' papers)

Francois KE (*see* Ogura et al). 2003;188:1223-5 (Residents' papers)
Frattarelli LC (*see* Oyama et al). 2003;188:1164-5 (Residents' papers)
Freda MC (*see* Morris-Rush et al). 2003;188:1217-9 (Residents' papers)
Frontino G (*see* Vercellini et al). 2003;188:606-10 (Editors' choice)
Fuchs M (*see* Sarrel et al). 2003;188:304-9 (Editors' choice)
Fujii EY, Takahashi N, Kodama Y, Roman C, Ferriero DM, Parer JT. Hemodynamic changes during complete umbilical cord occlusion in fetal sheep related to hippocampal neuronal damage. 2003;188:413-8
Fujikura T. Fused umbilical arteries near placental cord insertion. 2003;188:765-7
Fujimoto S (*see* Todo et al). 2003;188:1265-72
Fuke S, Kanzaki T, Mu J, Wasada K, Takemura M, Mitsuda N, Murata Y. Antenatal prediction of pulmonary hypoplasia by acceleration time/ejection time ratio of fetal pulmonary arteries by Doppler blood flow velocimetry. 2003;188:228-33
Fukuda H (*see* Tomimatsu et al). 2003;188:768-73

G

Gabbe S, Quilligan EJ. Editors' choice. 2003;188:1 (Editorial)
Galerneau F (*see* Williams and Galerneau). 2003;188:820-3
Galerneau F (*see* Williams et al). 2003;188:1366-71
Galvin SL (*see* Leslie et al). 2003;188:1238-40 (Residents' papers)
Gandhi S (*see* Goldberg et al). 2003;188:1447-53
Garbaciak JA Jr (*see* Stegmann et al). 2003;188:1171-3 (Residents' papers)
García-Paleta Y (*see* Chavarría et al). 2003;188:986-92
Gardner MO (*see* Einarsson et al). 2003;188:1241-3 (Residents' papers)
Garfield RE (*see* Bytautiene et al). 2003;188:774-8
Garfield RE (*see* Longo et al). 2003;188:1468-76
Garfield RE (*see* Maul et al). 2003;188:537-41
Garfield RE (*see* Maul et al). 2003;188:1498-503
Garite TJ (*see* Major et al). 2003;188:1551-5
Garner EO (*see* Schorge et al). 2003;188:640-4
Garry D (*see* Kesselman et al). 2003;188:1220-2 (Residents' papers)
Gaspar R (*see* Resch et al). 2003;188:993-6
Gaudoin M, Dobbie R, Finlayson A, Chalmers J, Cameron IT, Fleming R. Ovulation induction/intrauterine insemination in infertile couples is associated with low-birth-weight infants. 2003;188:611-6 (Editors' choice)
Gauthier P (*see* Tran-Thanh et al). 2003;188:129-34
Gauthier RJ (*see* Bujold et al). 2003;188:601-2 (Letter reply)
Gauthier RJ (*see* Bujold et al). 2003;188:296 (Letter reply)
Gauthier RJ (*see* Bujold et al). 2003;188:603 (Letter reply)
Gauthier RJ (*see* Bujold et al). 2003;188:1454-9
Gavin NI (*see* Berkman et al). 2003;188:1648-59 (AJOG reviews)
Gedroyc WMW (*see* Hindley et al). 2003;188:859 (Letter)
Gei A (*see* Bukowski et al). 2003;188:1011-5
Germann G (*see* Höckel et al). 2003;188:1100-2
Ghi T (*see* Savelli et al). 2003;188:927-31
Gianopoulos JG (*see* Mittendorf et al). 2003;188:1438-46
Gilbert WM, Danielsen B. Pregnancy outcomes associated with intrauterine growth restriction. 2003;188:1596-601
Gittenberger-de Groot AC (*see* Haak et al). 2003;188:727-33
Giudice LC (*see* Verhaeghe et al). 2003;188:485-91
Giuliani A, Tamussino KF. Mode of delivery and outcome of 699 term singleton breech deliveries at a single center. 2003;188:1666 (Letter reply)
Glover DD, Amonkar M, Rybeck BF, Tracy TS. Prescription, over-the-counter, and herbal medicine use in a rural, obstetric population. 2003;188:1039-45
Goff BA, Thompson T, Greer BE, Jacobs A, Storer B. Treatment of recurrent platinum resistant ovarian or peritoneal cancer with gemcitabine and doxorubicin: a phase I/II trial of the Puget Sound Oncology Consortium (PSOC 1602). 2003;188:1556-64
Goff BA (*see* de la Torre et al). 2003;188:1642-7
Goff BA (*see* Muntz et al). 2003;188:1609-14
Goharkhay N (*see* Pan et al). 2003;188:1057-62
Gokcel A, Bagis T, Zeyneloglu HB. Polycystic ovarian syndrome and insulin resistance in white and Mexican American women. 2003;188:1661 (Letter)
Gold MA (*see* Sheets et al). 2003;188:916-26
Goldberg J, Hyslop T, Tolosa JE, Sultana C. Racial differences in severe perineal lacerations after vaginal delivery. 2003;188:1063-7
Goldberg RP, Kwon C, Gandhi S, Atkuru LV, Sorensen M, Sand PK. Urinary incontinence among mothers of multiples: the protective effect of cesarean delivery. 2003;188:1447-53
Gonik B, Zhang N, Grimm MJ. Defining forces that are associated with shoulder dystocia: the use of a mathematical dynamic computer model. 2003;188:1068-72
Gonzalez C (*see* Schwartz et al). 2003;188:439-43
González-Gleason A (*see* Chavarría et al). 2003;188:986-92
Goodrum K (*see* Croak et al). 2003;188:1148-50 (Residents' papers)
Gotch F (*see* Prakash et al). 2003;188:376-81
Goumenou AG (*see* Matalliotakis et al). 2003;188:1103-4
Gracia CR (*see* Barnhart et al). 2003;188:906-9
Granberg S (*see* Gull et al). 2003;188:401-8
Grason HA (*see* Nicholson et al). 2003;188:580-5 (Education)
Grassi A (*see* Ferber et al). 2003;188:1228-30 (Residents' papers)
Gratacós E (*see* Devlieger et al). 2003;188:844-8
Graves CR (*see* Jenkins et al). 2003;188:549-52
Graves SW (*see* Esplin et al). 2003;188:759-64
Gravett MG (*see* Sadowsky et al). 2003;188:252-63
Gravitt P (*see* Tran-Thanh et al). 2003;188:129-34
Gravitt PE (*see* Altekruse et al). 2003;188:657-63
Grazi RV (*see* Roth et al). 2003;188:1169-70 (Residents' papers)
Green KL (*see* Takacs et al). 2003;188:740-4
Greenberg MD (*see* Altekruse et al). 2003;188:657-63
Greenblatt R (*see* Harlow et al). 2003;188:881-6
Greer BE (*see* Goff et al). 2003;188:1556-64
Gregor H (*see* Witt et al). 2003;188:816-9
Gregory KD, Korst LM. Age and racial/ethnic differences in maternal, fetal, and placental conditions in laboring patients. 2003;188:1602-8
Grenman S (*see* Luoto et al). 2003;188:45-8
Grimm MJ (*see* Gonik et al). 2003;188:1068-72
Grimwood J (*see* Taylor et al). 2003;188:177-82
Grobman W. Elective induction: an analysis of economic and health consequences. 2003;188:1665 (Letter reply)
Gross S, Castillo W, Crane M, Espinosa B, Carter S, DeVeaux R, Salafia C. Maternal serum α-fetoprotein and human chorionic gonadotropin levels in women with human immunodeficiency virus. 2003;188:1052-6
Grosse-Wilde H (*see* Steinborn et al). 2003;188:473-9
Guida M (*see* Pellicano et al). 2003;188:1664 (Letter reply)
Guido R, Schiffman M, Solomon D, Burke L, ASCUS LSIL Triage Study (ALTS) Group. Postcolposcopy management strategies for patients referred with low-grade squamous intraepithelial lesions or human papillomavirus DNA–positive atypical squamous cells of undetermined significance: a two-year prospective study. 2003;188:1401-5 (Editors' choice)
Guise J-M (*see* Hall et al). 2003;188:1205-7 (Residents' papers)
Gull B, Karlsson B, Milsom I, Granberg S. Can ultrasound replace dilation and curettage? A longitudinal evaluation of postmenopausal bleeding and transvaginal sonographic measurement of the endometrium as predictors of endometrial cancer. 2003;188:401-8
Gurtman A (*see* Harlow et al). 2003;188:881-6
Guthrie KA (*see* Adams et al). 2003;188:1234-7 (Residents' papers)

H

Haak MC, Twisk JWR, Bartelings MM, Gittenberger-de Groot AC, van Vugt JMG. Ductus venosus flow velocities in relation to the cardiac defects in first-trimester fetuses with enlarged nuchal translucency. 2003;188:727-33
Hackeloer BJ (*see* Banek et al). 2003;188:876-80 (Editors' choice)

Haddad B (*see* Chames et al). 2003;188:1504-8
Haddad B (*see* Livingston et al). 2003;188:149-52
Haddad B (*see* Louis-Sylvestre et al). 2003;188:943-4
Hadden DR (*see* Manderson et al). 2003;188:1326-32
Hadjimichael OC (*see* Altekruse et al). 2003;188:657-63
Hagberg H (*see* Norén et al). 2003;188:183-92
Häger R (*see* Kolås et al). 2003;188:864-70 (Editors' choice)
Haggerty CL, Ness RB, Amortegui A, Hendrix SL, Hillier SL, Holley RL, Peipert J, Randall H, Sondheimer SJ, Soper DE, Sweet RL, Trucco G, PID Evaluation and Clinical Health (PEACH) Study Investigators. Endometritis does not predict reproductive morbidity after pelvic inflammatory disease. 2003;188:141-8
Hakama M (*see* Lehtinen et al). 2003;188:49-55
Halbach MM, Spann CO, Egan G. Effect of sleep deprivation on medical resident and student cognitive function: a prospective study. 2003;188:1198-201 (Residents' papers)
Hale D (*see* Mutone et al). 2003;188:1477-83
Hale DS (*see* von Pechmann et al). 2003;188:1111-2
Hall JB. Can cervicography by improved? 2003;188:854 (Letter)
Hall M (*see* Ismaili et al). 2003;188:242-6
Hall W, McCracken K, Osterweil P, Guise J-M. Frequency and predictors for postpartum fecal incontinence. 2003;188:1205-7 (Residents' papers)
Hallahan TW (*see* Cusick et al). 2003;188:745-51
Hall-Craggs M (*see* Visvanathan et al). 2003;188:860 (Letter reply)
Halliday HL (*see* Curley et al). 2003;188:871-5 (Editors' choice)
Hamilton EF (*see* Bujold et al). 2003;188:296 (Letter reply)
Hamilton EF (*see* Bujold et al). 2003;188:601-2 (Letter reply)
Hamilton EF (*see* Bujold et al). 2003;188:603 (Letter reply)
Hamoda H, Ashok PW, Flett GMM, Templeton A. Medical abortion at 64 to 91 days of gestation: a review of 483 consecutive cases. 2003;188:1315-9
Hankins GDV (*see* Bukowski et al). 2003;188:1011-5
Hankins GDV (*see* Clark and Hankins). 2003;188:628-33 (Clin. opinion)
Hankins GDV (*see* Suarez et al). 2003;188:973-7
Hanley MI. (*see* Ananth et al). 2003;188:954-60
Hannah ME (*see* Hogle et al). 2003;188:220-7
Hansen A (*see* Jensen et al). 2003;188:1629-37
Harlow SD, Cohen M, Ohmit SE, Schuman P, Cu-Uvin S, Lin X, Greenblatt R, Gurtman A, Khalsa A, Minkoff H, Young MA, Klein RS. Substance use and psychotherapeutic medications: a likely contributor to menstrual disorders in women who are seropositive for human immunodeficiency virus. 2003;188:881-6
Harris C (*see* Francois et al). 2003;188:1226-7 (Residents' papers)
Harris DY (*see* Ramsey et al). 2003;188:560-5
Harrison TA (*see* Szurkus and Harrison). 2003;188:1180-2 (Residents' papers)
Hartmann KE (*see* Berkman et al). 2003;188:1648-59 (AJOG reviews)
Hartzstark Z (*see* Arbel et al). 2003;188:1283-90
Hashimoto LN, Donovan EF. Effects of antenatal glucocorticoids on outcomes of very-low-birth-weight multifetal gestations. 2003;188:1117 (Letter reply)
Hasselblad V (*see* Berkman et al). 2003;188:1648-59 (AJOG reviews)
Hauth JC, MacPherson C, Carey JC, Klebanoff MA, Hillier SL, Ernest JM, Leveno KJ, Wapner R, Varner M, Trout W, Moawad A, Sibai B, National Institute of Child Health and Human Development Network of Maternal-Fetal Medicine Units. Early pregnancy threshold vaginal pH and Gram stain scores predictive of subsequent preterm birth in asymptomatic women. 2003;188:831-5
Hauth JC (*see* Owen et al). 2003;188:586-96 (AJOG reviews)
Haver MC, Locksmith GJ, Emmet E. Irregular menses: an independent risk factor for gestational diabetes mellitus. 2003;188:1189-91 (Residents' papers)
Haynes D (*see* Hendrick et al). 2003;188:812-5
Heber WW (*see* Lee et al). 2003;188:209-13
Hecher K (*see* Banek et al). 2003;188:876-80 (Editors' choice)
Hedley ML (*see* Sheets et al). 2003;188:916-26
Heerschap A (*see* Kok et al). 2003;188:978-80
Hefni M, El-Toukhy T, Bhaumik J, Katsimanis E. Sacrospinous cervicocolpopexy with uterine conservation for uterovaginal prolapse in elderly women: an evolving concept. 2003;188:645-50
Heineman MJ (*see* van Nieuwenhoven et al). 2003;188:1073-7
Heird WC (*see* Llorente et al). 2003;188:1348-53
Heise RH (*see* Ramsey et al). 2003;188:560-5
Henderson AD (*see* Janssen et al). 2003;188:1341-7
Hendrick V, Smith LM, Suri R, Hwang S, Haynes D, Altshuler L. Birth outcomes after prenatal exposure to antidepressant medication. 2003;188:812-5
Hendrix SL (*see* Haggerty et al). 2003;188:141-8
Henriksen T (*see* Kolås et al). 2003;188:864-70 (Editors' choice)
Henson MC (*see* Shi et al). 2003;188:1211-3 (Residents' papers)
Herault S (*see* Carles et al). 2003;188:794-9
Herbst A (*see* Norén et al). 2003;188:183-92
Hickerson JW. Endometrial carcinoma: treatment and outcomes in the regional hospital setting. 2003;188:1573-8
Hiilesmaa V (*see* Väisänen-Tommiska et al). 2003;188:779-85
Hildesheim A (*see* Altekruse et al). 2003;188:657-63
Hilgers RD (*see* Smith et al). 2003;188:357-66
Hill MC (*see* Baird et al). 2003;188:100-7
Hillier SL (*see* Haggerty et al). 2003;188:141-8
Hillier SL (*see* Hauth et al). 2003;188:831-5
Hillier SL (*see* Yudin et al). 2003;188:318-23
Hillis SD (*see* Curtis et al). 2003;188:857-8 (Letter reply)
Hindley JT, Gedroyc WMW, Regan L. Interstitial laser coagulation for uterine myomas. 2003;188:859 (Letter)
Hirtz DG (*see* Rouse et al). 2003;188:295 (Letter)
Höckel M, Menke H, Germann G. Vaginoplasty with split skin grafts from the scalp: optimization of the surgical treatment for vaginal agenesis. 2003;188:1100-2
Hofoss D (*see* Kolås et al). 2003;188:864-70 (Editors' choice)
Hogle KL, Hutton EK, McBrien KA, Barrett JFR, Hannah ME. Cesarean delivery for twins: a systematic review and meta-analysis. 2003;188:220-7
Holley RL (*see* Haggerty et al). 2003;188:141-8
Holley RL (*see* Ness et al). 2003;188:599-600 (Letter reply)
Holovanisin M (*see* Creinin et al). 2003;188:664-9
Holt VL (*see* Janssen et al). 2003;188:1341-7
Homan J (*see* Kaneko et al). 2003;188:961-72
Howard D (*see* Tunn et al). 2003;188:116-21
Hoyte L (*see* Singh et al). 2003;188:910-5
Huang ML (*see* Watts et al). 2003;188:836-43
Huang T (*see* Lepage et al). 2003;188:1354-9
Huber K (*see* Davila et al). 2003;188:382-8
Hughes JP (*see* Mao et al). 2003;188:677-84
Hunt BJ (*see* Stone et al). 2003;188:454-60
Husslein P (*see* Leitich et al). 2003;188:752-8
Hutchon DJR. Fetal gender affects ultrasound gestation at term. 2003;188:1665-6 (Letter)
Hutton EK (*see* Hogle et al). 2003;188:220-7
Hwang S (*see* Hendrick et al). 2003;188:812-5
Hyslop T (*see* Goldberg et al). 2003;188:1063-7

I

Iams JD. Supplemental progesterone to prevent preterm birth. 2003;188:303 (Editorial)
Iams JD (*see* Owen et al). 2003;188:586-96 (AJOG reviews)
Iannotti F (*see* Di Lieto et al). 2003;188:702-6
Ickovics JR (*see* Niccolai et al). 2003;188:63-70
Idicula AE (*see* Berkman et al). 2003;188:1648-59 (AJOG reviews)
Ikegami M (*see* Jobe et al). 2003;188:22-8 (Editors' choice)
Ikegami M (*see* Smith et al). 2003;188:444-53
Ingemarsson I (*see* Kolås et al). 2003;188:864-70 (Editors' choice)
Ino K (*see* Khin et al). 2003;188:670-6
Irion O (*see* Dällenbach et al). 2003;188:162-7
Isacson C (*see* Muntz et al). 2003;188:1609-14
Islam KB (*see* Svedas et al). 2003;188:168-76
Ismaili K, Hall M, Donner C, Thomas D, Vermeylen D, Avni FE. Results of systematic screening for minor degrees of fetal renal pelvis dilatation in an unselected population. 2003;188:242-6

Israel R. The relationship between physicians and industry: Faustian or symbiotic? 2003;188:1530-40 (Pres. address)
Iwasaki M (*see* Sekizawa et al). 2003;188:480-4
Iyengar J (*see* Morgan et al). 2003;188:1183-5 (Residents' papers)

J

Jabara S, Barnhart KT. Is Rh immune globulin needed in early first-trimester abortion? A review. 2003;188:623-7 (Clin. opinion)
Jackson R (*see* Lee et al). 2003;188:693-8
Jackson RA (*see* Steinauer et al). 2003;188:1161-3 (Residents' papers)
Jackson VP, San Martin JA, Secrest RJ, McNabb M, Carranza-Lira S, Figueroa-Casas P, Fernandes CE, Romaguera J. Comparison of the effect of raloxifene and continuous-combined hormone therapy on mammographic breast density and breast tenderness in postmenopausal women. 2003;188:389-94
Jacobs A (*see* Goff et al). 2003;188:1556-64
Jacobs P (*see* Côté et al). 2003;188:343-8
Jacobson JD (*see* Rowland et al). 2003;188:1156-7 (Residents' papers)
Jacques DL (*see* Blickstein et al). 2003;188:1026-30
Jaekle RK (*see* Lewis et al). 2003;188:1413-7 (Editors' choice)
Jaekle RK (*see* Newman et al). 2003;188:264-8
Jain V (*see* Longo et al). 2003;188:1468-76
Jakab M (*see* Singh et al). 2003;188:910-5
Jamieson DJ (*see* Potter et al). 2003;188:1192-4 (Residents' papers)
Janczukiewicz L (*see* Creinin et al). 2003;188:664-9
Janeczek S (*see* Mittendorf et al). 2003;188:1438-46
Jansen FW (*see* de Kroon et al). 2003;188:945-9
Janssen PA, Holt VL, Sugg NK, Emanuel I, Critchlow CM, Henderson AD. Intimate partner violence and adverse pregnancy outcomes: a population-based study. 2003;188:1341-7
Jaraquemada JMP. Postpartum hemorrhage mistakes. 2003; 188:603 (Letter)
Jellum E (*see* Lehtinen et al). 2003;188:49-55
Jenkins TM, Troiano NH, Graves CR, Baird SM, Boehm FH. Mechanical ventilation in an obstetric population: characteristics and delivery rates. 2003;188:549-52
Jennett RJ, Tarby TJ. Complete brachial plexus impairment: a traction-related injury. 2003;188:859 (Letter reply)
Jensen CL (*see* Llorente et al). 2003;188:1348-53
Jensen J (*see* Johnson et al). 2003;188:1202-4 (Residents' papers)
Jensen JT, Wilder K, Carr K, Romm J, Hansen A. Quality of life and sexual function after evaluation and treatment at a referral center for vulvovaginal disorders. 2003;188:1629-37
Jeong JK (*see* Cho et al). 2003;188:56-62
Jepson C (*see* Ubel et al). 2003;188:575-9 (Education)
Jhang H, Chuang L, Visintainer P, Ramaswamy G. CA 125 levels in the preoperative assessment of advanced-stage uterine cancer. 2003;188:1195-7 (Residents' papers)
Jimbo M (*see* Sekizawa et al). 2003;188:480-4
Jin Y, Carriere KC, Marrie TJ, Predy G, Johnson DH. The effects of community-acquired pneumonia during pregnancy ending with a live birth. 2003;188:800-6
Jobe AH. Antenatal steroids in twins. 2003;188:856 (Letter)
Jobe AH, Newnham JP, Moss TJ, Ikegami M. Differential effects of maternal betamethasone and cortisol on lung maturation and growth in fetal sheep. 2003;188:22-8 (Editors' choice)
Jobe AH (*see* Smith et al). 2003;188:444-53
Johnson DH (*see* Jin et al). 2003;188:800-6
Johnson DP, Davis NR, Brown AJ. Risk of cesarean delivery after induction at term in nulliparous women with an unfavorable cervix. 2003;188:1565-72
Johnson JM (*see* Francois et al). 2003;188:1226-7 (Residents' papers)
Johnson LK, Edelman A, Jensen J. Patient satisfaction and the impact of written material about postpartum contraceptive decisions. 2003;188:1202-4 (Residents' papers)
Johnston JM (*see* Narahara et al). 2003;188:157-61
Joliat MJ (*see* Pearlstein et al). 2003;188:887-95
Jones J, Stevens CE, Rubinstein P, Robertazzi RR, Kerr A, Cabbad MF. Obstetric predictors of placental umbilical cord blood volume for transplantation. 2003;188:503-9
Jung N (*see* Baek et al). 2003;188:634-9
Jurado M (*see* Alcázar et al). 2003;188:685-92
Juul A (*see* Lønberg et al). 2003;188:247-51

K

Kaider A (*see* Leitich et al). 2003;188:752-8
Kajiyama H (*see* Khin et al). 2003;188:670-6
Kanagawa T (*see* Tomimatsu et al). 2003;188:768-73
Kaneko M, White S, Homan J, Richardson B. Cerebral blood flow and metabolism in relation to electrocortical activity with severe umbilical cord occlusion in the near-term ovine fetus. 2003;188:961-72
Kang S (*see* Cho et al). 2003;188:56-62
Kanzaki T (*see* Fuke et al). 2003;188:228-33
Kanzaki T (*see* Tomimatsu et al). 2003;188:768-73
Kapembwa MS (*see* Prakash et al). 2003;188:376-81
Kaplan C, Mendiola R, Ndjatou V, Chapnick E, Minkoff H. The role of covering gowns in reducing rates of bacterial contamination of scrub suits. 2003;188:1154-5 (Residents' papers)
Karapanagiotou I (*see* Davila et al). 2003;188:382-8
Karlsson B (*see* Gull et al). 2003;188:401-8
Katsimanis E (*see* Hefni et al). 2003;188:645-50
Katz DL, Barrett JP, Sanfilippo JS, Badway DM. Combined hysteroscopy and laparoscopy in the treatment of interstitial pregnancy. 2003;188:1113-4
Katz DL (*see* Sarrel et al). 2003;188:304-9 (Editors' choice)
Kauffman RP, Castracane VD. Polycystic ovarian syndrome and insulin resistance in white and Mexican American women. 2003;188:1661-2 (Letter reply)
Kaufman RH. Dermatoses of pregnancy. 2003:188:863 (Editorial)
Kaufmann RH (*see* Berkova et al). 2003;188:932-7
Kauma SW (*see* Takacs et al). 2003;188:740-4
Kawano Y (*see* Narahara et al). 2003;188:157-61
Keber I (*see* Žegura et al). 2003;188:1291-6
Keelan JA (*see* Blackburn et al). 2003;188:807-11
Keith LG (*see* Blickstein et al). 2003;188:1026-30
Kellner KR (*see* Edwards et al). 2003;188:1078-82 (Education)
Kempfert NJ (*see* Portman et al). 2003;188:334-42
Kendall MA (*see* Robinson et al). 2003;188:896-900
Kennedy K (*see* Plaut et al). 2003;188:1588-95
Kennelly M. Response of uterine and umbilical circulations to physical exercise. 2003;188:1379 (Letter reply)
Kenny L (*see* Wareing et al). 2003;188:196-202
Kent N (*see* Williams et al). 2003;188:1366-71
Kerr A (*see* Jones et al). 2003;188:503-9
Kershaw TS (*see* Niccolai et al). 2003;188:63-70
Kesmodel U. Are users of alcohol in pregnancy necessarily alcohol abusers? 2003;188:296-7 (Letter)
Kessel B (*see* Oyama et al). 2003;188:1164-5 (Residents' papers)
Kesselman EJ, Figueroa R, Garry D, Maulik D. The usefulness of the TDx/TDxFLx Fetal Lung Maturity II assay in the initial evaluation of fetal lung maturity. 2003;188:1220-2 (Residents' papers)
Kessous A (*see* Tran-Thanh et al). 2003;188:129-34
Key CR (*see* Smith et al). 2003;188:357-66
Khalsa A (*see* Harlow et al). 2003;188:881-6
Khamashta MA (*see* Stone et al). 2003;188:454-60
Khanlian SA, Smith HO, Cole LA. Persistent low levels of human chorionic gonadotropin: a premalignant gestational trophoblastic disease. 2003;188:1254-9
Khin EE, Kikkawa F, Ino K, Kajiyama H, Suzuki T, Shibata K, Tamakoshi K, Nagasaka T, Mizutani S. Dipeptidyl peptidase IV expression in endometrial endometrioid adenocarcinoma and its inverse correlation with tumor grade. 2003;188:670-6
Kikkawa F (*see* Khin et al). 2003;188:670-6
Killen H (*see* Low et al). 2003;188:461-5
Kim D (*see* Baek et al). 2003;188:634-9
Kim JM (*see* Baek et al). 2003;188:634-9

Kim JW (*see* Cho et al). 2003;188:56-62
Kim YT (*see* Cho et al). 2003;188:56-62
King A (*see* Rowland et al). 2003;188:1156-7 (Residents' papers)
King MR (*see* Allen et al). 2003;188:1151-3 (Residents' papers)
Kingdom J (*see* Lepage et al). 2003;188:1354-9
Kiviat N (*see* Mao et al). 2003;188:677-84
Kjellmer I (*see* Norén et al). 2003;188:183-92
Klapow JC (*see* Kovac et al). 2003;188:707-13
Klauser CK (*see* Carroll et al). 2003;188:1516-22
Klebanoff MA (*see* Hauth et al). 2003;188:831-5
Klein BY (*see* Arbel et al). 2003;188:1283-90
Klein RS (*see* Harlow et al). 2003;188:881-6
Kleinberg MJ, Straughn JM Jr, Stringer JSA, Partridge EE. A cost-effectiveness analysis of management strategies for cervical intraepithelial neoplasia grades 2 and 3. 2003;188:1186-8 (Residents' papers)
Ko S-F, Ng S-H, Lin H. Postpartum hemorrhage mistakes. 2003;188:603-4 (Letter reply)
Kodama Y (*see* Fujii et al). 2003;188:413-8
Kok RD, Steegers-Theunissen RPM, Eskes TKAB, Heerschap A, van den Berg PP. Decreased relative brain tissue levels of inositol in fetal hydrocephalus. 2003;188:978-80
Kolås T, Hofoss D, Daltveit AK, Nilsen ST, Henriksen T, Häger R, Ingemarsson I, Øian P. Indications for cesarean deliveries in Norway. 2003;188:864-70 (Editors' choice)
Kopka SL (*see* Davila et al). 2003;188:382-8
Korst LM (*see* Gregory and Korst). 2003;188:1602-8
Korst LM (*see* Silver et al). 2003;188:1320-5
Koskela P (*see* Lehtinen et al). 2003;188:49-55
Koushik A (*see* Tran-Thanh et al). 2003;188:129-34
Koutsky LA (*see* Mao et al). 2003;188:677-84
Kovac SH, Klapow JC, Kroenke K, Spitzer RL, Williams JBW. Differing symptoms of abused versus nonabused women in obstetric-gynecology settings. 2003;188:707-13
Krantz DA (*see* Cusick et al). 2003;188:745-51
Krauss MJ, Morrissey AE, Winn HN, Amon E, Leet TL. Microcephaly: an epidemiologic analysis. 2003;188:1484-90
Kroenke K (*see* Kovac et al). 2003;188:707-13
Krohn MA (*see* Yudin et al). 2003;188:318-23
Kroumpouzos G, Cohen LM. Specific dermatoses of pregnancy: an evidence-based systematic review. 2003;188:1083-92 (AJOG reviews)
Kruger M (*see* Abel and Kruger). 2003;188:297 (Letter reply)
Kruger M (*see* Abel and Kruger). 2003;188:299 (Letter reply)
Kublickiene KR (*see* Svedas et al). 2003;188:168-76
Kudo Y, Boyd CAR, Sargent IL, Redman CWG. Decreased tryptophan catabolism by placental indoleamine 2,3-dioxygenase in preeclampsia. 2003;188:719-26
Kuehl TJ (*see* Pierce et al). 2003;188:1141-7 (Editors' choice)
Kumar S (*see* Tocci et al). 2003;188:1002-10
Kupittayanant S (*see* Pierce et al). 2003;188:1031-8
Kuypers J (*see* Mao et al). 2003;188:677-84
Kwon C (*see* Goldberg et al). 2003;188:1447-53

L

Lacey JV Jr (*see* Altekruse et al). 2003;188:657-63
Lacoste H (*see* Welch et al). 2003;188:600 (Letter)
LaCoursiere DY, Nager CW. A comparison of two models of gynecology service consultation to the emergency department in an academic medical center. 2003;188:1166-8 (Residents' papers)
LaHue AK (*see* Nelson et al). 2003;188:1541-50
Lai-Lin Y-L (*see* Smulian et al). 2003;188:269-74
Lam CM, Wong SF, Chow KM. Biochemical screening for Down syndrome in renal failure. 2003;188:597 (Letter)
Landen CN Jr, Mathur SP, Richardson MS, Creasman WT. Expression of cyclooxygenase-2 in cervical, endometrial, and ovarian malignancies. 2003;188:1174-6 (Residents' papers)
Landen CN Jr, Younger NO, Sharp BAC, Underwood PB. Cancer patients' satisfaction with physicians: Princess Margaret Hospital Satisfaction with Doctor questionnaire results. 2003;188:1177-9 (Residents' papers)
Landy U (*see* Steinauer et al). 2003;188:1161-3 (Residents' papers)
Laoag-Fernandez JB (*see* Motoyama et al). 2003;188:1260-4
Laparte C (*see* Alcázar et al). 2003;188:685-92
Lara-González L (*see* Chavarría et al). 2003;188:986-92
Lara-Torre E, Pinkerton JS. Accuracy of detection of *Trichomonas vaginalis* organisms on a liquid-based Papanicolaou smear. 2003;188:354-6
Larsen JW Jr (*see* Cusick et al). 2003;188:745-51
Lauenborg J (*see* Lønberg et al). 2003;188:247-51
Laufer N (*see* Arbel et al). 2003;188:1283-90
Lea JS (*see* Schorge et al). 2003;188:640-4
Leclerc G (*see* Subtil et al). 2003;188:524-31
Ledger WJ. Effectiveness of inpatient and outpatient treatment strategies for women with pelvic inflammatory disease. 2003;188:598 (Letter)
Lee C, Mancuso V, Contant T, Jackson R, Smith-McCune K. Treatment of women with low-grade squamous intraepithelial lesions on cytologic evidence or biopsy results by board-certified gynecologists. 2003;188:693-8
Lee DSC (*see* Lee et al). 2003;188:617-22 (Editors' choice)
Lee H-P (*see* Wang et al). 2003;188:324-9
Lee J (*see* Wang et al). 2003;188:324-9
Lee K-S (*see* Mittendorf et al). 2003;188:294-5 (Letter reply)
Lee SK, McMillan DD, Ohlsson A, Boulton J, Lee DSC, Ting S, Liston R, Canadian Neonatal Network. The benefit of preterm birth at tertiary care centers is related to gestational age. 2003;188:617-22 (Editors' choice)
Lee S-K (*see* Mao et al). 2003;188:677-84
Lee T, Carpenter MW, Heber WW, Silver HM. Preterm premature rupture of membranes: risks of recurrent complications in the next pregnancy among a population-based sample of gravid women. 2003;188:209-13
Leet TL (*see* Krauss et al). 2003;188:1484-90
Lehtinen M, Pawlita M, Zumbach K, Lie K, Hakama M, Jellum E, Koskela P, Luostarinen T, Paavonen J, Pukkala E, Sigstad E, Thoresen S, Dillner J. Evaluation of antibody response to human papillomavirus early proteins in women in whom cervical cancer developed 1 to 20 years later. 2003;188:49-55
Leidwanger C (*see* Livingston et al). 2003;188:149-52
Leininger CJ (*see* Luthy et al). 2003;188:1579-87
Leitich H, Brunbauer M, Bodner-Adler B, Kaider A, Egarter C, Husslein P. Antibiotic treatment of bacterial vaginosis in pregnancy: a meta-analysis. 2003;188:752-8
Lepage N, Chitayat D, Kingdom J, Huang T. Association between second-trimester isolated high maternal serum human chorionic gonadotropin levels and obstetric complications in singleton and twin pregnancies. 2003;188:1354-9
Lepine LA (*see* Potter et al). 2003;188:1192-4 (Residents' papers)
Leslie H (*see* Manderson et al). 2003;188:1326-32
Leslie JC, Galvin SL, Diehl SJ, Bennett TA, Buescher PA. Infant mortality, low birth weight, and prematurity among Latina, white, and African American women in North Carolina. 2003;188:1238-40 (Residents' papers)
Letterie GS. Medical education as a science: the quality of evidence for computer-assisted instruction. 2003;188:849-53 (Education)
Leung P (*see* Yip et al). 2003;188:1244-8
Leveno KJ (*see* Hauth et al). 2003;188:831-5
Levitzki R (*see* Arbel et al). 2003;188:1283-90
Lewis DF, Adair CD, Robichaux AG, Jaekle RK, Moore JA, Evans AT, Fontenot MT. Antibiotic therapy in preterm premature rupture of membranes: are seven days necessary? A preliminary, randomized clinical trial. 2003;188:1413-7 (Editors' choice)
Lewis DF (*see* Major et al). 2003;188:1551-5
Lewis DF (*see* Newman et al). 2003;188:264-8
Lewis JB (*see* Niccolai et al). 2003;188:63-70
Li Q (*see* Salihu et al). 2003;188:1305-9
Liao AW (*see* Nishie et al). 2003;188:214-9
Lie K (*see* Lehtinen et al). 2003;188:49-55
Lieberman E (*see* Shipp and Lieberman). 2003;188:601 (Letter)
Liebling RE (*see* Murphy and Liebling). 2003;188:542-8
Lin H (*see* Ko et al). 2003;188:603-4 (Letter reply)
Lin X (*see* Harlow et al). 2003;188:881-6

Liston R (*see* Lee et al). 2003;188:617-22 (Editors' choice)
Little KD (*see* Clapp et al). 2003;188:1021-5
Littner Y, Mandel D, Sheffer-Mimouni G, Mimouni FB, Deutsch V, Dollberg S. Nucleated red blood cells in infants of mothers with asthma. 2003;188:409-12
Littner Y (*see* Mandel et al). 2003;188:193-5
Liu JH (*see* Simon et al). 2003;188:92-9
Livingston JC, Llata E, Rinehart E, Leidwanger C, Mabie B, Haddad B, Sibai B. Gentamicin and clindamycin therapy in postpartum endometritis: the efficacy of daily dosing versus dosing every 8 hours. 2003;188:149-52
Livingston JC (*see* Chames et al). 2003;188:1504-8
Llata E (*see* Livingston et al). 2003;188:149-52
Llorente AM, Jensen CL, Voigt RG, Fraley JK, Berretta MC, Heird WC. Effect of maternal docosahexaenoic acid supplementation on postpartum depression and information processing. 2003;188:1348-53
Lo C (*see* North and Lo). 2003;188:1662-3 (Letter reply)
Lobel SM (*see* Roth et al). 2003;188:1169-70 (Residents' papers)
Locksmith GJ (*see* Haver et al). 2003;188:1189-91 (Residents' papers)
Loewenstein L, Naschitz JE. Use of automated home blood pressure monitoring in pregnancy. 2003;188:1662 (Letter)
Loffer FD. Direct visualization of the uterine cavity provides a better triage than saline hysterography. 2003;188:299 (Letter)
Loffer FD. Hysteroscopic transcervical endometrial resection versus thermal destruction for menorrhagia: a prospective randomized trial on satisfaction rate. 2003;188:1664 (Letter)
Lohr KN (*see* Berkman et al). 2003;188:1648-59 (AJOG reviews)
Lønberg U, Damm P, Andersson A-M, Main KM, Chellakooty M, Lauenborg J, Skakkebæk NE, Juul A. Increase in maternal placental growth hormone during pregnancy and disappearance during parturition in normal and growth hormone–deficient pregnancies. 2003;188:247-51
Longo M, Jain V, Vedernikov YP, Garfield RE, Saade GR. Effects of recombinant human relaxin on pregnant rat uterine artery and myometrium in vitro. 2003;188:1468-76
López-García G (*see* Alcázar et al). 2003;188:685-92
Louis-Sylvestre C, Haddad B, Paniel B-J. Treatment of vaginal outflow tract obstruction in graft-versus-host reaction. 2003;188:943-4
Louwé LA (*see* de Kroon et al). 2003;188:945-9
Low JA, Killen H, Derrick EJ. Antepartum fetal asphyxia in the preterm pregnancy. 2003;188:461-5
Lowery CL, Campbell JQ, Wilson JD, Murphy P, Preissl H, Malak SF, Eswaran H. Noninvasive antepartum recording of fetal S-T segment with a newly developed 151-channel magnetic sensor system. 2003;188:1491-7
Lubart I (*see* Diav-Citrin et al). 2003;188:282-5
Lucas MJ (*see* Vidaeff and Lucas). 2003;188:602-3 (Letter)
Luck MB (*see* Robinson et al). 2003;188:896-900
Luostarinen T (*see* Lehtinen et al). 2003;188:49-55
Luoto R, Grenman S, Salonen S, Pukkala E. Increased risk of thyroid cancer among women with hysterectomies. 2003;188:45-8
Luthy DA, Malmgren JA, Zingheim RW, Leininger CJ. Physician contribution to a cesarean delivery risk model. 2003;188:1579-87
Lye S (*see* Sawdy et al). 2003;188:1046-51
Lyerly AD. Achieving equipoise in maternal-fetal surgery. 2003;188:854-5 (Letter)

M

Ma XH, Wu WX, Nathanielsz PW. Gestation-related and betamethasone-induced changes in 11β-hydroxysteroid dehydrogenase types 1 and 2 in the baboon placenta. 2003;188:13-21 (Editors' choice)
Mabie B (*see* Livingston et al). 2003;188:149-52
MacMillan W (*see* Mittendorf et al). 2003;188:1438-46
Macones G (*see* Elkousy et al). 2003;188:824-30
MacPherson C (*see* Hauth et al). 2003;188:831-5
Macri JN (*see* Cusick et al). 2003;188:745-51
Magann E (*see* Chauhan et al). 2003;188:862 (Letter reply)
Magann EF, Chauhan SP, Doherty DA, Barrilleaux PS, Martin JN Jr, Morrison JC. Predictability of intrapartum and neonatal outcomes with the amniotic fluid volume distribution: a reassessment using the amniotic fluid index, single deepest pocket, and a dye-determined amniotic fluid volume. 2003;188:1523-8
Magann EF (*see* Carroll et al). 2003;188:1516-22
Magann EF (*see* Morrison et al). 2003;188:1460-7
Magee KP (*see* Twickler et al). 2003;188:492-6
Magtibay PM (*see* Ramsey et al). 2003;188:560-5
Magyari EJ (*see* Edwards et al). 2003;188:1078-82 (Education)
Mahutte NG (*see* Matalliotakis et al). 2003;188:1103-4
Main KM (*see* Lønberg et al). 2003;188:247-51
Major CA, Towers CV, Lewis DF, Garite TJ. Expectant management of preterm premature rupture of membranes complicated by active recurrent genital herpes. 2003;188:1551-5
Malak SF (*see* Lowery et al). 2003;188:1491-7
Malinow AM (*see* Buhimschi et al). 2003;188:553-9
Malinow AM (*see* Buhimschi et al). 2003;188:734-9
Malmgren JA (*see* Luthy et al). 2003;188:1579-87
Mancuso V (*see* Lee et al). 2003;188:693-8
Mandel D, Littner Y, Mimouni FB, Dollberg S. Nucleated red blood cells in polycythemic infants. 2003;188:193-5
Mandel D (*see* Littner et al). 2003;188:409-12
Mandel L (*see* de la Torre et al). 2003;188:1542-7
Mandel LS (*see* Adams et al). 2003;188:1234-7 (Residents' papers)
Manderson JG, Patterson CC, Hadden DR, Traub AI, Leslie H, McCance DR. Leptin concentrations in maternal serum and cord blood in diabetic and nondiabetic pregnancy. 2003;188:1326-32
Manetta A (*see* Chan et al). 2003;188:1273-7
Manetta A (*see* Cohn and Manetta). 2003;188:2 (Editorial)
Manolitsas TP (*see* Updike et al). 2003;188:901-5
Mansour RT (*see* Aboulghar et al). 2003;188:371-5
Mao C, Hughes JP, Kiviat N, Kuypers J, Lee S-K, Adam DE, Koutsky LA. Clinical findings among young women with genital human papillomavirus infection. 2003;188:677-84
Marchbanks PA (*see* Curtis et al). 2003;188:857-8 (Letter reply)
Marconi D (*see* Zupi et al). 2003;188:7-12 (Editors' choice)
Marquette GP (*see* Bujold et al). 2003;188:1454-9
Marret H (*see* Carles et al). 2003;188:794-9
Marrie TJ (*see* Jin et al). 2003;188:800-6
Maršál K (*see* Norén et al). 2003;188:183-92
Martin DC. Endometriosis: correlation between histologic and visual findings at laparoscopy. 2003;188:1663 (Letter)
Martin JN Jr (*see* Chauhan et al). 2003;188:862 (Letter reply)
Martin JN Jr (*see* Magann et al). 2003;188:1523-8
Martínez JM (*see* Bermúdez et al). 2003;188:1119-20 (Letter reply)
Martínez RO (*see* Ramón y Cajal and Martínez). 2003;188:153-6
Maruo T (*see* Motoyama et al). 2003;188:1260-4
Mastropietro MA (*see* von Pechmann et al). 2003;188:1111-2
Matalliotakis IM, Mahutte NG, Goumenou AG, Arici A. Twenty-year history of endometriosis-associated pelvic pain: too much surgery or not enough? 2003;188:1103-4
Mathur SP (*see* Landen et al). 2003;188:1174-6 (Residents' papers)
Matsuoka R (*see* Sekizawa et al). 2003;188:480-4
Maul H, Bytautiene E, Vedernikov Y, Garfield RE, Saade GR. Proteinase-activated receptor-2 activation induces uterine contractility in term pregnant rats that is not dependent on mast cell activation and cyclo-oxygenase products. 2003;188:1498-503
Maul H, Olson G, Fittkow CT, Saade GR, Garfield RE. Cervical light-induced fluorescence in humans decreases throughout gestation and before delivery: preliminary observations. 2003;188:537-41
Maulik D (*see* Kesselman et al). 2003;188:1220-2 (Residents' papers)
McBrien KA (*see* Hogle et al). 2003;188:220-7
McCance DR (*see* Manderson et al). 2003;188:1326-32
McCowan LME, Craigie S, Taylor RS, Ward C, McLintock C, North RA. Inherited thrombophilias are not increased in "idiopathic" small-for-gestational-age pregnancies. 2003;188:981-5
McCracken K (*see* Hall et al). 2003;188:1205-7 (Residents' papers)

McCullough LB (*see* Chervenak and McCullough). 2003;188:855-6 (Letter reply)
McElrath TF. Association between use of antenatal magnesium sulfate in preterm labor and adverse health outcomes in infants. 2003;188:294 (Letter)
McGonigle K (*see* Muntz et al). 2003;188:1609-14
McGowan L (*see* Altekruse et al). 2003;188:657-63
McLintock C (*see* McCowan et al). 2003;188:981-5
McMaster MT (*see* Taylor et al). 2003;188:177-82
McMillan DD (*see* Lee et al). 2003;188:617-22 (Editors' choice)
McNabb M (*see* Jackson et al). 2003;188:389-94
Mendiola R (*see* Kaplan et al). 2003;188:1154-5 (Residents' papers)
Menke H (*see* Höckel et al). 2003;188:1100-2
Mercé LT (*see* Alcázar et al). 2003;188:685-92
Mercer BM (*see* Ehrenberg et al). 2003;188:1096-9
Mershon JL (*see* Walsh et al). 2003;188:1208-10 (Residents' papers)
Meyn L (*see* Boyles et al). 2003;188:108-15
Meyn L (*see* Creinin et al). 2003;188:664-9
Mihm LM. Direct visualization of the uterine cavity provides a better triage than saline hysterography. 2003;188:299 (Letter reply)
Millar LK, Reiny R, Yamamoto SY, Okazaki K, Webster L, Bryant-Greenwood GD. Relaxin causes proliferation of human amniotic epithelium by stimulation of insulin-like growth factor-II. 2003;188:234-41
Miller DS (*see* Allen et al). 2003;188:1151-3 (Residents' papers)
Miller DS (*see* Schorge et al). 2003;188:640-4
Milsom I (*see* Gull et al). 2003;188:401-8
Mimouni FB (*see* Littner et al). 2003;188:409-12
Mimouni FB (*see* Mandel et al). 2003;188:193-5
Mine S-i (*see* Narahara et al). 2003;188:157-61
Miner CM (*see* Pearlstein et al). 2003;188:887-95
Minkoff H (*see* Harlow et al). 2003;188:881-6
Minkoff H (*see* Kaplan et al). 2003;188:1154-5 (Residents' papers)
Mitsuda N (*see* Fuke et al). 2003;188:228-33
Mittendorf R, Montag AG, MacMillan W, Janeczek S, Pryde PG, Besinger RE, Gianopoulos JG, Roizen N. Components of the systemic fetal inflammatory response syndrome as predictors of impaired neurologic outcomes in children. 2003;188:1438-46
Mittendorf R, Pryde PG, Lee K-S. Association between use of antenatal magnesium sulfate in preterm labor and adverse health outcomes in infants. 2003;188:294-5 (Letter reply)
Miyakawa I (*see* Narahara et al). 2003;188:157-61
Mizutani S (*see* Khin et al). 2003;188:670-6
Mizutani S (*see* Okamoto et al). 2003;188:135-40
Moawad A (*see* Hauth et al). 2003;188:831-5
Mochizuki S (*see* Motoyama et al). 2003;188:1260-4
Modelska K, Cummings S. Female sexual dysfunction in postmenopausal women: systematic review of placebo–controlled trials. 2003;188:286-93 (AJOG reviews)
Modrzakowski M (*see* Croak et al). 2003;188:1148-50 (Residents' papers)
Moerman P (*see* Verhaeghe et al). 2003;188:485-91
Moes H (*see* van Nieuwenhoven et al). 2003;188:1073-7
Money D (*see* Watts et al). 2003;188:836-43
Money DM, Arikan YY, Remple V, Sherlock C, Craib K, Birch P, Burdge DR. Genital tract and plasma human immunodeficiency virus viral load throughout the menstrual cycle in women who are infected with ovulatory human immunodeficiency virus. 2003;188:122-8. Correction 2003;188:1038
Monga M (*see* Drescher et al). 2003;188:1231-3 (Residents' papers)
Monga M (*see* Fonseca et al). 2003;188:1214-6 (Residents' papers)
Monif GRG. Regarding the PEACH randomized trial. 2003; 188:597-8 (Letter)
Monk BJ, Brewster WR. Does the ALTS trial apply to the community-based practitioner? 2003;188:1381-2 (Editorial)
Montag AG (*see* Mittendorf et al). 2003;188:1438-46
Montgomery D (*see* Balderston et al). 2003;188:1615-21
Moore JA (*see* Lewis et al). 2003;188:1413-7 (Editors' choice)
Morales WJ (*see* Quintero et al). 2003;188:1333-40
Morgan DM, Iyengar J, DeLancey JOL. A technique to evaluate the thickness and density of nonvascular smooth muscle in the suburethral fibromuscular layer. 2003;188:1183-5 (Residents' papers)
Morrison JC, Chauhan SP, Carroll CS Sr, Bofill JA, Magann EF. Continuous subcutaneous terbutaline administration prolongs pregnancy after recurrent preterm labor. 2003;188:1460-7
Morrison JC (*see* Carroll et al). 2003;188:1516-22
Morrison JC (*see* Chauhan et al). 2003;188:862 (Letter reply)
Morrison JC (*see* Magann et al). 2003;188:1523-8
Morris-Rush JK, Freda MC, Bernstein PS. Screening for postpartum depression in an inner-city population. 2003; 188:1217-9 (Residents' papers)
Morrissey AE (*see* Krauss et al). 2003;188:1484-90
Morrow J (*see* Chan et al). 2003;188:1273-7
Mortel R (*see* Altekruse et al). 2003;188:657-63
Moss TJ (*see* Jobe et al). 2003;188:22-8 (Editors' choice)
Motoyama S, Laoag-Fernandez JB, Mochizuki S, Yamabe S, Maruo T. Vaginoplasty with Interceed absorbable adhesion barrier for complete squamous epithelialization in vaginal agenesis. 2003;188:1260-4
Mouritsen L (*see* Dietz et al). 2003;188:950-3
Mu J (*see* Fuke et al). 2003;188:228-33
Mu J (*see* Tomimatsu et al). 2003;188:768-73
Muderspach LI (*see* Sheets et al). 2003;188:916-26
Mulayim N, Palter SF, Selam B, Arici A. Expression and regulation of interleukin-8 in human fallopian tubal cells. 2003;188:651-6
Muniz M (*see* Cruikshank and Muniz). 2003;188:1509-15
Muntz HG, Goff BA, McGonigle K, Isacson C. The significance of psammoma bodies in screening cervical cytologic smears. 2003;188:1609-14
Murata Y (*see* Fuke et al). 2003;188:228-33
Murata Y (*see* Tomimatsu et al). 2003;188:768-73
Murphy DJ. Antenatal steroids in twins. 2003;188:857 (Letter reply)
Murphy DJ, Liebling RE. Cohort study of maternal views on future mode of delivery after operative delivery in the second stage of labor. 2003;188:542-8
Murphy P (*see* Lowery et al). 2003;188:1491-7
Mutone N, Brizendine E, Hale D. Factors that influence voiding function after the tension-free vaginal tape procedure for stress urinary incontinence. 2003;188:1477-83
Muzii L (*see* Panici et al). 2003;188:71-5

N

Nader-Macías ME (*see* Tomás et al). 2003;188:35-44
Nagamani M (*see* Rosen et al). 2003;188:1158-60 (Residents' papers)
Nagasaka T (*see* Khin et al). 2003;188:670-6
Nager CW (*see* LaCoursiere and Nager). 2003;188:1166-8 (Residents' papers)
Nahum GG, Stanislaw H. Ultrasonographic prediction of term birth weight: how accurate is it? 2003;188:566-74
Narahara H, Mine S-i, Kawano Y, Johnston JM, Miyakawa I. Effects of colony-stimulating factors on the secretion of platelet–activating factor acetylhydrolase by human decidual macrophages. 2003;188:157-61
Naschitz JE (*see* Loewenstein and Naschitz). 2003;188:1662 (Letter)
Nathanielsz PW (*see* Ma et al). 2003;188:13-21 (Editors' choice)
National Institute of Child Health and Human Development Network of Maternal-Fetal Medicine Units (*see* Hauth et al). 2003;188:831-5
Nawaz H (*see* Sarrel et al). 2003;188:304-9 (Editors' choice)
Ndjatou V (*see* Kaplan et al). 2003;188:1154-5 (Residents' papers)
Neira M (*see* Savioli et al). 2003;188:5-6 (Editorial)
Nelson AL, Adams Y, Nelson LE, LaHue AK. Ambulatory diagnosis and medical management of ectopic pregnancy in a public teaching hospital serving indigent women. 2003;188:1541-50
Nelson LE (*see* Nelson et al). 2003;188:1541-50
Ness RB, Soper DE, Holley RL, PID Evaluation and Clinical Health (PEACH) Study Investigators. Effectiveness of inpatient

and outpatient treatment strategies for women with pelvic inflammatory disease. 2003;188:599-600 (Letter reply)
Ness RB, Soper DE, Holley RL, PID Evaluation and Clinical Health (PEACH) Study Investigators. The PEACH study. 2003;188:599-600 (Letter reply)
Ness RB, Soper DE, Holley RL, PID Evaluation and Clinical Health (PEACH) Study Investigators. Regarding the PEACH randomized trial. 2003;188:599-600 (Letter reply)
Ness RB (*see* Haggerty et al). 2003;188:141-8
Nevo O, Thaler I, Shik V, Vortman T, Soustiel JF. The effect of isosorbide dinitrate, a donor of nitric oxide, on maternal cerebral blood flow in gestational hypertension and preeclampsia. 2003;188:1360-5
Newman MG. Mode of delivery and outcome of 699 term singleton breech deliveries at a single center. 2003;188:1666 (Letter)
Newman MG, Robichaux AG, Stedman CM, Jaekle RK, Fontenot MT, Dotson T, Lewis DF. Perinatal outcomes in preeclampsia that is complicated by massive proteinuria. 2003;188:264-8
Newnham JP (*see* Jobe et al). 2003;188:22-8 (Editors' choice)
Ng S-H (*see* Ko et al). 2003;188:603-4 (Letter reply)
Niccolai LM, Ethier KA, Kershaw TS, Lewis JB, Ickovics JR. Pregnant adolescents at risk: sexual behaviors and sexually transmitted disease prevalence. 2003;188:63-70
Nicholson WK, Grason HA, Powe NR. The relationship of race to women's use of health information resources. 2003;188:580-5 (Education)
Nikaeo A (*see* Takacs et al). 2003;188:740-4
Nilsen ST (*see* Kolås et al). 2003;188:864-70 (Editors' choice)
Nisell H (*see* Svedas et al). 2003;188:168-76
Nishida R (*see* Todo et al). 2003;188:1265-72
Nishie EN, Brizot ML, Liao AW, Carvalho MHB, Toma O, Zugaib M. A comparison between middle cerebral artery peak systolic velocity and amniotic fluid optical density at 450 nm in the prediction of fetal anemia. 2003;188:214-9
Niu R (*see* Okamoto et al). 2003;188:135-40
Norén H, Amer-Wåhlin I, Hagberg H, Herbst A, Kjellmer I, Maršál K, Olofsson P, Rosén KG. Fetal electrocardiography in labor and neonatal outcome: data from the Swedish randomized controlled trial on intrapartum fetal monitoring. 2003;188:183-92
North R, Lo C. Use of automated home blood pressure monitoring in pregnancy. 2003;188:1662-3 (Letter reply)
North RA (*see* Blackburn et al). 2003;188:807-11
North RA (*see* McCowan et al). 2003;188:981-5
North RA (*see* Taylor et al). 2003;188:177-82
Novy MJ (*see* Sadowsky et al). 2003;188:252-63
Nuutila M (*see* Väisänen-Tommiska et al). 2003;188:779-85

O

O'Boyle AL. Pelvic organ support in nulliparous pregnant and nonpregnant women. 2003;188:301 (Letter)
O'Boyle AL, Davis GD, Calhoun BC. Much research is needed to provide fully informed consent about mode of delivery. 2003;188:1380 (Letter reply)
Oepkes D (*see* Dukler et al). 2003;188:1310-4
Ogburn PL Jr (*see* Ramsey et al). 2003;188:560-5
Ogura JM, Francois KE, Perlow JH, Elliott JP. Complications associated with peripherally inserted central catheter use during pregnancy. 2003;188:1223-5 (Residents' papers)
O'Hara M (*see* Wareing et al). 2003;188:196-202
O'Hara MD (*see* Curley et al). 2003;188:871-5 (Editors' choice)
Ohlsson A (*see* Lee et al). 2003;188:617-22 (Editors' choice)
Ohmit SE (*see* Harlow et al). 2003;188:881-6
Øian P (*see* Kolås et al). 2003;188:864-70 (Editors' choice)
Okai T (*see* Sekizawa et al). 2003;188:480-4
Okamoto T, Niu R, Mizutani S, Yamada S. Levels of placenta growth factor in gestational trophoblastic diseases. 2003;188:135-40
Okazaki K (*see* Millar et al). 2003;188:234-41
Ollendorff A (*see* Walsh et al). 2003;188:1208-10 (Residents' papers)
Olofsson P (*see* Norén et al). 2003;188:183-92
Olson G (*see* Maul et al). 2003;188:537-41
O'Reilly-Green C (*see* Ferber et al). 2003;188:1228-30 (Residents' papers)
Ornoy A (*see* Diav-Citrin et al). 2003;188:282-5
Osborne NG. The PEACH study. 2003;188:598-9 (Letter)
Osterweil P (*see* Hall et al). 2003;188:1205-7 (Residents' papers)
Otsubo Y (*see* Chihara et al). 2003;188:434-8
Owen J, Iams JD, Hauth JC. Vaginal sonography and cervical incompetence. 2003;188:586-96 (AJOG reviews)
Oyama IA, Wakabayashi MT, Frattarelli LC, Kessel B. Local anesthetic reduces the pain of colposcopic biopsies: a randomized trial. 2003;188:1164-5 (Residents' papers)

P

Paavonen J (*see* Lehtinen et al). 2003;188:49-55
Palter SF (*see* Mulayim et al). 2003;188:651-6
Paltrow LM (*see* Chavkin and Paltrow). 2003;188:298 (Letter)
Pan VL, Goharkhay N, Felix JC, Wing DA. FGL2 prothrombinase messenger RNA expression in gravid and nongravid human myometrium. 2003;188:1057-62
Pang S (*see* Yip et al). 2003;188:1244-8
Panici PB, Zullo MA, Casalino B, Angioli R, Muzii L. Subcutaneous drainage versus no drainage after minilaparotomy in gynecologic benign conditions: a randomized study. 2003;188:71-5
Paniel B-J (*see* Louis-Sylvestre et al). 2003;188:943-4
Parer JT. Obstetric technologies: what determines clinical acceptance or rejection of results of randomized controlled trials? 2003;188:1622-8
Parer JT (*see* Fujii et al). 2003;188:413-8
Parham GP. Comparison of cell collection and direct visualization cervical cancer screening adjuncts. 2003;188:S13-20 (Symposium)
Parham GP (*see* Cronjé et al). 2003;188:395-400
Park E-S (*see* Suarez et al). 2003;188:973-7
Park TK (*see* Cho et al). 2003;188:56-62
Parmar K (*see* Stone et al). 2003;188:454-60
Partridge EE (*see* Kleinberg et al). 2003;188:1186-8 (Residents' papers)
Partridge EE (*see* Solomon et al). 2003;188:1391-400 (Editors' choice)
Pass M (*see* Boulet et al). 2003;188:1372-8
Patterson CC (*see* Manderson et al). 2003;188:1326-32
Patterson S (*see* Prakash et al). 2003;188:376-81
Pattillo R (*see* Emory et al). 2003;188:S26-32 (Symposium)
Pattillo RA. Disparities in health: minority environmental exposures—gene mutations in African American women. Overview. 2003;188:S25 (Symposium)
Pattillo RA (*see* Soyoola and Pattillo). 2003;188:S33-6 (Symposium)
Patton WC (*see* Rowland et al). 2003;188:1156-7 (Residents' papers)
Pawlita M (*see* Lehtinen et al). 2003;188:49-55
Pearlstein T, Joliat MJ, Brown EB, Miner CM. Recurrence of symptoms of premenstrual dysphoric disorder after the cessation of luteal-phase fluoxetine treatment. 2003;188:887-95
Peipert J (*see* Haggerty et al). 2003;188:141-8
Peipert JF (*see* Elkousy et al). 2003;188:824-30
Peleg D. Procedural risks versus theology: chorionic villus sampling for Orthodox Jews at less than 8 weeks' gestation. 2003;188:299-300 (Letter)
Pellicano M, Guida M, Acunzo G. Hysteroscopic transcervical endometrial resection versus thermal destruction for menorrhagia: a prospective randomized trial on satisfaction rate. 2003;188:1664 (Letter reply)
Pellicano M (*see* Zupi et al). 2003;188:7-12 (Editors' choice)
Perlow JH (*see* Ogura et al). 2003;188:1223-5 (Residents' papers)
Peterson HB (*see* Curtis et al). 2003;188:857-8 (Letter reply)
Petrikovsky BM. Procedural risks versus theology: chorionic villus sampling for Orthodox Jews at less than 8 weeks' gestation. 2003;188:300 (Letter)

PID Evaluation and Clinical Health (PEACH) Study Investigators (*see* Haggerty et al). 2003;188:141-8
PID Evaluation and Clinical Health (PEACH) Study Investigators (*see* Ness et al). 2003;188:599-600 (Letter reply)
Pierce LM, Reyes M, Thor KB, Dolber PC, Bremer RE, Kuehl TJ, Coates KW. Innervation of the levator ani muscles in the female squirrel monkey. 2003;188:1141-7 (Editors' choice)
Pierce SJ, Kupittayanant S, Shmygol T, Wray S. The effects of pH change on Ca^{++} signaling and force in pregnant human myometrium. 2003;188:1031-8
Pignotti E (*see* Savelli et al). 2003;188:927-31
Pijnenborg R (*see* Devlieger et al). 2003;188:844-8
Pinette MG (*see* Wax et al). 2003;188:1105-6
Pinkerton JS (*see* Lara-Torre and Pinkerton). 2003;188:354-6
Pisal N (*see* Sindos et al). 2003;188:1109-10
Pizzotti J (*see* Curley et al). 2003;188:871-5 (Editors' choice)
Platt LD (*see* Silver et al). 2003;188:1320-5
Plaut MM, Smith W, Kennedy K. Fetal fibronectin: the impact of a rapid test on the treatment of women with preterm labor symptoms. 2003;188:1588-95
Politch JA (*see* Sheets et al). 2003;188:916-26
Pollio F (*see* Di Lieto et al). 2003;188:702-6
Portman DJ, Symons JP, Wilborn W, Kempfert NJ. A randomized, double-blind, placebo-controlled, multicenter study that assessed the endometrial effects of norethindrone acetate plus ethinyl estradiol versus ethinyl estradiol alone. 2003;188:334-42
Postlbauer K (*see* Witt et al). 2003;188:816-9
Poston L (*see* Stone et al). 2003;188:454-60
Potter C (*see* Creinin et al). 2003;188:664-9
Potter MB, Lepine LA, Jamieson DJ. Predictors of success with methotrexate treatment of tubal ectopic pregnancy at Grady Memorial Hospital. 2003;188:1192-4 (Residents' papers)
Powe NR (*see* Nicholson et al). 2003;188:580-5 (Education)
Power GG (*see* Chihara et al). 2003;188:434-8
Prakash M, Patterson S, Gotch F, Kapembwa MS. Recruitment of $CD4^+$ T lymphocytes and macrophages into the cervical epithelium of women after coitus. 2003;188:376-81
Predy G (*see* Jin et al). 2003;188:800-6
Preissl H (*see* Lowery et al). 2003;188:1491-7
Promecene-Cook P (*see* Drescher et al). 2003;188:1231-3 (Residents' papers)
Provencher D (*see* Tran-Thanh et al). 2003;188:129-34
Pryde PG (*see* Mittendorf et al). 2003;188:294-5 (Letter reply)
Pryde PG (*see* Mittendorf et al). 2003;188:1438-46
Puech F (*see* Subtil et al). 2003;188:524-31
Pukkala E (*see* Lehtinen et al). 2003;188:49-55
Pukkala E (*see* Luoto et al). 2003;188:45-8
Pymar HC (*see* Creinin et al). 2003;188:664-9

Q

Qualls CR (*see* Smith et al). 2003;188:357-66
Quashie C (*see* Smulian et al). 2003;188:269-74
Quilligan EJ (*see* Gabbe and Quilligan). 2003;188:1 (Editorial)
Quinn M. The endometrial-myometrial interface. 2003;188:857 (Letter)
Quint LE (*see* Tunn et al). 2003;188:116-21
Quintero RA, Dickinson JE, Morales WJ, Bornick PW, Bermúdez C, Cincotta R, Chan FY, Allen MH. Stage-based treatment of twin-twin transfusion syndrome. 2003;188:1333-40
Quintero RA (*see* Bermúdez et al). 2003;188:1119-20 (Letter reply)

R

Ragan RE, Rock RW, Buck HW. Metoclopramide pretreatment attenuates emergency contraceptive-associated nausea. 2003;188:330-3
Ramaswamy G (*see* Jhang et al). 2003;188:1195-7 (Residents' papers)
Ramin KD (*see* Ramsey et al). 2003;188:560-5
Ramin KD (*see* Ramsey et al). 2003;188:714-8
Ramón y Cajal CL, Martínez RO. Defecation in utero: a physiologic fetal function. 2003;188:153-6
Ramsey PS, Harris DY, Ogburn PL Jr, Heise RH, Magtibay PM, Ramin KD. Comparative efficacy and cost of the prostaglandin analogs dinoprostone and misoprostol as labor preinduction agents. 2003;188:560-5
Ramsey PS, Vaules MB, Vasdev GM, Andrews WW, Ramin KD. Maternal and transplacental pharmacokinetics of azithromycin. 2003;188:714-8
Ramsey PS (*see* White and Ramsey). 2003;188:861-2 (Letter)
Ramus RM (*see* Twickler et al). 2003;188:492-6
Randall H (*see* Haggerty et al). 2003;188:141-8
Rascher W (*see* Trollmann et al). 2003;188:517-23
Raschke R. Cerebral perfusion pressure, and not cerebral blood flow, may be the critical determinant of intracranial injury in preeclampsia: a new hypothesis. 2003;188:860 (Letter)
Ravn P (*see* Warming et al). 2003;188:349-53
Rayburn WF (*see* Schwartz et al). 2003;188:439-43
Rayburn WF (*see* Smith et al). 2003;188:357-66
Raynal P (*see* Carles et al). 2003;188:794-9
Rebmann V (*see* Steinborn et al). 2003;188:473-9
Redman CWG (*see* Kudo et al). 2003;188:719-26
Reeves WC (*see* Berkova et al). 2003;188:932-7
Regan L (*see* Hindley et al). 2003;188:859 (Letter)
Reid WMN (*see* Singh et al). 2003;188:910-5
Reindl B (*see* Barnhart et al). 2003;188:906-9
Reiny R (*see* Millar et al). 2003;188:234-41
Reisenberger K (*see* Witt et al). 2003;188:816-9
Remple V (*see* Money et al). 2003;188:122-8. Correction 2003;188:1038
Renzi A (*see* Cagnacci et al). 2003;188:313-7
Resch BE, Gaspar R, Sonkodi S, Falkay G. Vasoactive effects of erythropoietin on human placental blood vessels in vitro. 2003;188:993-6
Reyes A (*see* Chavarría et al). 2003;188:986-92
Reyes M (*see* Pierce et al). 2003;188:1141-7 (Editors' choice)
Richardson B (*see* Kaneko et al). 2003;188:961-72
Richardson MS (*see* Landen et al). 2003;188:1174-6 (Residents' papers)
Rinehart E (*see* Livingston et al). 2003;188:149-52
Robertazzi RR (*see* Jones et al). 2003;188:503-9
Roberts IAG (*see* Tocci et al). 2003;188:1002-10
Robichaux AG (*see* Lewis et al). 2003;188:1413-7 (Editors' choice)
Robichaux AG (*see* Newman et al). 2003;188:264-8
Robinson C, Schumann R, Zhang P, Young RC. Oxytocin-induced desensitization of the oxytocin receptor. 2003;188:497-502
Robinson WR, Luck MB, Kendall MA, Darragh TM. The predictive value of cytologic testing in women with the human immunodeficiency virus who have low-grade squamous cervical lesions: a substudy of a randomized, phase III chemoprevention trial. 2003;188:896-900
Rock RW (*see* Ragan et al). 2003;188:330-3
Rodts-Palenik S (*see* Chauhan et al). 2003;188:862 (Letter reply)
Roizen N (*see* Mittendorf et al). 2003;188:1438-46
Rojansky N (*see* Arbel et al). 2003;188:1283-90
Romaguera J (*see* Jackson et al). 2003;188:389-94
Roman C (*see* Fujii et al). 2003;188:413-8
Romero R (*see* Bytautiene et al). 2003;188:774-8
Romm J (*see* Jensen et al). 2003;188:1629-37
Rosati F (*see* Savelli et al). 2003;188:927-31
Rosén KG (*see* Norén et al). 2003;188:183-92
Rosen MP, Breitkopf DM, Nagamani M. A randomized controlled trial of second- versus third-generation oral contraceptives in the treatment of acne vulgaris. 2003;188:1158-60 (Residents' papers)
Ross MG (*see* Wang et al). 2003;188:997-1001
Roth D, Grazi RV, Lobel SM. Extremes of body mass index do not affect first-trimester pregnancy outcome in patients with infertility. 2003;188:1169-70 (Residents' papers)
Roth TJ (*see* von Pechmann et al). 2003;188:1111-2
Rouse DJ, Hirtz DG, Thom E. Association between use of antenatal magnesium sulfate in preterm labor and adverse health outcomes in infants. 2003;188:295 (Letter)

Rouse DJ (*see* Salihu et al). 2003;188:1305-9
Rowland SC, Jacobson JD, Patton WC, King A, Chan PJ. Dual fluorescence analysis of DNA apoptosis in sperm. 2003;188:1156-7 (Residents' papers)
Rubinstein P (*see* Jones et al). 2003;188:503-9
Rumney PJ (*see* Balderston et al). 2003;188:1615-21
Ryan G (*see* Dukler et al). 2003;188:1310-4
Rybeck BF (*see* Glover et al). 2003;188:1039-45

S

Saade GR (*see* Bukowski et al). 2003;188:1011-5
Saade GR (*see* Bytautiene et al). 2003;188:774-8
Saade GR (*see* Longo et al). 2003;188:1468-76
Saade GR (*see* Maul et al). 2003;188:537-41
Saade GR (*see* Maul et al). 2003;188:1498-503
Sacks SL (*see* Watts et al). 2003;188:836-43
Sadowsky DW, Novy MJ, Witkin SS, Gravett MG. Dexamethasone or interleukin-10 blocks interleukin-1β–induced uterine contractions in pregnant rhesus monkeys. 2003;188:252-63
Saito H (*see* Sekizawa et al). 2003;188:480-4
Sakala C, Corry MP. Much research is needed to provide fully informed consent about mode of delivery. 2003;188:1380 (Letter)
Sakuragi N (*see* Todo et al). 2003;188:1265-72
Salafia C (*see* Gross et al). 2003;188:1052-6
Salihu HM, Li Q, Rouse DJ, Alexander GR. Placenta previa: neonatal death after live births in the United States. 2003;188:1305-9
Salihu HM (*see* Boulet et al). 2003;188:1372-8
Salonen S (*see* Luoto et al). 2003;188:45-8
Sammel M (*see* Elkousy et al). 2003;188:824-30
Sand PK (*see* Goldberg et al). 2003;188:1447-53
Sanfilippo JS (*see* Katz et al). 2003;188:1113-4
Sangi-Haghpeykar H (*see* Einarsson et al). 2003;188:1241-3 (Residents' papers)
Sankaranarayanan R (*see* Wang et al). 2003;188:324-9
Sankila R (*see* Wang et al). 2003;188:324-9
San Martin JA (*see* Jackson et al). 2003;188:389-94
Santema J (*see* van Nieuwenhoven et al). 2003;188:1073-7
Santini D (*see* Savelli et al). 2003;188:927-31
Sargent IL (*see* Kudo et al). 2003;188:719-26
Sarrel PM, Nawaz H, Chan W, Fuchs M, Katz DL. Raloxifene and endothelial function in healthy postmenopausal women. 2003;188:304-9 (Editors' choice)
Savelli L, De Iaco P, Santini D, Rosati F, Ghi T, Pignotti E, Bovicelli L. Histopathologic features and risk factors for benignity, hyperplasia, and cancer in endometrial polyps. 2003;188:927-31
Savioli L, Crompton DWT, Neira M. Use of anthelminthic drugs during pregnancy. 2003;188:5-6 (Editorial)
Sawa R (*see* Chihara et al). 2003;188:434-8
Sawdy RJ, Lye S, Fisk NM, Bennett PR. A double-blind randomized study of fetal side effects during and after the short-term maternal administration of indomethacin, sulindac, and nimesulide for the treatment of preterm labor. 2003;188:1046-51
Sbracia M (*see* Zupi et al). 2003;188:7-12 (Editors' choice)
Scharf A (*see* Steinborn et al). 2003;188:473-9
Schectman JM (*see* Baird et al). 2003;188:100-7
Schiffman M (*see* Cox et al). 2003;188:1406-12 (Editors' choice)
Schiffman M (*see* Guido et al). 2003;188:1401-5 (Editors' choice)
Schiffman M (*see* Schneider and Schiffman). 2003;188:854 (Letter reply)
Schlaerth AC (*see* Schlaerth et al). 2003;188:29-34
Schlaerth JB, Spirtos NM, Schlaerth AC. Radical trachelectomy and pelvic lymphadenectomy with uterine preservation in the treatment of cervical cancer. 2003;188:29-34
Schneider DL, Schiffman M. Can cervicography by improved? 2003;188:854 (Letter reply)
Schneider K (*see* Drescher et al). 2003;188:1231-3 (Residents' papers)
Schonberg AL (*see* Bernstein et al). 2003;188:938-42
Schoof E (*see* Trollmann et al). 2003;188:517-23
Schorge JO, Lea JS, Garner EO, Duska LR, Miller DS, Coleman RL. Cervical adenocarcinoma survival among Hispanic and white women: a multicenter cohort study. 2003;188:640-4
Schorge JO (*see* Allen et al). 2003;188:1151-3 (Residents' papers)
Schuman P (*see* Harlow et al). 2003;188:881-6
Schumann R (*see* Robinson et al). 2003;188:497-502
Schwartz JL (*see* Creinin et al). 2003;188:664-9
Schwartz PE (*see* Altekruse et al). 2003;188:657-63
Schwartz WJ III, Christensen HD, Carey JC, Rayburn WF, Gonzalez C. Systemic administration of betamethasone delays endotoxin-induced preterm labor in the murine model. 2003;188:439-43
Seaward G (*see* Dukler et al). 2003;188:1310-4
Šebeštjen M (*see* Žegura et al). 2003;188:1291-6
Secrest RJ (*see* Jackson et al). 2003;188:389-94
Seed PT (*see* Stone et al). 2003;188:454-60
Seiler J (*see* Davila et al). 2003;188:382-8
Sekizawa A, Jimbo M, Saito H, Iwasaki M, Matsuoka R, Okai T, Farina A. Cell-free fetal DNA in the plasma of pregnant women with severe fetal growth restriction. 2003;188:480-4
Selam B (*see* Mulayim et al). 2003;188:651-6
Selke S (*see* Watts et al). 2003;188:836-43
Seow A (*see* Wang et al). 2003;188:324-9
Seracchioli R, Colombo FM, Bagnoli A, Trengia V, Venturoli S. Primary ovarian leiomyosarcoma as a new component in the nevoid basal cell carcinoma syndrome: a case report. 2003;188:1093-5
Serour GI (*see* Aboulghar et al). 2003;188:371-5
Setchell M (*see* Sindos et al). 2003;188:1109-10
Shapiro RE (*see* Bernstein et al). 2003;188:938-42
Sharma S, El-Refaey H. The use of misoprostol as a cervical ripening agent in operative hysteroscopy. 2003;188:297-8 (Letter). Correction 2003;188:1378
Sharp BAC (*see* Landen et al). 2003;188:1177-9 (Residents' papers)
Shaw D (*see* Williams et al). 2003;188:1366-71
Shechtman S (*see* Diav-Citrin et al). 2003;188:282-5
Sheets EE, Urban RG, Crum CP, Hedley ML, Politch JA, Gold MA, Muderspach LI, Cole GA, Crowley-Nowick PA. Immunotherapy of human cervical high-grade cervical intraepithelial neoplasia with microparticle-delivered human papillomavirus 16 E7 plasmid DNA. 2003;188:916-26
Sheffer-Mimouni G (*see* Littner et al). 2003;188:409-12
Shek D (*see* Yip et al). 2003;188:1244-8
Shen-Schwarz S (*see* Smulian et al). 2003;188:269-74
Sherlock C (*see* Money et al). 2003;188:122-8. Correction 2003;188:1038
Shi LM (*see* Chia et al). 2003;188:425-33
Shi W, Swan KF, Henson MC. Expression of placental low-density lipoprotein receptor-related protein and scavenger receptors AI/AII transcripts in the baboon. 2003;188:1211-3 (Residents' papers)
Shibata K (*see* Khin et al). 2003;188:670-6
Shik V (*see* Nevo et al). 2003;188:1360-5
Shipp TD, Lieberman E. Impact of single- or double-layer closure on uterine rupture. 2003;188:601 (Letter)
Shmygol T (*see* Pierce et al). 2003;188:1031-8
Shumel BS (*see* Simon et al). 2003;188:92-9
Sibai B (*see* Hauth et al). 2003;188:831-5
Sibai B (*see* Livingston et al). 2003;188:149-52
Sibai BM (*see* Chames et al). 2003;188:1504-8
Sigstad E (*see* Lehtinen et al). 2003;188:49-55
Silva J (*see* Fonseca et al). 2003;188:1214-6 (Residents' papers)
Silver HM (*see* Lee et al). 2003;188:209-13
Silver LE, Decamps PJ, Korst LM, Platt LD, Castro LC. Intrauterine growth restriction is accompanied by decreased renal volume in the human fetus. 2003;188:1320-5
Silverberg SG (*see* Altekruse et al). 2003;188:657-63
Silver-Isenstadt A (*see* Ubel et al). 2003;188:575-9 (Education)
Simon JA, Liu JH, Speroff L, Shumel BS, Symons JP. Reduced vaginal bleeding in postmenopausal women who receive combined norethindrone acetate and low-dose ethinyl estradiol

therapy versus combined conjugated equine estrogens and medroxyprogesterone acetate therapy. 2003;188:92-9
Sindos M, Pisal N, Setchell M, Singer A. Tubal migration: a rare complication of an intrauterine contraceptive device leading to formation of a hydrosalpinx. 2003;188:1109-10
Singer A (*see* Sindos et al). 2003;188:1109-10
Singh A (*see* Davila et al). 2003;188:382-8
Singh K, Jakab M, Reid WMN, Berger LA, Hoyte L. Three-dimensional magnetic resonance imaging assessment of levator ani morphologic features in different grades of prolapse. 2003;188:910-5
Sinha P (*see* David and Sinha). 2003;188:1118 (Letter)
Sistrom CL (*see* Edwards et al). 2003;188:1078-82 (Education)
Skakkebæk NE (*see* Lønberg et al). 2003;188:247-51
Smith GN (*see* Bustard et al). 2003;188:1118-9 (Letter reply)
Smith HO, Hilgers RD, Bedrick EJ, Qualls CR, Wiggins CL, Rayburn WF, Waxman AG, Stephens ND, Cole LW, Swanson M, Key CR. Ethnic differences at risk for gestational trophoblastic disease in New Mexico: a 25-year population-based study. 2003;188:357-66
Smith HO (*see* Khanlian et al). 2003;188:1254-9
Smith LM, Ervin MG, Wada N, Ikegami M, Jobe AH. Single and multiple prenatal glucocorticoid exposures improve preterm newborn lamb cardiovascular and renal function similarly. 2003;188:444-53
Smith LM (*see* Hendrick et al). 2003;188:812-5
Smith W (*see* Plaut et al). 2003;188:1588-95
Smith-McCune K (*see* Lee et al). 2003;188:693-8
Smulian JC, Bhandari V, Vintzileos AM, Shen-Schwarz S, Quashie C, Lai-Lin Y-L, Ananth CV. Intrapartum fever at term: serum and histologic markers of inflammation. 2003;188:269-74
Smulian JC (*see* Ananth et al). 2003;188:275-81
Smulian JC (*see* Ananth et al). 2003;188:1299-304
Sng I (*see* Wang et al). 2003;188:324-9
Sohn C (*see* Steinborn et al). 2003;188:473-9
Solima E (*see* Zupi et al). 2003;188:7-12 (Editors' choice)
Soloff MS (*see* Suarez et al). 2003;188:973-7
Solomon D, Partridge EE, ASCUS-LSIL Triage Study (ALTS) Group. Results of a randomized trial on the management of cytology interpretations of atypical squamous cells of undetermined significance. 2003;188:1383-90 (Editors' choice)
Solomon D, Walker J, ASCUS-LSIL Triage Study (ALTS) Group. A randomized trial on the management of LSIL cytology interpretations. 2003;188:1391-400 (Editors' choice)
Solomon D (*see* Cox et al). 2003;188:1406-12 (Editors' choice)
Solomon D (*see* Guido et al). 2003;188:1401-5 (Editors' choice)
Sommer EM (*see* Witt et al). 2003;188:816-9
Sondheimer SJ (*see* Haggerty et al). 2003;188:141-8
Sonkodi S (*see* Resch et al). 2003;188:993-6
Sood AK (*see* Chun et al). 2003;188:1115-6
Soothill PW, Bartha JL, Tizard J. Ultrasound-guided laser treatment for fetal bladder outlet obstruction resulting from ureterocele. 2003;188:1107-8
Soper DE (*see* Haggerty et al). 2003;188:141-8
Soper DE (*see* Ness et al). 2003;188:599-600 (Letter reply)
Sorensen M (*see* Goldberg et al). 2003;188:1447-53
Sorosky JI (*see* Chun et al). 2003;188:1115-6
Sorrenti G (*see* Zupi et al). 2003;188:7-12 (Editors' choice)
Soustiel JF (*see* Nevo et al). 2003;188:1360-5
Soyoola EO, Pattillo RA. *PTEN/MMAC1* mutations correlate inversely with an altered p53 tumor suppressor gene in gynecologic tumors. 2003;188:S33-6 (Symposium)
Sozen I (*see* Arici and Sozen). 2003;188:76-83
Spann CO (*see* Halbach et al). 2003;188:1198-201 (Residents' papers)
Spellacy WN. Effects of antenatal glucocorticoids on outcomes of very-low-birth-weight multifetal gestations. 2003;188:1117 (Letter)
Speroff L (*see* Simon et al). 2003;188:92-9
Spirtos NM (*see* Schlaerth et al). 2003;188:29-34
Spitzer RL (*see* Kovac et al). 2003;188:707-13
Staibano S (*see* Di Lieto et al). 2003;188:702-6
Stanislaw H (*see* Nahum and Stanislaw). 2003;188:566-74
Stanley M. Antibody reactivity to HPV E6 and E7 oncoproteins and early diagnosis of invasive cervical cancer. 2003;188:3-4 (Editorial)
Stedman CM (*see* Newman et al). 2003;188:264-8
Steegers-Theunissen RPM (*see* Kok et al). 2003;188:978-80
Stegmann BJ, Craig HR, Bay RC, Coonrod DV, Brady MJ, Garbaciak JA Jr. Characteristics predictive of response to ovarian diathermy in women with polycystic ovarian syndrome. 2003;188:1171-3 (Residents' papers)
Steinauer JE, Landy U, Jackson RA, Darney PD. The effect of training on the provision of elective abortion: a survey of five residency programs. 2003;188:1161-3 (Residents' papers)
Steinborn A, Rebmann V, Scharf A, Sohn C, Grosse-Wilde H. Soluble HLA-DR levels in the maternal circulation of normal and pathologic pregnancy. 2003;188:473-9
Stephens ND (*see* Smith et al). 2003;188:357-66
Stevens CE (*see* Jones et al). 2003;188:503-9
Stevens E (*see* Elkousy et al). 2003;188:824-30
Stone S, Hunt BJ, Seed PT, Parmar K, Khamashta MA, Poston L. Longitudinal evaluation of markers of endothelial cell dysfunction and hemostasis in treated antiphospholipid syndrome and in healthy pregnancy. 2003;188:454-60
Storer B (*see* Goff et al). 2003;188:1556-64
Straughn JM Jr (*see* Kleinberg et al). 2003;188:1186-8 (Residents' papers)
Stringer JSA (*see* Kleinberg et al). 2003;188:1186-8 (Residents' papers)
Suarez VR, Park E-S, Hankins GDV, Soloff MS. Expression of regulator of G protein signaling-2 in rat myometrium during pregnancy and parturition. 2003;188:973-7
Subtil D, Tiberghien P, Devos P, Therby D, Leclerc G, Vaast P, Puech F. Immediate and delayed effects of antenatal corticosteroids on fetal heart rate: a randomized trial that compares betamethasone acetate and phosphate, betamethasone phosphate, and dexamethasone. 2003;188:524-31
Sugar N (*see* Wiley et al). 2003;188:1638-41
Sugg NK (*see* Janssen et al). 2003;188:1341-7
Sultana C (*see* Goldberg et al). 2003;188:1063-7
Suparto IH, Williams JK, Cline JM, Anthony MS, Fox JL. Contrasting effects of two hormone replacement therapies on the cardiovascular and mammary gland outcomes in surgically postmenopausal monkeys. 2003;188:1132-40 (Editors' choice)
Suri R (*see* Hendrick et al). 2003;188:812-5
Sutton MY (*see* Anachebe and Sutton). 2003;188:S37-42 (Symposium)
Suzuki S (*see* Chihara et al). 2003;188:434-8
Suzuki T (*see* Khin et al). 2003;188:670-6
Svedas E, Islam KB, Nisell H, Kublickiene KR. Vascular endothelial growth factor induced functional and morphologic signs of endothelial dysfunction in isolated arteries from normal pregnant women. 2003;188:168-76
Swan KF (*see* Shi et al). 2003;188:1211-3 (Residents' papers)
Swanson M (*see* Smith et al). 2003;188:357-66
Sweet DG (*see* Curley et al). 2003;188:871-5 (Editors' choice)
Sweet RL (*see* Haggerty et al). 2003;188:141-8
Sweet RL (*see* Yudin et al). 2003;188:318-23
Symons JP (*see* Portman et al). 2003;188:334-42
Symons JP (*see* Simon et al). 2003;188:92-9
Szurkus DC, Harrison TA. Loop excision for high-grade squamous intraepithelial lesion on cytology: correlation with colposcopic and histologic findings. 2003;188:1180-2 (Residents' papers)

T

Taggart MJ (*see* Wareing et al). 2003;188:196-202
Takacs P, Green KL, Nikaeo A, Kauma SW. Increased vascular endothelial cell production of interleukin-6 in severe preeclampsia. 2003;188:740-4
Takahashi N (*see* Fujii et al). 2003;188:413-8
Takemura M (*see* Fuke et al). 2003;188:228-33
Tamakoshi K (*see* Khin et al). 2003;188:670-6

Tamussino KF (*see* Giuliani and Tamussino). 2003;188:1666 (Letter reply)
Tang C (*see* Yip et al). 2003;188:1244-8
Tarby TJ (*see* Jennett and Tarby). 2003;188:859 (Letter reply)
Taylor MJO, Wee L, Fisk NM. Placental types and twin-twin transfusion syndrome. 2003;188:1119 (Letter)
Taylor RN, Grimwood J, Taylor RS, McMaster MT, Fisher SJ, North RA. Longitudinal serum concentrations of placental growth factor: evidence for abnormal placental angiogenesis in pathologic pregnancies. 2003;188:177-82
Taylor RS (*see* Blackburn et al). 2003;188:807-11
Taylor RS (*see* McCowan et al). 2003;188:981-5
Taylor RS (*see* Taylor et al). 2003;188:177-82
Templeton A (*see* Hamoda et al). 2003;188:1315-9
Thaler I (*see* Nevo et al). 2003;188:1360-5
Therby D (*see* Subtil et al). 2003;188:524-31
Thom E (*see* Rouse et al). 2003;188:295 (Letter)
Thomas D (*see* Ismaili et al). 2003;188:242-6
Thomas J, Windrim R. The use of misoprostol as a cervical ripening agent in operative hysteroscopy. 2003;188:298 (Letter reply)
Thompson LP (*see* Carvajal et al). 2003;188:84-91
Thompson T (*see* Goff et al). 2003;188:1556-64
Thor KB (*see* Pierce et al). 2003;188:1141-7 (Editors' choice)
Thoresen S (*see* Lehtinen et al). 2003;188:49-55
Thornton CM (*see* Curley et al). 2003;188:871-5 (Editors' choice)
Thorp JM Jr (*see* Berkman et al). 2003;188:1648-59 (AJOG reviews)
Tiberghien P (*see* Subtil et al). 2003;188:524-31
Timmerman D (*see* Van den Bosch et al). 2003;188:1249-53
Ting S (*see* Lee et al). 2003;188:617-22 (Editors' choice)
Tizard J (*see* Soothill et al). 2003;188:1107-8
Tobal N (*see* Carles et al). 2003;188:794-9
Tocci A, Roberts IAG, Kumar S, Bennett PR, Fisk NM. CD34+ cells from first-trimester fetal blood are enriched in primitive hemopoietic progenitors. 2003;188:1002-10
Todo Y, Sakuragi N, Nishida R, Yamada T, Ebina Y, Yamamoto R, Fujimoto S. Combined use of magnetic resonance imaging, CA 125 assay, histologic type, and histologic grade in the prediction of lymph node metastasis in endometrial carcinoma. 2003;188:1265-72
Tolosa JE (*see* Goldberg et al). 2003;188:1063-7
Toma O (*see* Nishie et al). 2003;188:214-9
Tomás MSJ, Bru E, Nader-Macías ME. Comparison of the growth and hydrogen peroxide production by vaginal probiotic lactobacilli under different culture conditions. 2003;188:35-44
Tomich PG. A legacy of professionalism since 1929. 2003;188:1432-7 (Pres. address)
Tomimatsu T, Fukuda H, Kanagawa T, Mu J, Kanzaki T, Murata Y. Effects of hyperthermia on hypoxic-ischemic brain damage in the immature rat: its influence on caspase-3–like protease. 2003;188:768-73
Towers CV (*see* Balderston et al). 2003;188:1615-21
Towers CV (*see* Major et al). 2003;188:1551-5
Townsend DE, Duleba AJ, Wilkes MM, Endometrial Cryoablation Study Group. Durability of treatment effects after endometrial cryoablation versus rollerball electroablation for abnormal uterine bleeding: two-year results of a multicenter randomized trial. 2003;188:699-701
Tracy TS (*see* Glover et al). 2003;188:1039-45
Tran-Thanh D, Provencher D, Koushik A, Duarte-Franco E, Kessous A, Drouin P, Wheeler CM, Dubuc-Lissoir J, Gauthier P, Allaire G, Vauclair R, DiPaolo JA, Gravitt P, Franco E, Coutlée F. Herpes simplex virus type II is not a cofactor to human papillomavirus in cancer of the uterine cervix. 2003;188:129-34
Traub AI (*see* Manderson et al). 2003;188:1326-32
Trengia V (*see* Seracchioli et al). 2003;188:1093-5
Trimbos JB (*see* de Kroon et al). 2003;188:945-9
Troiano NH (*see* Jenkins et al). 2003;188:549-52
Trollmann R, Amann K, Schoof E, Beinder E, Wenzel D, Rascher W, Dötsch J. Hypoxia activates the human placental vascular endothelial growth factor system in vitro and in vivo: up-regulation of vascular endothelial growth factor in clinically relevant hypoxic ischemia in birth asphyxia. 2003;188:517-23
Trout W (*see* Hauth et al). 2003;188:831-5
Trucco G (*see* Haggerty et al). 2003;188:141-8
Trudinger B (*see* Wang et al). 2003;188:510-6
Tulandi T (*see* Bisharah and Tulandi). 2003;188:367-70
Tunn R, DeLancey JOL, Howard D, Ashton-Miller JA, Quint LE. Anatomic variations in the levator ani muscle, endopelvic fascia, and urethra in nulliparas evaluated by magnetic resonance imaging. 2003;188:116-21
Twickler DM, Magee KP, Caire J, Zaretsky M, Fleckenstein JL, Ramus RM. Second-opinion magnetic resonance imaging for suspected fetal central nervous system abnormalities. 2003;188:492-6
Twisk JWR (*see* Haak et al). 2003;188:727-33

U

Ubel PA, Jepson C, Silver-Isenstadt A. Don't ask, don't tell: a change in medical student attitudes after obstetrics/gynecology clerkships toward seeking consent for pelvic examinations on an anesthetized patient. 2003;188:575-9 (Education)
Underwood PB (*see* Landen et al). 2003;188:1177-9 (Residents' papers)
Unger ER (*see* Berkova et al). 2003;188:932-7
Updike GM, Manolitsas TP, Cohn DE, Eaton LA, Fowler JM, Young DC, Copeland LJ. Pre-emptive analgesia in gynecologic surgical procedures: preoperative wound infiltration with ropivacaine in patients who undergo laparotomy through a midline vertical incision. 2003;188:901-5
Urban RG (*see* Sheets et al). 2003;188:916-26

V

Vaast P (*see* Subtil et al). 2003;188:524-31
Väisänen-Tommiska M, Nuutila M, Aittomäki K, Hiilesmaa V, Ylikorkala O. Nitric oxide metabolites in cervical fluid during pregnancy: further evidence for the role of cervical nitric oxide in cervical ripening. 2003;188:779-85
Van Assche FA (*see* Verhaeghe et al). 2003;188:485-91
van den Berg PP (*see* Kok et al). 2003;188:978-80
Van den Bosch T, Van Schoubroeck D, Ameye L, De Brabanter J, Van Huffel S, Timmerman D. Ultrasound assessment of endometrial thickness and endometrial polyps in women on hormonal replacement therapy. 2003:188:1249-53
Van Herck E (*see* Verhaeghe et al). 2003;188:485-91
van Houwelingen HC (*see* de Kroon et al). 2003;188:945-9
Van Huffel S (*see* Van den Bosch et al). 2003;188:1249-53
van Nieuwenhoven ALV, Bouman A, Moes H, Heineman MJ, de Leij LFMH, Santema J, Faas MM. Endotoxin-induced cytokine production of monocytes of third-trimester pregnant women compared with women in the follicular phase of the menstrual cycle. 2003;188:1073-7
Van Schoubroeck D (*see* Van den Bosch et al). 2003;188:1249-53
van Vugt JMG (*see* Haak et al). 2003;188:727-33
Varner M (*see* Hauth et al). 2003;188:831-5
Vasdev GM (*see* Ramsey et al). 2003;188:714-8
Vauclair R (*see* Tran-Thanh et al). 2003;188:129-34
Vaules MB (*see* Ramsey et al). 2003;188:714-8
Vedernikov Y (*see* Maul et al). 2003;188:1498-503
Vedernikov YP (*see* Bytautiene et al). 2003;188:774-8
Vedernikov YP (*see* Longo et al). 2003;188:1468-76
Venturoli S (*see* Seracchioli et al). 2003;188:1093-5
Verbist L (*see* Devlieger et al). 2003;188:844-8
Vercellini P, Chapron C, De Giorgi O, Consonni D, Frontino G, Crosignani PG. Coagulation or excision of ovarian endometriomas? 2003;188:606-10 (Editors' choice)
Verhaeghe J, Van Herck E, Billen J, Moerman P, Van Assche FA, Giudice LC. Regulation of insulin-like growth factor-I and insulin-like growth factor binding protein-1 concentrations in preterm fetuses. 2003;188:485-91
Vermeylen D (*see* Ismaili et al). 2003;188:242-6
Viardot C (*see* Dällenbach et al). 2003;188:162-7
Vidaeff AC, Lucas MJ. Impact of single-or double-layer closure on uterine rupture. 2003;188:602-3 (Letter)

Vintzileos AM (*see* Ananth et al). 2003;188:275-81
Vintzileos AM (*see* Ananth et al). 2003;188:1299-304
Vintzileos AM (*see* Smulian et al). 2003;188:269-74
Visintainer P (*see* Jhang et al). 2003;188:1195-7 (Residents' papers)
Visvanathan D, Connell R, Hall-Craggs M, Cutner A, Bown S. Interstitial laser coagulation for uterine myomas. 2003;188:860 (Letter reply)
Vital-Reyes VS (*see* Chavarría et al). 2003;188:986-92
Voigt RG (*see* Llorente et al). 2003;188:1348-53
Volpe A (*see* Cagnacci et al). 2003;188:313-7
Volpe A (*see* Cagnacci et al). 2003;188:1278-82
von Pechmann WS, Mastropietro MA, Roth TJ, Hale DS. Urethral adenocarcinoma associated with urethral diverticulum in a patient with progressive voiding dysfunction. 2003;188:1111-2
Vortman T (*see* Nevo et al). 2003;188:1360-5

W

Wada N (*see* Smith et al). 2003;188:444-53
Wakabayashi MT (*see* Oyama et al). 2003;188:1164-5 (Residents' papers)
Walker J (*see* Solomon et al). 2003;188:1391-400 (Editors' choice)
Walsh LS, Ollendorff A, Mershon JL. Estrogen increases inducible nitric oxide synthase gene expression. 2003;188:1208-10 (Residents' papers)
Walter A. Endometriosis: correlation between histologic and visual findings at laparoscopy. 2003;188:1663-4 (Letter reply)
Wang H, Chia K-S, Du W-B, Lee J, Sankaranarayanan R, Sankila R, Sng I, Seow A, Lee H-P. Population-based survival for cervical cancer in Singapore, 1968-1992. 2003;188:324-9
Wang S, Chen J, Au KT, Ross MG. Expression of aquaporin 8 and its up-regulation by cyclic adenosine monophosphate in human WISH cells. 2003;188:997-1001
Wang X, Athayde N, Trudinger B. Fetal plasma stimulates endothelial cell production of cytokines and the family of suppressor of cytokine signaling in umbilical placental vascular disease. 2003;188:510-6
Wapner R (*see* Hauth et al). 2003;188:831-5
Wapner RJ, Evans MI. Procedural risks versus theology: chorionic villus sampling for Orthodox Jews at less than 8 weeks' gestation. 2003;188:300-1 (Letter reply)
Ward C (*see* McCowan et al). 2003;188:981-5
Wareing M, Bhatti H, O'Hara M, Kenny L, Warren AY, Taggart MJ, Baker PN. Vasoactive effects of neurokinin B on human blood vessels. 2003;188:196-202
Warming L, Ravn P, Christiansen C. Visceral fat is more important than peripheral fat for endometrial thickness and bone mass in healthy postmenopausal women. 2003;188:349-53
Warner JA (*see* Curley et al). 2003;188:871-5 (Editors' choice)
Warren AY (*see* Wareing et al). 2003;188:196-202
Wasada K (*see* Fuke et al). 2003;188:228-33
Watts DH, Brown ZA, Money D, Selke S, Huang ML, Sacks SL, Corey L. A double-blind, randomized, placebo-controlled trial of acyclovir in late pregnancy for the reduction of herpes simplex virus shedding and cesarean delivery. 2003;188:836-43
Wax JR, Pinette MG, Chard R, Blackstone J, Cartin A. Prenatal diagnosis by DNA polymorphism analysis of complete mole with coexisting twin. 2003;188:1105-6
Waxman AG (*see* Smith et al). 2003;188:357-66
Weber AM (*see* Boyles et al). 2003;188:108-15
Webster L (*see* Millar et al). 2003;188:234-41
Wee L (*see* Taylor et al). 2003;188:1119 (Letter)
Weiner CP (*see* Buhimschi et al). 2003;188:203-8
Weiner CP (*see* Buhimschi et al). 2003;188:553-9
Weiner CP (*see* Buhimschi et al). 2003;188:734-9
Weiner CP (*see* Carvajal et al). 2003;188:84-91
Weinstein L. The laborist: a new focus of practice for the obstetrician. 2003;188:310-2 (Clin. opinion)
Welch RA, Blessed WB, Lacoste H. Five-year experience with midtrimester amniocentesis performed by a single group of obstetrician-gynecologists at a community hospital. 2003;188:600 (Letter)
Wendel GD Jr (*see* Zeeman et al). 2003;188:532-6
Wenzel D (*see* Trollmann et al). 2003;188:517-23
Wheeler CM (*see* Tran-Thanh et al). 2003;188:129-34
Wheeler JE (*see* Barnhart et al). 2003;188:906-9
White AM, Ramsey PS. Subcutaneous stitch closure versus subcutaneous drain to prevent wound disruption after cesarean delivery: a randomized clinical trial. 2003;188:861-2 (Letter)
White S (*see* Kaneko et al). 2003;188:961-72
Whitsel A (*see* Bernstein et al). 2003;188:938-42
Widhalm A (*see* Witt et al). 2003;188:816-9
Widness JA (*see* Clapp et al). 2003;188:1021-5
Wiesenfeld HC (*see* Yudin et al). 2003;188:318-23
Wiggins CL (*see* Smith et al). 2003;188:357-66
Wilborn W (*see* Portman et al). 2003;188:334-42
Wilbourn MS (*see* Curley et al). 2003;188:871-5 (Editors' choice)
Wildemeersch D, Dhont M. Treatment of nonatypical and atypical endometrial hyperplasia with a levonorgestrel-releasing intrauterine system. 2003;188:1297-8
Wilder K (*see* Jensen et al). 2003;188:1629-37
Wiley J, Sugar N, Fine D, Eckert LO. Legal outcomes of sexual assault. 2003;188:1638-41
Wilkes MM (*see* Townsend et al). 2003;188:699-701
Williams JBW (*see* Kovac et al). 2003;188:707-13
Williams JK (*see* Suparto et al). 2003;188:1132-40 (Editors' choice)
Williams KP, Farquharson DF, Bebbington M, Dansereau J, Galerneau F, Wilson RD, Shaw D, Kent N. Screening for fetal well-being in a high-risk pregnant population comparing the nonstress test and umbilical artery Doppler velocimetry: a randomized controlled clinical trial. 2003;188:1366-71
Williams KP, Galerneau F. Intrapartum fetal heart rate patterns in the prediction of neonatal acidemia. 2003;188:820-3
Williams P (*see* Drescher et al). 2003;188:1231-3 (Residents' papers)
Wilson JD (*see* Lowery et al). 2003;188:1491-7
Wilson PD (*see* Dietz et al). 2003;188:950-3
Wilson RD (*see* Williams et al). 2003;188:1366-71
Wimalawansa S (*see* Dong et al). 2003;188:466-72
Windrim R (*see* Dukler et al). 2003;188:1310-4
Windrim R (*see* Thomas and Windrim). 2003;188:298 (Letter reply)
Wing DA (*see* Pan et al). 2003;188:1057-62
Winn HN (*see* Krauss et al). 2003;188:1484-90
Witkin SS (*see* Sadowsky et al). 2003;188:252-63
Witt A, Sommer EM, Cichna M, Postlbauer K, Widhalm A, Gregor H, Reisenberger K. Placental passage of clarithromycin surpasses other macrolide antibiotics. 2003;188:816-9
Wong SF (*see* Lam et al). 2003;188:597 (Letter)
Woodhouse S (*see* Davila et al). 2003;188:382-8
Wray S (*see* Pierce et al). 2003;188:1031-8
Wu WX (*see* Ma et al). 2003;188:13-21 (Editors' choice)

Y

Yallampalli C (*see* Dong et al). 2003;188:466-72
Yamabe S (*see* Motoyama et al). 2003;188:1260-4
Yamada S (*see* Okamoto et al). 2003;188:135-40
Yamada T (*see* Todo et al). 2003;188:1265-72
Yamamoto R (*see* Todo et al). 2003;188:1265-72
Yamamoto SY (*see* Millar et al). 2003;188:234-41
Yi Y-W (*see* Baek et al). 2003;188:634-9
Yip S-K, Chan A, Pang S, Leung P, Tang C, Shek D, Chung T. The impact of urodynamic stress incontinence and detrusor overactivity on marital relationship and sexual function. 2003;188:1244-8
Ylikorkala O (*see* Väisänen-Tommiska et al). 2003;188:779-85
Yoneyama Y (*see* Chihara et al). 2003;188:434-8
Young DC (*see* Updike et al). 2003;188:901-5
Young MA (*see* Harlow et al). 2003;188:881-6
Young RC (*see* Robinson et al). 2003;188:497-502
Young TK. Cephalopelvic disproportion/failure to progress diagnosis. 2003;188:1660-1 (Letter reply)
Younger NO (*see* Landen et al). 2003;188:1177-9 (Residents' papers)

Yudin MH, Hillier SL, Wiesenfeld HC, Krohn MA, Amortegui AA, Sweet RL. Vaginal polymorphonuclear leukocytes and bacterial vaginosis as markers for histologic endometritis among women without symptoms of pelvic inflammatory disease. 2003;188:318-23

Z

Zanni AL (*see* Cagnacci et al). 2003;188:313-7
Zanni AL (*see* Cagnacci et al). 2003;188:1278-82
Zaretsky M (*see* Twickler et al). 2003;188:492-6
Zeeman GG, Wendel GD Jr, Cunningham FG. A blueprint for obstetric critical care. 2003;188:532-6
Žegura B, Keber I, Šebeštjen M, Borko E. Orally and transdermally replaced estradiol improves endothelial function equally in middle-aged women after surgical menopause. 2003;188:1291-6
Zeyneloglu HB (*see* Gokcel et al). 2003;188:1661 (Letter)
Zhang N (*see* Gonik et al). 2003;188:1068-72
Zhang P (*see* Robinson et al). 2003;188:497-502
Zimberg S (*see* Davila et al). 2003;188:382-8
Zimmer EZ (*see* Bronshtein et al). 2003;188:1016-20
Zingheim RW (*see* Luthy et al). 2003;188:1579-87
Zugaib M (*see* da Fonseca et al). 2003;188:419-24
Zugaib M (*see* Nishie et al). 2003;188:214-9
Zullo F (*see* Zupi et al). 2003;188:7-12 (Editors' choice)
Zullo MA (*see* Panici et al). 2003;188:71-5
Zumbach K (*see* Lehtinen et al). 2003;188:49-55
Zupi E, Zullo F, Marconi D, Sbracia M, Pellicano M, Solima E, Sorrenti G. Hysteroscopic endometrial resection versus laparoscopic supracervical hysterectomy for menorrhagia: a prospective randomized trial. 2003;188:7-12 (Editors' choice)
Zuspan FP. Letters to the editors. 2003;188:605 (Editorial)

SUBJECT INDEX*

A

Abnormalities

Microcephaly: an epidemiologic analysis (Krauss et al). 2003;188:1484-90

Parental occupations and other risk factors associated with nonchromosomal single, chromosomal single, and multiple birth defects: a population-based study in Singapore from 1994 to 1998 (Chia et al). 2003;188:425-33

Pregnancy outcome after gestational exposure to mebendazole: a prospective controlled cohort study (Diav-Citrin et al). 2003;188:282-5

Abortion

The effect of training on the provision of elective abortion: a survey of five residency programs (Steinauer et al). 2003;188:1161-3 (Residents' papers)

Is Rh immune globulin needed in early first-trimester abortion? A review (Jabara and Barnhart). 2003;188:623-7 (Clin. opinion)

Medical abortion at 64 to 91 days of gestation: a review of 483 consecutive cases (Hamoda et al). 2003;188:1315-9

Mifepristone and misoprostol and methotrexate/misoprostol in clinical practice for abortion (Creinin et al). 2003;188:664-9

Abruptio placentae

Birth weight discordancy and adverse perinatal outcomes among twin gestations in the United States: the effect of placental abruption (Ananth et al). 2003;188:954-60

Soluble HLA-DR levels in the maternal circulation of normal and pathologic pregnancy (Steinborn et al). 2003;188:473-9

Absorption

Regulation of amniotic fluid volume by intramembranous absorption in sheep: role of passive permeability and vascular endothelial growth factor (Daneshmand et al). 2003;188:786-93

Abuse; *see* Spouse abuse

Academic medical centers

A comparison of two models of gynecology service consultation to the emergency department in an academic medical center (LaCoursiere and Nager). 2003;188:1166-8 (Residents' papers)

Acceleration

Antenatal prediction of pulmonary hypoplasia by acceleration time/ejection time ratio of fetal pulmonary arteries by Doppler blood flow velocimetry (Fuke et al). 2003;188:228-33

Acetylcysteine

Protective effect of N-acetylcysteine against fetal death and preterm labor induced by maternal inflammation (Buhimschi et al). 2003;188:203-8

Acetylhydrolase

Effects of colony-stimulating factors on the secretion of platelet-activating factor acetylhydrolase by human decidual macrophages (Narahara et al). 2003;188:157-61

Acidemia

Intrapartum fetal heart rate patterns in the prediction of neonatal acidemia (Williams and Galerneau). 2003;188:820-3

*January, 1-302; February, 303-604; March, 605-862, S1-S24; April 863-1120, S25-S42; May, 1121-1380, S43-S76; June, 1381-1724, S77-S88.

Acne vulgaris

A randomized controlled trial of second- versus third-generation oral contraceptives in the treatment of acne vulgaris (Rosen et al). 2003;188:1158-60 (Residents' papers)

Activins

Maternal serum activin A is not elevated before preeclampsia in women who are at high risk (Blackburn et al). 2003;188:807-11

Acyclovir

A double-blind, randomized, placebo-controlled trial of acyclovir in late pregnancy for the reduction of herpes simplex virus shedding and cesarean delivery (Watts et al). 2003;188:836-43

Adenocarcinoma

Cervical adenocarcinoma survival among Hispanic and white women: a multicenter cohort study (Schorge et al). 2003;188:640-4

Comparison of human papillomavirus genotypes, sexual, and reproductive risk factors of cervical adenocarcinoma and squamous cell carcinoma: Northeastern United States (Altekruse et al). 2003;188:657-63

Dipeptidyl peptidase IV expression in endometrial endometrioid adenocarcinoma and its inverse correlation with tumor grade (Khin et al). 2003;188:670-6

Urethral adenocarcinoma associated with urethral diverticulum in a patient with progressive voiding dysfunction (von Pechmann et al). 2003;188:1111-2

Adenosine monophosphate

Expression of aquaporin 8 and its up-regulation by cyclic adenosine monophosphate in human WISH cells (Wang et al). 2003;188:997-1001

Adhesions

Vaginoplasty with Interceed absorbable adhesion barrier for complete squamous epithelialization in vaginal agenesis (Motoyama et al). 2003;188:1260-4

Administration, cutaneous

Orally and transdermally replaced estradiol improves endothelial function equally in middle-aged women after surgical menopause (Žegura et al). 2003;188:1291-6

Administration, intravaginal

Oral misoprostol or vaginal dinoprostone for labor induction: a randomized controlled trial (Dällenbach et al). 2003;188:162-7

Administration, oral

Oral misoprostol or vaginal dinoprostone for labor induction: a randomized controlled trial (Dällenbach et al). 2003;188:162-7

Orally and transdermally replaced estradiol improves endothelial function equally in middle-aged women after surgical menopause (Žegura et al). 2003;188:1291-6

Administration, sublingual

Sublingual nitroglycerin versus intravenous ritodrine as tocolytic for external cephalic version: a double-blinded randomized trial (Bujold et al). 2003;188:1454-9

Adnexal neoplasms

A new scoring system to differentiate benign from malignant adnexal masses (Alcázar et al). 2003;188:685-92

Adnexitis

Effectiveness of inpatient and outpatient treatment strategies for women with pelvic inflammatory disease (Ledger) (Letter); (Ness et al) (Reply). 2003;188:598-600

Endometritis does not predict reproductive morbidity after pelvic inflammatory disease (Haggerty et al). 2003;188:141-8
The PEACH study (Osborne) (Letter); (Ness et al) (Reply). 2003;188:598-600
Regarding the PEACH randomized trial (Monif) (Letter); (Ness et al) (Reply). 2003;188:597-600
Vaginal polymorphonuclear leukocytes and bacterial vaginosis as markers for histologic endometritis among women without symptoms of pelvic inflammatory disease (Yudin et al). 2003;188:318-23

Adolescence
Perceived quality of life in pregnant adolescent girls (Drescher et al). 2003;188:1231-3 (Residents' papers)
Pregnant adolescents at risk: sexual behaviors and sexually transmitted disease prevalence (Niccolai et al). 2003;188:63-70

Adrenal cortex hormones
Immediate and delayed effects of antenatal corticosteroids on fetal heart rate: a randomized trial that compares betamethasone acetate and phosphate, betamethasone phosphate, and dexamethasone (Subtil et al). 2003;188:524-31

Affective disorders
Recurrence of symptoms of premenstrual dysphoric disorder after the cessation of luteal-phase fluoxetine treatment (Pearlstein et al). 2003;188:887-95

African Americans
Disparities in health: minority environmental exposures—gene mutations in African American women. Overview (Pattillo). 2003;188:S25 (Symposium)
High cumulative incidence of uterine leiomyoma in black and white women: ultrasound evidence (Baird et al). 2003;188:100-7
Infant mortality, low birth weight, and prematurity among Latina, white, and African American women in North Carolina (Leslie et al). 2003;188:1238-40 (Residents' papers)
Maternal blood lead effects on infant intelligence at age 7 months (Emory et al). 2003;188:S26-32 (Symposium)
PTEN/MMAC1 mutations correlate inversely with an altered p53 tumor suppressor gene in gynecologic tumors (Soyoola and Pattillo). 2003;188:S33-6 (Symposium)
Racial disparities in reproductive health outcomes (Anachebe and Sutton). 2003;188:S37-42 (Symposium)

Age factors
Age and racial/ethnic differences in maternal, fetal, and placental conditions in laboring patients (Gregory and Korst). 2003;188:1602-8

Aged
Sacrospinous cervicocolpopexy with uterine conservation for uterovaginal prolapse in elderly women: an evolving concept (Hefni et al). 2003;188:645-50

AJOG reviews
AJOG reviews. 2003;188:286-93, 586-96, 1083-92, 1648-59

Alcohol drinking
Are users of alcohol in pregnancy necessarily alcohol abusers? (Kesmodel) (Letter); (Abel and Kruger) (Reply). 2003;188:296-7
Physician attitudes concerning legal coercion of pregnant alcohol and drug users (Chavkin and Paltrow) (Letter); (Abel and Kruger) (Reply). 2003;188:298-9
Substance use and psychotherapeutic medications: a likely contributor to menstrual disorders in women who are seropositive for human immunodeficiency virus (Harlow et al). 2003;188:881-6

Alpha fetoproteins
Maternal serum α-fetoprotein and human chorionic gonadotropin levels in women with human immunodeficiency virus (Gross et al). 2003;188:1052-6

ALTS trial; *see* Vaginal smears

Ambulatory care
Ambulatory diagnosis and medical management of ectopic pregnancy in a public teaching hospital serving indigent women (Nelson et al). 2003;188:1541-50

American Journal of Obstetrics and Gynecology
Editors' choice (Gabbe and Quilligan). 2003;188:1 (Editorial)
Letters to the editors (Zuspan). 2003;188:605 (Editorial)

Amniocentesis
Five-year experience with midtrimester amniocentesis performed by a single group of obstetrician-gynecologists at a community hospital (Welch et al) (Letter); (Blackwell) (Reply). 2003;188:600-1
Stage-based treatment of twin-twin transfusion syndrome (Quintero et al). 2003;188:1333-40

Amnion
Relaxin causes proliferation of human amniotic epithelium by stimulation of insulin-like growth factor-II (Millar et al). 2003;188:234-41

Amniotic band syndrome
Increased polymorphonuclear infiltration and iatrogenic amniotic band after closure of fetoscopic access sites with a bioactive membrane in the rabbit at midgestation (Devlieger et al). 2003;188:844-8

Amniotic fluid
A comparison between middle cerebral artery peak systolic velocity and amniotic fluid optical density at 450 nm in the prediction of fetal anemia (Nishie et al). 2003;188:214-9
Defecation in utero: a physiologic fetal function (Ramón y Cajal and Martínez). 2003;188:153-6
Predictability of intrapartum and neonatal outcomes with the amniotic fluid volume distribution: a reassessment using the amniotic fluid index, single deepest pocket, and a dye-determined amniotic fluid volume (Magann et al). 2003;188:1523-8
Regulation of amniotic fluid volume by intramembranous absorption in sheep: role of passive permeability and vascular endothelial growth factor (Daneshmand et al). 2003;188:786-93

Ampicillin
Antibiotic therapy in preterm premature rupture of membranes: are seven days necessary? A preliminary, randomized clinical trial (Lewis et al). 2003;188:1413-7 (Editors' choice)

Amputation
Pregnancy in a spinal cord–injured bilateral total leg amputee: management and considerations (Ehrenberg et al). 2003;188:1096-9

Analgesia, local
Pre-emptive analgesia in gynecologic surgical procedures: preoperative wound infiltration with ropivacaine in patients who undergo laparotomy through a midline vertical incision (Updike et al). 2003;188:901-5

Anatomy
Anatomic variations in the levator ani muscle, endopelvic fascia, and urethra in nulliparas evaluated by magnetic resonance imaging (Tunn et al). 2003;188:116-21

Anemia
A comparison between middle cerebral artery peak systolic velocity and amniotic fluid optical density at 450 nm in the prediction of fetal anemia (Nishie et al). 2003;188:214-9
Doppler assessment of the fetal cerebral hemodynamic response to moderate or severe maternal anemia (Carles et al). 2003;188:794-9
Noninvasive tests to predict fetal anemia: a study comparing Doppler and ultrasound parameters (Dukler et al). 2003;188:1310-4

Anesthesia
Don't ask, don't tell: a change in medical student attitudes after obstetrics/gynecology clerkships toward seeking consent for pelvic examinations on an anesthetized patient (Ubel et al). 2003;188:575-9 (Education)

Anesthesia, local
Local anesthetic reduces the pain of colposcopic biopsies: a randomized trial (Oyama et al). 2003;188:1164-5 (Residents' papers)

Angiogenesis; *see* Neovascularization

Anovulation
A randomized clinical trial of treatment of clomiphene citrate–resistant anovulation with the use of oral contraceptive pill suppression and repeat clomiphene citrate treatment (Branigan and Estes). 2003;188:1424-30 (Editors' choice)

Anoxia
Cerebral blood flow and metabolism in relation to electrocortical activity with severe umbilical cord occlusion in the near-term ovine fetus (Kaneko et al). 2003;188:961-72
Effects of hyperthermia on hypoxic-ischemic brain damage in the immature rat: its influence on caspase-3–like protease (Tomimatsu et al). 2003;188:768-73
Hypoxia activates the human placental vascular endothelial growth factor system in vitro and in vivo: up-regulation of vascular endothelial growth factor in clinically relevant hypoxic ischemia in birth asphyxia (Trollmann et al). 2003;188:517-23
Nucleated red blood cells in polycythemic infants (Mandel et al). 2003;188:193-5

Anthelmintics
Pregnancy outcome after gestational exposure to mebendazole: a prospective controlled cohort study (Diav-Citrin et al). 2003;188:282-5
Use of anthelminthic drugs during pregnancy (Savioli et al). 2003;188:5-6 (Editorial)

Antibiotics
Antibiotic therapy in preterm premature rupture of membranes: are seven days necessary? A preliminary, randomized clinical trial (Lewis et al). 2003;188:1413-7 (Editors' choice)
Antibiotic treatment of bacterial vaginosis in pregnancy: a meta-analysis (Leitich et al). 2003;188:752-8

Antibiotics, macrolide
Placental passage of clarithromycin surpasses other macrolide antibiotics (Witt et al). 2003;188:816-9

Antibodies
Antibody reactivity to HPV E6 and E7 oncoproteins and early diagnosis of invasive cervical cancer (Stanley). 2003;188:3-4 (Editorial)
Evaluation of antibody response to human papillomavirus early proteins in women in whom cervical cancer developed 1 to 20 years later (Lehtinen et al). 2003;188:49-55

Antidepressive agents
Birth outcomes after prenatal exposure to antidepressant medication (Hendrick et al). 2003;188:812-5

Antigens, tumor-associated, carbohydrate
CA 125 levels in the preoperative assessment of advanced-stage uterine cancer (Jhang et al). 2003;188:1195-7 (Residents' papers)
Combined use of magnetic resonance imaging, CA 125 assay, histologic type, and histologic grade in the prediction of lymph node metastasis in endometrial carcinoma (Todo et al). 2003;188:1265-72

Antiphospholipid syndrome
Longitudinal evaluation of markers of endothelial cell dysfunction and hemostasis in treated antiphospholipid syndrome and in healthy pregnancy (Stone et al). 2003;188:454-60

Apoptosis
Dual fluorescence analysis of DNA apoptosis in sperm (Rowland et al). 2003;188:1156-7 (Residents' papers)

Aquaporins
Expression of aquaporin 8 and its up-regulation by cyclic adenosine monophosphate in human WISH cells (Wang et al). 2003;188:997-1001

Arm
Complete brachial plexus impairment: a traction-related injury (Allen) (Letter); (Jennett and Tarby) (Reply). 2003;188:858-9

Arteries
Effects of recombinant human relaxin on pregnant rat uterine artery and myometrium in vitro (Longo et al). 2003;188:1468-76
Postpartum hemorrhage mistakes (Jaraquemada) (Letter); (Ko et al) (Reply). 2003;188:603-4
Vascular endothelial growth factor induced functional and morphologic signs of endothelial dysfunction in isolated arteries from normal pregnant women (Svedas et al). 2003;188:168-76

Asian Americans
Racial differences in severe perineal lacerations after vaginal delivery (Goldberg et al). 2003;188:1063-7

Asphyxia neonatorum
Antepartum fetal asphyxia in the preterm pregnancy (Low et al). 2003;188:461-5
Fetal electrocardiography in labor and neonatal outcome: data from the Swedish randomized controlled trial on intrapartum fetal monitoring (Norén et al). 2003;188:183-92
Hypoxia activates the human placental vascular endothelial growth factor system in vitro and in vivo: up-regulation of vascular endothelial growth factor in clinically relevant hypoxic ischemia in birth asphyxia (Trollmann et al). 2003;188:517-23

Asthma
Nucleated red blood cells in infants of mothers with asthma (Littner et al). 2003;188:409-12

Atrophy
Are women with urogenital atrophy symptomatic? (Davila et al). 2003;188:382-8

Attitude
Cohort study of maternal views on future mode of delivery after operative delivery in the second stage of labor (Murphy and Liebling). 2003;188:542-8

Attitude of health personnel
Don't ask, don't tell: a change in medical student attitudes after obstetrics/gynecology clerkships toward seeking consent for pelvic examinations on an anesthetized patient (Ubel et al). 2003;188:575-9 (Education)
Physician attitudes concerning legal coercion of pregnant alcohol and drug users (Chavkin and Paltrow) (Letter); (Abel and Kruger) (Reply). 2003;188:298-9

Automation
Use of automated home blood pressure monitoring in pregnancy (Loewenstein and Naschitz) (Letter); (North and Lo) (Reply). 2003;188:1662

Azithromycin
Maternal and transplacental pharmacokinetics of azithromycin (Ramsey et al). 2003;188:714-8

B

Bacteria
The role of covering gowns in reducing rates of bacterial contamination of scrub suits (Kaplan et al). 2003;188:1154-5 (Residents' papers)

Bacterial vaginosis; *see* Vaginosis, bacterial

Basal cell nevus syndrome

Primary ovarian leiomyosarcoma as a new component in the nevoid basal cell carcinoma syndrome: a case report (Seracchioli et al). 2003;188:1093-5

Basal metabolism

Basal metabolic rate in hyperemesis gravidarum: comparison to normal pregnancy and response to treatment (Chihara et al). 2003;188:434-8

Betamethasone

Differential effects of maternal betamethasone and cortisol on lung maturation and growth in fetal sheep (Jobe et al). 2003;188:22-8 (Editors' choice)

Gestation-related and betamethasone-induced changes in 11β-hydroxysteroid dehydrogenase types 1 and 2 in the baboon placenta (Ma et al). 2003;188:13-21 (Editors' choice)

Immediate and delayed effects of antenatal corticosteroids on fetal heart rate: a randomized trial that compares betamethasone acetate and phosphate, betamethasone phosphate, and dexamethasone (Subtil et al). 2003;188:524-31

Systemic administration of betamethasone delays endotoxin-induced preterm labor in the murine model (Schwartz et al). 2003;188:439-43

Bethesda III screening; *see* Vaginal smears

Binding proteins; *see* Carrier proteins

Biological markers

Biochemical screening for Down syndrome in renal failure (Lam et al) (Letter); (Chao et al) (Reply). 2003;188:597

Biopsy

The effect of time interval between referral and colposcopy on detection of human papillomavirus DNA and on outcome of biopsy (Berkova et al). 2003;188:932-7

Local anesthetic reduces the pain of colposcopic biopsies: a randomized trial (Oyama et al). 2003;188:1164-5 (Residents' papers)

Prospective follow-up suggests similar risk of subsequent cervical intraepithelial neoplasia grade 2 or 3 among women with cervical intraepithelial neoplasia grade 1 or negative colposcopy and directed biopsy (Cox et al). 2003;188:1406-12 (Editors' choice)

Treatment of women with low-grade squamous intraepithelial lesions on cytologic evidence or biopsy results by board-certified gynecologists (Lee et al). 2003;188:693-8

Usefulness of Pipelle endometrial biopsy in the diagnosis of women at risk for ectopic pregnancy (Barnhart et al). 2003;188:906-9

Birth; *see* Labor

Birth injuries

Complete brachial plexus impairment: a traction-related injury (Allen) (Letter); (Jennett and Tarby) (Reply). 2003;188:858-9

Birth intervals

Impact of single- or double-layer closure on uterine rupture (Shipp and Lieberman) (Letter); (Bujold et al) (Reply). 2003;188:601-2

Birth outcome; *see* Pregnancy outcome

Birth weight

Birth weight discordancy and adverse perinatal outcomes among twin gestations in the United States: the effect of placental abruption (Ananth et al). 2003;188:954-60

The effect of birth weight on vaginal birth after cesarean delivery success rates (Elkousy et al). 2003;188:824-30

Macrosomic births in the United States: determinants, outcomes, and proposed grades of risk (Boulet et al). 2003;188:1372-8

A novel approach to intertriplet birth weight discordance (Blickstein et al). 2003;188:1026-30

Ultrasonographic prediction of term birth weight: how accurate is it? (Nahum and Stanislaw). 2003;188:566-74

Black women; *see* African Americans

Bladder

Innervation of the levator ani muscles in the female squirrel monkey (Pierce et al). 2003;188:1141-7 (Editors' choice)

Ultrasound-guided laser treatment for fetal bladder outlet obstruction resulting from ureterocele (Soothill et al). 2003;188:1107-8

Blood

Maternal blood lead effects on infant intelligence at age 7 months (Emory et al). 2003;188:S26-32 (Symposium)

Blood circulation

Soluble HLA-DR levels in the maternal circulation of normal and pathologic pregnancy (Steinborn et al). 2003;188:473-9

Blood coagulation

Coagulation or excision of ovarian endometriomas? (Vercellini et al). 2003;188:606-10 (Editors' choice)

Blood flow velocity

Antenatal prediction of pulmonary hypoplasia by acceleration time/ejection time ratio of fetal pulmonary arteries by Doppler blood flow velocimetry (Fuke et al). 2003;188:228-33

Cerebral blood flow and metabolism in relation to electrocortical activity with severe umbilical cord occlusion in the near-term ovine fetus (Kaneko et al). 2003;188:961-72

Cerebral perfusion pressure, and not cerebral blood flow, may be the critical determinant of intracranial injury in preeclampsia: a new hypothesis (Raschke) (Letter); (Belfort) (Reply). 2003;188:860-1

A comparison between middle cerebral artery peak systolic velocity and amniotic fluid optical density at 450 nm in the prediction of fetal anemia (Nishie et al). 2003;188:214-9

Ductus venosus flow velocities in relation to the cardiac defects in first-trimester fetuses with enlarged nuchal translucency (Haak et al). 2003;188:727-33

The effect of isosorbide dinitrate, a donor of nitric oxide, on maternal cerebral blood flow in gestational hypertension and preeclampsia (Nevo et al). 2003;188:1360-5

Blood pressure

Administration of raloxifene does not influence 24-hour ambulatory blood pressure of postmenopausal women with osteopenia: a double-blind placebo-controlled study (Cagnacci et al). 2003;188:1278-82

Use of automated home blood pressure monitoring in pregnancy (Loewenstein and Naschitz) (Letter); (North and Lo) (Reply). 2003;188:1662

Blood vessels

Vasoactive effects of erythropoietin on human placental blood vessels in vitro (Resch et al). 2003;188:993-6

Vasoactive effects of neurokinin B on human blood vessels (Wareing et al). 2003;188:196-202

Blood volume

Obstetric predictors of placental umbilical cord blood volume for transplantation (Jones et al). 2003;188:503-9

Body mass index

Cephalopelvic disproportion/failure to progress diagnosis (Escamilla) (Letter); (Young) (Reply). 2003;188:1660-1

Extremes of body mass index do not affect first-trimester pregnancy outcome in patients with infertility (Roth et al). 2003;188:1169-70 (Residents' papers)

Body weight

Vaginal birth after cesarean section versus elective repeat cesarean delivery: weight-based outcomes (Carroll et al). 2003;188:1516-22

Bone density

Visceral fat is more important than peripheral fat for endometrial thickness and bone mass in healthy postmenopausal women (Warming et al). 2003;188:349-53

Bone diseases, metabolic
Administration of raloxifene does not influence 24-hour ambulatory blood pressure of postmenopausal women with osteopenia: a double-blind placebo-controlled study (Cagnacci et al). 2003;188:1278-82
Raloxifene does not influence flow-mediated endothelium-dependent and endothelium-independent vasodilatation of osteopenic postmenopausal women (Cagnacci et al). 2003;188:313-7

Bone marrow transplantation
Obstetric predictors of placental umbilical cord blood volume for transplantation (Jones et al). 2003;188:503-9

Brachial plexus palsy
Complete brachial plexus impairment: a traction-related injury (Allen) (Letter); (Jennett and Tarby) (Reply). 2003;188:858-9

Brain
Cerebral blood flow and metabolism in relation to electrocortical activity with severe umbilical cord occlusion in the near-term ovine fetus (Kaneko et al). 2003;188:961-72
Decreased relative brain tissue levels of inositol in fetal hydrocephalus (Kok et al). 2003;188:978-80
Doppler assessment of the fetal cerebral hemodynamic response to moderate or severe maternal anemia (Carles et al). 2003;188:794-9

Brain injuries
Cerebral perfusion pressure, and not cerebral blood flow, may be the critical determinant of intracranial injury in preeclampsia: a new hypothesis (Raschke) (Letter); (Belfort) (Reply). 2003;188:860-1
Effects of hyperthermia on hypoxic-ischemic brain damage in the immature rat: its influence on caspase-3–like protease (Tomimatsu et al). 2003;188:768-73

Breast
Comparison of the effect of raloxifene and continuous-combined hormone therapy on mammographic breast density and breast tenderness in postmenopausal women (Jackson et al). 2003;188:389-94

Breast feeding
Effect of maternal docosahexaenoic acid supplementation on postpartum depression and information processing (Llorente et al). 2003;188:1348-53

Breast neoplasms
Contrasting effects of two hormone replacement therapies on the cardiovascular and mammary gland outcomes in surgically postmenopausal monkeys (Suparto et al). 2003;188:1132-40 (Editors' choice)
Progestins and breast cancer (Eden). 2003;188:1123-31 (Editors' choice)

Breech presentation
Mode of delivery and outcome of 699 term singleton breech deliveries at a single center (Newman) (Letter); (Giuliani and Tamussino) (Reply). 2003;188:1666
Sublingual nitroglycerin versus intravenous ritodrine as tocolytic for external cephalic version: a double-blinded randomized trial (Bujold et al). 2003;188:1454-9

Bronchoalveolar lavage fluid
Chorioamnionitis and increased neonatal lung lavage fluid matrix metalloproteinase-9 levels: implications for antenatal origins of chronic lung disease (Curley et al). 2003;188:871-5 (Editors' choice)

C

CA 125; *see* Antigens, tumor-associated, carbohydrate

Calcitonin gene–related peptide
Effects of steroid hormones on calcitonin gene–related peptide receptors in cultured human myometrium (Dong et al). 2003;188:466-72

Calcium
Chorion-induced myometrial relaxation is mediated by large-conductance Ca^{2+}-activated K^+ channel opening in the guinea pig (Carvajal et al). 2003;188:84-91
The effects of pH change on Ca^{++} signaling and force in pregnant human myometrium (Pierce et al). 2003;188:1031-8
Oxytocin-induced desensitization of the oxytocin receptor (Robinson et al). 2003;188:497-502

Canada
The effects of community-acquired pneumonia during pregnancy ending with a live birth (Jin et al). 2003;188:800-6

Cancer; *see* Neoplasms

Cancer, uterine; *see* Uterine neoplasms

Carcinoma
Combined use of magnetic resonance imaging, CA 125 assay, histologic type, and histologic grade in the prediction of lymph node metastasis in endometrial carcinoma (Todo et al). 2003;188:1265-72
Endometrial carcinoma: treatment and outcomes in the regional hospital setting (Hickerson). 2003;188:1573-8
Inhibitors that target protein kinases for the treatment of ovarian carcinoma (Arbel et al). 2003;188:1283-90

Carcinoma, squamous cell
Comparison of human papillomavirus genotypes, sexual, and reproductive risk factors of cervical adenocarcinoma and squamous cell carcinoma: Northeastern United States (Altekruse et al). 2003;188:657-63
Postcolposcopy management strategies for patients referred with low-grade squamous intraepithelial lesions or human papillomavirus DNA–positive atypical squamous cells of undetermined significance: a two-year prospective study (Guido et al). 2003;188:1401-5 (Editors' choice)
A randomized trial on the management of LSIL cytology interpretations (ALTS Group). 2003;188:1391-400 (Editors' choice)
Results of a randomized trial on the management of cytology interpretations of atypical squamous cells of undetermined significance (ALTS Group). 2003;188:1383-90 (Editors' choice)

Cardiac abnormalities; *see* Heart defects, congenital

Cardiovascular diseases
Administration of raloxifene does not influence 24-hour ambulatory blood pressure of postmenopausal women with osteopenia: a double-blind placebo-controlled study (Cagnacci et al). 2003;188:1278-82
Contrasting effects of two hormone replacement therapies on the cardiovascular and mammary gland outcomes in surgically postmenopausal monkeys (Suparto et al). 2003;188:1132-40 (Editors' choice)

Cardiovascular system
Single and multiple prenatal glucocorticoid exposures improve preterm newborn lamb cardiovascular and renal function similarly (Smith et al). 2003;188:444-53

Carrier proteins
Regulation of insulin-like growth factor-I and insulin-like growth factor binding protein-1 concentrations in preterm fetuses (Verhaeghe et al). 2003;188:485-91

Caspases
Effects of hyperthermia on hypoxic-ischemic brain damage in the immature rat: its influence on caspase-3–like protease (Tomimatsu et al). 2003;188:768-73

Catheterization, peripheral
Complications associated with peripherally inserted central catheter use during pregnancy (Ogura et al). 2003;188:1223-5 (Residents' papers)

Cats
Postoperative wound infection with *Pasteurella multocida* from a pet cat (Chun et al). 2003;188:1115-6

Caucasians
Cervical adenocarcinoma survival among Hispanic and white women: a multicenter cohort study (Schorge et al). 2003;188:640-4
High cumulative incidence of uterine leiomyoma in black and white women: ultrasound evidence (Baird et al). 2003;188:100-7
Infant mortality, low birth weight, and prematurity among Latina, white, and African American women in North Carolina (Leslie et al). 2003;188:1238-40 (Residents' papers)
Polycystic ovarian syndrome and insulin resistance in white and Mexican American women (Gokcel et al) (Letter); (Kauffman and Castracane) (Reply). 2003;188:1661-2

Cell-free system
Cell-free fetal DNA in the plasma of pregnant women with severe fetal growth restriction (Sekizawa et al). 2003;188:480-4

Cell line
Expression of aquaporin 8 and its up-regulation by cyclic adenosine monophosphate in human WISH cells (Wang et al). 2003;188:997-1001

Cells
CD34+ cells from first-trimester fetal blood are enriched in primitive hemopoietic progenitors (Tocci et al). 2003;188:1002-10
Increased vascular endothelial cell production of interleukin-6 in severe preeclampsia (Takacs et al). 2003;188:740-4

Cells, cultured
Comparison of the growth and hydrogen peroxide production by vaginal probiotic lactobacilli under different culture conditions (Tomás et al). 2003;188:35-44

Central Association of Obstetricians and Gynecologists
Transactions of the sixty-ninth annual meeting of the Central Association of Obstetricians and Gynecologists. 2003;188:1431

Central nervous system, abnormalities
Second-opinion magnetic resonance imaging for suspected fetal central nervous system abnormalities (Twickler et al). 2003;188:492-6

Cerebral arteries
A comparison between middle cerebral artery peak systolic velocity and amniotic fluid optical density at 450 nm in the prediction of fetal anemia (Nishie et al). 2003;188:214-9
The effect of isosorbide dinitrate, a donor of nitric oxide, on maternal cerebral blood flow in gestational hypertension and preeclampsia (Nevo et al). 2003;188:1360-5

Cerebral palsy
Temporal and demographic trends in cerebral palsy—fact and fiction (Clark and Hankins). 2003;188:628-33 (Clin. opinion)

Cerebrum; *see* Brain

Cervix
Cervical light-induced fluorescence in humans decreases throughout gestation and before delivery: preliminary observations (Maul et al). 2003;188:537-41
Nitric oxide metabolites in cervical fluid during pregnancy: further evidence for the role of cervical nitric oxide in cervical ripening (Väisänen-Tommiska et al). 2003;188:779-85
Recruitment of CD4+ T lymphocytes and macrophages into the cervical epithelium of women after coitus (Prakash et al). 2003;188:376-81
Risk of cesarean delivery after induction at term in nulliparous women with an unfavorable cervix (Johnson et al). 2003;188:1565-72

Cervix, cytology
Comparison of cell collection and direct visualization cervical cancer screening adjuncts (Parham). 2003;188:S13-20 (Symposium)
The science behind the effectiveness of in vivo screening (Felix). 2003;188:S8-12 (Symposium)
Shedding a new light on Bethesda III: new technologies in cervical screening (DiSaia). 2003;188:S1 (Symposium)
Simplification of the New Bethesda 2001 Classification System (Berek). 2003;188:S2-7 (Symposium)

Cervix, radiography
Can cervicography by improved? (Hall) (Letter); (Schneider and Schiffman) (Reply). 2003;188:854

Cervix, surgery
Hysteroscopic transcervical endometrial resection versus thermal destruction for menorrhagia: a prospective randomized trial on satisfaction rate (Loffer) (Letter); (Pellicano et al) (Reply). 2003;188:1664
Loop excision for high-grade squamous intraepithelial lesion on cytology: correlation with colposcopic and histologic findings (Szurkus and Harrison). 2003;188:1180-2 (Residents' papers)
Sacrospinous cervicocolpopexy with uterine conservation for uterovaginal prolapse in elderly women: an evolving concept (Hefni et al). 2003;188:645-50

Cervix dysplasia
Treatment of women with low-grade squamous intraepithelial lesions on cytologic evidence or biopsy results by board-certified gynecologists (Lee et al). 2003;188:693-8

Cervix incompetence
Vaginal sonography and cervical incompetence (Owen et al). 2003;188:586-96 (AJOG reviews)

Cervix neoplasms
Antibody reactivity to HPV E6 and E7 oncoproteins and early diagnosis of invasive cervical cancer (Stanley). 2003;188:3-4 (Editorial)
Cervical adenocarcinoma survival among Hispanic and white women: a multicenter cohort study (Schorge et al). 2003;188:640-4
Comparison of cell collection and direct visualization cervical cancer screening adjuncts (Parham). 2003;188:S13-20 (Symposium)
A comparison of four screening methods for cervical neoplasia in a developing country (Cronjé et al). 2003;188:395-400
Comparison of human papillomavirus genotypes, sexual, and reproductive risk factors of cervical adenocarcinoma and squamous cell carcinoma: Northeastern United States (Altekruse et al). 2003;188:657-63
A cost-effectiveness analysis of management strategies for cervical intraepithelial neoplasia grades 2 and 3 (Kleinberg et al). 2003;188:1186-8 (Residents' papers)
Does the ALTS trial apply to the community-based practitioner? (Monk and Brewster). 2003;188:1381-2 (Editorial)
Evaluation of antibody response to human papillomavirus early proteins in women in whom cervical cancer developed 1 to 20 years later (Lehtinen et al). 2003;188:49-55
Expression of cyclooxygenase-2 in cervical, endometrial, and ovarian malignancies (Landen et al). 2003;188:1174-6 (Residents' papers)
Herpes simplex virus type II is not a cofactor to human papillomavirus in cancer of the uterine cervix (Tran-Thanh et al). 2003;188:129-34
Immunotherapy of human cervical high-grade cervical intraepithelial neoplasia with microparticle-delivered human papillomavirus 16 E7 plasmid DNA (Sheets et al). 2003;188:916-26
Loop excision for high-grade squamous intraepithelial lesion on cytology: correlation with colposcopic and histologic findings (Szurkus and Harrison). 2003;188:1180-2 (Residents' papers)
Population-based survival for cervical cancer in Singapore, 1968-1992 (Wang et al). 2003;188:324-9
Postcolposcopy management strategies for patients referred with low-grade squamous intraepithelial lesions or human papillomavirus DNA–positive atypical squamous cells of undetermined significance: a two-year prospective study (Guido et al). 2003;188:1401-5 (Editors' choice)

The predictive value of cytologic testing in women with the human immunodeficiency virus who have low-grade squamous cervical lesions: a substudy of a randomized, phase III chemoprevention trial (Robinson et al). 2003;188:896-900
Prospective follow-up suggests similar risk of subsequent cervical intraepithelial neoplasia grade 2 or 3 among women with cervical intraepithelial neoplasia grade 1 or negative colposcopy and directed biopsy (Cox et al). 2003;188:1406-12 (Editors' choice)
Radical trachelectomy and pelvic lymphadenectomy with uterine preservation in the treatment of cervical cancer (Schlaerth et al). 2003;188:29-34
A randomized trial on the management of LSIL cytology interpretations (Solomon et al). 2003;188:1391-400 (Editors' choice)
Results of a randomized trial on the management of cytology interpretations of atypical squamous cells of undetermined significance (Solomon et al). 2003;188:1383-90 (Editors' choice)
The science behind the effectiveness of in vivo screening (Felix). 2003;188:S8-12 (Symposium)
Shedding a new light on Bethesda III: new technologies in cervical screening (DiSaia). 2003;188:S1 (Symposium)
Simplification of the New Bethesda 2001 Classification System (Berek). 2003;188:S2-7 (Symposium)
Treatment of women with low-grade squamous intraepithelial lesions on cytologic evidence or biopsy results by board-certified gynecologists (Lee et al). 2003;188:693-8

Cervix ripening; *see* Labor stage, first

Cesarean section
Cephalopelvic disproportion/failure to progress diagnosis (Escamilla) (Letter); (Young) (Reply). 2003;188:1660-1
Cesarean delivery on demand: what will it cost? (Bost). 2003;188:1418-23 (Editors' choice)
Cesarean delivery for twins: a systematic review and meta-analysis (Hogle et al). 2003;188:220-7
Cohort study of maternal views on future mode of delivery after operative delivery in the second stage of labor (Murphy and Liebling). 2003;188:542-8
A double-blind, randomized, placebo-controlled trial of acyclovir in late pregnancy for the reduction of herpes simplex virus shedding and cesarean delivery (Watts et al). 2003;188:836-43
Indications for cesarean deliveries in Norway (Kolås et al). 2003;188:864-70 (Editors' choice)
Much research is needed to provide fully informed consent about mode of delivery (Sakala and Corry) (Letter); (O'Boyle et al) (Reply). 2003;188:1380
Physician contribution to a cesarean delivery risk model (Luthy et al). 2003;188:1579-87
Postpartum hemorrhage mistakes (Jaraquemada) (Letter); (Ko et al) (Reply). 2003;188:603-4
Risk of cesarean delivery after induction at term in nulliparous women with an unfavorable cervix (Johnson et al). 2003;188:1565-72
Subcutaneous stitch closure versus subcutaneous drain to prevent wound disruption after cesarean delivery: a randomized clinical trial (White and Ramsey) (Letter); (Chauhan et al) (Reply). 2003;188:861-2
Urinary incontinence among mothers of multiples: the protective effect of cesarean delivery (Goldberg et al). 2003;188:1447-53
Urogynecologists are not encouraging a higher cesarean section rate (Davila). 2003;188:1660 (Letter)
Vaginal birth after cesarean section versus elective repeat cesarean delivery: weight-based outcomes (Carroll et al). 2003;188:1516-22

Child development
Long-term neurodevelopmental outcome after intrauterine laser treatment for severe twin-twin transfusion syndrome (Banek et al). 2003;188:876-80 (Editors' choice)

China
PTEN/MMAC1 mutations correlate inversely with an altered p53 tumor suppressor gene in gynecologic tumors (Soyoola and Pattillo). 2003;188:S33-6 (Symposium)

Chlamydia trachomatis
Effectiveness of inpatient and outpatient treatment strategies for women with pelvic inflammatory disease (Ledger) (Letter); (Ness et al) (Reply). 2003;188:598-600
Herpes simplex virus type II is not a cofactor to human papillomavirus in cancer of the uterine cervix (Tran-Thanh et al). 2003;188:129-34
The PEACH study (Osborne) (Letter) (Ness et al) (Reply). 2003;188:598-600
Regarding the PEACH randomized trial (Monif) (Letter); (Ness et al) (Reply). 2003;188:597-600

Chorioamnionitis
Chorioamnionitis and increased neonatal lung lavage fluid matrix metalloproteinase-9 levels: implications for antenatal origins of chronic lung disease (Curley et al). 2003;188:871-5 (Editors' choice)

Chorion
Chorion-induced myometrial relaxation is mediated by large-conductance Ca^{2+}-activated K^+ channel opening in the guinea pig (Carvajal et al). 2003;188:84-91

Chorionic villi sampling
Prenatal diagnosis by DNA polymorphism analysis of complete mole with coexisting twin (Wax et al). 2003;188:1105-6
Procedural risks versus theology: chorionic villus sampling for Orthodox Jews at less than 8 weeks' gestation (Peleg) (Letter); (Petrikovsky) (Letter); (Wapner and Evans) (Reply). 2003;188:299-301
Usefulness of Pipelle endometrial biopsy in the diagnosis of women at risk for ectopic pregnancy (Barnhart et al). 2003;188:906-9

Chromosome abnormalities
Parental occupations and other risk factors associated with nonchromosomal single, chromosomal single, and multiple birth defects: a population-based study in Singapore from 1994 to 1998 (Chia et al). 2003;188:425-33

Circulation, blood; *see* Blood circulation

Citrates
A randomized clinical trial of treatment of clomiphene citrate–resistant anovulation with the use of oral contraceptive pill suppression and repeat clomiphene citrate treatment (Branigan and Estes). 2003;188:1424-30 (Editors' choice)

Clarithromycin
Placental passage of clarithromycin surpasses other macrolide antibiotics (Witt et al). 2003;188:816-9

Clindamycin
Gentamicin and clindamycin therapy in postpartum endometritis: the efficacy of daily dosing versus dosing every 8 hours (Livingston et al). 2003;188:149-52

Clinical clerkship
Don't ask, don't tell: a change in medical student attitudes after obstetrics/gynecology clerkships toward seeking consent for pelvic examinations on an anesthetized patient (Ubel et al). 2003;188:575-9 (Education)
Medical student self-assessment of performance on an obstetrics and gynecology clerkship (Edwards et al). 2003;188:1078-82 (Education)

Clinical opinion
Clinical opinion. 2003;188:310-2, 623-33

Clinical trial, phase III
The predictive value of cytologic testing in women with the human immunodeficiency virus who have low-grade squamous cervical lesions: a substudy of a randomized, phase III chemoprevention trial (Robinson et al). 2003;188:896-900

Clomiphene
A randomized clinical trial of treatment of clomiphene citrate–resistant anovulation with the use of oral contraceptive pill suppression and repeat clomiphene citrate treatment (Branigan and Estes). 2003;188:1424-30 (Editors' choice)

Clothing
The role of covering gowns in reducing rates of bacterial contamination of scrub suits (Kaplan et al). 2003;188:1154-5 (Residents' papers)

Coagulation; *see* Blood coagulation

Coercion
Physician attitudes concerning legal coercion of pregnant alcohol and drug users (Chavkin and Paltrow) (Letter); (Abel and Kruger) (Reply). 2003;188:298-9

Cognition
Effect of sleep deprivation on medical resident and student cognitive function: a prospective study (Halbach et al). 2003;188:1198-201 (Residents' papers)

Coitus
The impact of urodynamic stress incontinence and detrusor overactivity on marital relationship and sexual function (Yip et al). 2003;188:1244-8
Quality of life and sexual function after evaluation and treatment at a referral center for vulvovaginal disorders (Jensen et al). 2003;188:1629-37
Recruitment of CD4+ T lymphocytes and macrophages into the cervical epithelium of women after coitus (Prakash et al). 2003;188:376-81
Sperm exposure and development of preeclampsia (Einarsson et al). 2003;188:1241-3 (Residents' papers)

Colony-stimulating factor
Effects of colony-stimulating factors on the secretion of platelet-activating factor acetylhydrolase by human decidual macrophages (Narahara et al). 2003;188:157-61

Colposcopy
The effect of time interval between referral and colposcopy on detection of human papillomavirus DNA and on outcome of biopsy (Berkova et al). 2003;188:932-7
Local anesthetic reduces the pain of colposcopic biopsies: a randomized trial (Oyama et al). 2003;188:1164-5 (Residents' papers)
Loop excision for high-grade squamous intraepithelial lesion on cytology: correlation with colposcopic and histologic findings (Szurkus and Harrison). 2003;188:1180-2 (Residents' papers)
Postcolposcopy management strategies for patients referred with low-grade squamous intraepithelial lesions or human papillomavirus DNA–positive atypical squamous cells of undetermined significance: a two-year prospective study (Guido et al). 2003;188:1401-5 (Editors' choice)
Prospective follow-up suggests similar risk of subsequent cervical intraepithelial neoplasia grade 2 or 3 among women with cervical intraepithelial neoplasia grade 1 or negative colposcopy and directed biopsy (Cox et al). 2003;188:1406-12 (Editors' choice)

Communication
The relationship of race to women's use of health information resources (Nicholson et al). 2003;188:580-5 (Education)

Community-acquired pneumonia; *see* Pneumonia

Community hospitals; *see* Hospitals, community

Community medicine
Does the ALTS trial apply to the community-based practitioner? (Monk and Brewster). 2003;188:1381-2 (Editorial)

Computers
Defining forces that are associated with shoulder dystocia: the use of a mathematical dynamic computer model (Gonik et al). 2003;188:1068-72
Medical education as a science: the quality of evidence for computer-assisted instruction (Letterie). 2003;188:849-53 (Education)

Conjugated estrogens; *see* Estrogen replacement therapy

Consent, informed; *see* Informed consent

Consultation; *see* Referral and consultation

Continuing Medical Education Examination
Shedding a new light on Bethesda III: new technologies in cervical screening CME test (). 2003;188:S21-4 (Symposium)

Contraception
Patient satisfaction and the impact of written material about postpartum contraceptive decisions (Johnson et al). 2003;188:1202-4 (Residents' papers)
Tubal migration: a rare complication of an intrauterine contraceptive device leading to formation of a hydrosalpinx (Sindos et al). 2003;188:1109-10

Contraceptives, oral
A randomized clinical trial of treatment of clomiphene citrate–resistant anovulation with the use of oral contraceptive pill suppression and repeat clomiphene citrate treatment (Branigan and Estes). 2003;188:1424-30 (Editors' choice)
A randomized controlled trial of second- versus third-generation oral contraceptives in the treatment of acne vulgaris (Rosen et al). 2003;188:1158-60 (Residents' papers)

Contraceptives, postcoital
Metoclopramide pretreatment attenuates emergency contraceptive-associated nausea (Ragan et al). 2003;188:330-3

Contraction, uterine; *see* Uterine contraction

Cord, umbilical; *see* Umbilical cord

Cord blood; *see* Fetal blood

Corrections
Endothelial dysfunction in uterine circulation in preeclampsia: can estrogens improve it? (Svedas et al) (2002;187:1608-16). 2003;188:751
Genital tract and plasma human immunodeficiency virus viral load throughout the menstrual cycle in women who are infected with ovulatory human immunodeficiency virus (Money et al) (2003;188:122-8). 2003;188:1038
Reassessing the labor curve in nulliparous women (Zhang et al) (2002;187:824-8). 2003;188:208
The use of misoprostol as a cervical ripening agent in operative hysteroscopy (Sharma S, El-Refacy H) (2003;188:297-8). 2003;188:1378

Correspondence; *see also* Letters to the editors

Cortisol; *see* Hydrocortisone

Costs and cost analysis
Cesarean delivery on demand: what will it cost? (Bost). 2003;188:1418-23 (Editors' choice)
Combined first-trimester versus second-trimester serum screening for Down syndrome: a cost analysis (Cusick et al). 2003;188:745-51
Comparative efficacy and cost of the prostaglandin analogs dinoprostone and misoprostol as labor preinduction agents (Ramsey et al). 2003;188:560-5
A cost-effectiveness analysis of management strategies for cervical intraepithelial neoplasia grades 2 and 3 (Kleinberg et al). 2003;188:1186-8 (Residents' papers)
Elective induction: an analysis of economic and health consequences (Clark) (Letter); (Grobman) (Reply). 2003;188:1664-5
Evaluation of postoperative fever: usefulness and cost-effectiveness of routine workup (de la Torre et al). 2003;188:1642-7
Postdating pregnancy in an indigent population: the financial burden (Fonseca et al). 2003;188:1214-6 (Residents' papers)

Crack cocaine
Substance use and psychotherapeutic medications: a likely contributor to menstrual disorders in women who are seropositive for human immunodeficiency virus (Harlow et al). 2003;188:881-6

Critical care
A blueprint for obstetric critical care (Zeeman et al). 2003;188:532-6
Mechanical ventilation in an obstetric population: characteristics and delivery rates (Jenkins et al). 2003;188:549-52

Cryosurgery
Durability of treatment effects after endometrial cryoablation versus rollerball electroablation for abnormal uterine bleeding: two-year results of a multicenter randomized trial (Townsend et al). 2003;188:699-701

Cyclins
Increased expression of cyclin G1 in leiomyoma compared with normal myometrium (Baek et al). 2003;188:634-9

Cyclooxygenase; *see* Prostaglandin-endoperoxide synthase

Cytokines
Endotoxin-induced cytokine production of monocytes of third-trimester pregnant women compared with women in the follicular phase of the menstrual cycle (van Nieuwenhoven et al). 2003;188:1073-7
Fetal plasma stimulates endothelial cell production of cytokines and the family of suppressor of cytokine signaling in umbilical placental vascular disease (Wang et al). 2003;188:510-6

Cytology
Can cervicography by improved? (Hall) (Letter); (Schneider and Schiffman) (Reply). 2003;188:854
Genotyping of 22 human papillomavirus types by DNA chip in Korean women: comparison with cytologic diagnosis (Cho et al). 2003;188:56-62
Loop excision for high-grade squamous intraepithelial lesion on cytology: correlation with colposcopic and histologic findings (Szurkus and Harrison). 2003;188:1180-2 (Residents' papers)
The predictive value of cytologic testing in women with the human immunodeficiency virus who have low-grade squamous cervical lesions: a substudy of a randomized, phase III chemoprevention trial (Robinson et al). 2003;188:896-900
A randomized trial on the management of LSIL cytology interpretations (Solomon et al). 2003;188:1391-400 (Editors' choice)
Results of a randomized trial on the management of cytology interpretations of atypical squamous cells of undetermined significance (Solomon et al). 2003;188:1383-90 (Editors' choice)
The significance of psammoma bodies in screening cervical cytologic smears (Muntz et al). 2003;188:1509-14
Treatment of women with low-grade squamous intraepithelial lesions on cytologic evidence or biopsy results by board-certified gynecologists (Lee et al). 2003;188:693-8

D

Decidua
Effects of colony-stimulating factors on the secretion of platelet-activating factor acetylhydrolase by human decidual macrophages (Narahara et al). 2003;188:157-61

Defecation
Defecation in utero: a physiologic fetal function (Ramón y Cajal and Martínez). 2003;188:153-6

Delivery
Cervical light-induced fluorescence in humans decreases throughout gestation and before delivery: preliminary observations (Maul et al). 2003;188:537-41
Cohort study of maternal views on future mode of delivery after operative delivery in the second stage of labor (Murphy and Liebling). 2003;188:542-8
Defining forces that are associated with shoulder dystocia: the use of a mathematical dynamic computer model (Gonik et al). 2003;188:1068-72
Mechanical ventilation in an obstetric population: characteristics and delivery rates (Jenkins et al). 2003;188:549-52
Mode of delivery and outcome of 699 term singleton breech deliveries at a single center (Newman) (Letter); (Giuliani and Tamussino) (Reply). 2003;188:1666
Much research is needed to provide fully informed consent about mode of delivery (Sakala and Corry) (Letter); (O'Boyle et al) (Reply). 2003;188:1380
Racial differences in severe perineal lacerations after vaginal delivery (Goldberg et al). 2003;188:1063-7
Urinary incontinence among mothers of multiples: the protective effect of cesarean delivery (Goldberg et al). 2003;188:1447-53
Urogynecologists are not encouraging a higher cesarean section rate (Davila). 2003;188:1660 (Letter)
Uterine contractility in women whose fetus is delivered in the occipitoposterior position (Buhimschi et al). 2003;188:734-9

Demography, trends
Temporal and demographic trends in cerebral palsy—fact and fiction (Clark and Hankins). 2003;188:628-33 (Clin. opinion)

Depression
Effect of maternal docosahexaenoic acid supplementation on postpartum depression and information processing (Llorente et al). 2003;188:1348-53
Screening for postpartum depression in an inner-city population (Morris-Rush et al). 2003;188:1217-9 (Residents' papers)

Dermatoses; *see* Skin diseases

Desogestrel
A randomized controlled trial of second- versus third-generation oral contraceptives in the treatment of acne vulgaris (Rosen et al). 2003;188:1158-60 (Residents' papers)

Developing countries
A comparison of four screening methods for cervical neoplasia in a developing country (Cronjé et al). 2003;188:395-400

Dexamethasone
Dexamethasone or interleukin-10 blocks interleukin-1β–induced uterine contractions in pregnant rhesus monkeys (Sadowsky et al). 2003;188:252-63
Immediate and delayed effects of antenatal corticosteroids on fetal heart rate: a randomized trial that compares betamethasone acetate and phosphate, betamethasone phosphate, and dexamethasone (Subtil et al). 2003;188:524-31

Diabetes, gestational
Irregular menses: an independent risk factor for gestational diabetes mellitus (Haver et al). 2003;188:1189-91 (Residents' papers)

Diagnosis
Antibody reactivity to HPV E6 and E7 oncoproteins and early diagnosis of invasive cervical cancer (Stanley). 2003;188:3-4 (Editorial)

Diagnosis, differential
A new scoring system to differentiate benign from malignant adnexal masses (Alcázar et al). 2003;188:685-92

Diathermy
Characteristics predictive of response to ovarian diathermy in women with polycystic ovarian syndrome (Stegmann et al). 2003;188:1171-3 (Residents' papers)

Dilation and curettage
Can ultrasound replace dilation and curettage? A longitudinal evaluation of postmenopausal bleeding and transvaginal sonographic measurement of the endometrium as predictors of endometrial cancer (Gull et al). 2003;188:401-8

Dinoprost
Oxytocin-induced desensitization of the oxytocin receptor (Robinson et al). 2003;188:497-502

Dinoprostone
Comparative efficacy and cost of the prostaglandin analogs dinoprostone and misoprostol as labor preinduction agents (Ramsey et al). 2003;188:560-5

Dipeptidyl peptidases
Dipeptidyl peptidase IV expression in endometrial endometrioid adenocarcinoma and its inverse correlation with tumor grade (Khin et al). 2003;188:670-6

Diverticulum
Urethral adenocarcinoma associated with urethral diverticulum in a patient with progressive voiding dysfunction (von Pechmann et al). 2003;188:1111-2

DNA
Cell-free fetal DNA in the plasma of pregnant women with severe fetal growth restriction (Sekizawa et al). 2003;188:480-4
Dual fluorescence analysis of DNA apoptosis in sperm (Rowland et al). 2003;188:1156-7 (Residents' papers)
The effect of time interval between referral and colposcopy on detection of human papillomavirus DNA and on outcome of biopsy (Berkova et al). 2003;188:932-7
Genotyping of 22 human papillomavirus types by DNA chip in Korean women: comparison with cytologic diagnosis (Cho et al). 2003;188:56-62
Immunotherapy of human cervical high-grade cervical intraepithelial neoplasia with microparticle-delivered human papillomavirus 16 E7 plasmid DNA (Sheets et al). 2003;188:916-26
Postcolposcopy management strategies for patients referred with low-grade squamous intraepithelial lesions or human papillomavirus DNA–positive atypical squamous cells of undetermined significance: a two-year prospective study (Guido et al). 2003;188:1401-5 (Editors' choice)
Prenatal diagnosis by DNA polymorphism analysis of complete mole with coexisting twin (Wax et al). 2003;188:1105-6

Docosahexaenoic acids
Effect of maternal docosahexaenoic acid supplementation on postpartum depression and information processing (Llorente et al). 2003;188:1348-53

Doppler ultrasonography, prenatal; *see* Ultrasonography, prenatal

Dose-response relationship, drug
Gentamicin and clindamycin therapy in postpartum endometritis: the efficacy of daily dosing versus dosing every 8 hours (Livingston et al). 2003;188:149-52

Down regulation
Oxytocin-induced desensitization of the oxytocin receptor (Robinson et al). 2003;188:497-502

Down syndrome
Biochemical screening for Down syndrome in renal failure (Lam et al) (Letter); (Chao et al) (Reply). 2003;188:597
Combined first-trimester versus second-trimester serum screening for Down syndrome: a cost analysis (Cusick et al). 2003;188:745-51

Doxorubicin
Treatment of recurrent platinum resistant ovarian or peritoneal cancer with gemcitabine and doxorubicin: a phase I/II trial of the Puget Sound Oncology Consortium (PSOC 1602) (Goff et al). 2003;188:1556-64

Drainage
Subcutaneous drainage versus no drainage after minilaparotomy in gynecologic benign conditions: a randomized study (Panici et al). 2003;188:71-5
Subcutaneous stitch closure versus subcutaneous drain to prevent wound disruption after cesarean delivery: a randomized clinical trial (White and Ramsey) (Letter); (Chauhan et al) (Reply). 2003;188:861-2

Drug delivery systems
Treatment of nonatypical and atypical endometrial hyperplasia with a levonorgestrel-releasing intrauterine system (Wildemeersch and Dhont). 2003;188:1297-8

Drug industry
The relationship between physicians and industry: Faustian or symbiotic? (Israel). 2003;188:1530-40 (Pres. address)

Drugs
Substance use and psychotherapeutic medications: a likely contributor to menstrual disorders in women who are seropositive for human immunodeficiency virus (Harlow et al). 2003;188:881-6

Drugs, non-prescription
Prescription, over-the-counter, and herbal medicine use in a rural, obstetric population (Glover et al). 2003;188:1039-45

Ductus venosus
Ductus venosus flow velocities in relation to the cardiac defects in first-trimester fetuses with enlarged nuchal translucency (Haak et al). 2003;188:727-33

Dystocia
Defining forces that are associated with shoulder dystocia: the use of a mathematical dynamic computer model (Gonik et al). 2003;188:1068-72

E

Early pregnancy; *see* Pregnancy trimester, first

Economic analysis; *see* Costs and cost analysis

Ectopic pregnancy; *see* Pregnancy, ectopic

Editorials
Antibody reactivity to HPV E6 and E7 oncoproteins and early diagnosis of invasive cervical cancer (Stanley). 2003;188:3-4
Dermatoses of pregnancy (Kaufman). 2003;188:863
Does the ALTS trial apply to the community-based practitioner? (Monk and Brewster). 2003;188:1381-2 (Editorial)
Letters to the editors (Zuspan). 2003;188:605
Summary of analysis of published articles. 2003;188:1121-2
Supplemental progesterone to prevent preterm birth (Iams). 2003;188:303
A teachable moment: research ethics revisited (Cohn and Manetta). 2003;188:2
Use of anthelminthic drugs during pregnancy (Savioli et al). 2003;188:5-6

Editors' choice
Editors' choice. 2003;188:7-28, 304-9, 606-22, 864-80, 1123-47, 1383-1430

Education, medical
Don't ask, don't tell: a change in medical student attitudes after obstetrics/gynecology clerkships toward seeking consent for pelvic examinations on an anesthetized patient (Ubel et al). 2003;188:575-9
Medical education as a science: the quality of evidence for computer-assisted instruction (Letterie). 2003;188:849-53
A teachable moment: research ethics revisited (Cohn and Manetta). 2003;188:2 (Editorial)

Ejection fraction
Antenatal prediction of pulmonary hypoplasia by acceleration time/ejection time ratio of fetal pulmonary arteries by Doppler blood flow velocimetry (Fuke et al). 2003;188:228-33

Elderly; *see* Aged

Electroablation
Durability of treatment effects after endometrial cryoablation versus rollerball electroablation for abnormal uterine bleeding: two-year results of a multicenter randomized trial (Townsend et al). 2003;188:699-701

Electrocardiography, fetal

Fetal electrocardiography in labor and neonatal outcome: data from the Swedish randomized controlled trial on intrapartum fetal monitoring (Norén et al). 2003;188:183-92

Noninvasive antepartum recording of fetal S-T segment with a newly developed 151-channel magnetic sensor system (Lowery et al). 2003;188:1491-7

Emergency contraception; *see* Contraceptives, postcoital

Emergency medical services

A comparison of two models of gynecology service consultation to the emergency department in an academic medical center (LaCoursiere and Nager). 2003;188:1166-8 (Residents' papers)

Encephalopathies

Impairment of fetal growth potential and neonatal encephalopathy (Bukowski et al). 2003;188:1011-5

Endometrial hyperplasia

Treatment of nonatypical and atypical endometrial hyperplasia with a levonorgestrel-releasing intrauterine system (Wildemeersch and Dhont). 2003;188:1297-8

Endometrial neoplasms

Can ultrasound replace dilation and curettage? A longitudinal evaluation of postmenopausal bleeding and transvaginal sonographic measurement of the endometrium as predictors of endometrial cancer (Gull et al). 2003;188:401-8

Combined use of magnetic resonance imaging, CA 125 assay, histologic type, and histologic grade in the prediction of lymph node metastasis in endometrial carcinoma (Todo et al). 2003;188:1265-72

Dipeptidyl peptidase IV expression in endometrial endometrioid adenocarcinoma and its inverse correlation with tumor grade (Khin et al). 2003;188:670-6

Endometrial carcinoma: treatment and outcomes in the regional hospital setting (Hickerson). 2003;188:1573-8

Expression of cyclooxygenase-2 in cervical, endometrial, and ovarian malignancies (Landen et al). 2003;188:1174-6 (Residents' papers)

Histopathologic features and risk factors for benignity, hyperplasia, and cancer in endometrial polyps (Savelli et al). 2003;188:927-31

PTEN/MMAC1 mutations correlate inversely with an altered p53 tumor suppressor gene in gynecologic tumors (Soyoola and Pattillo). 2003;188:S33-6 (Symposium)

Endometriosis

Coagulation or excision of ovarian endometriomas? (Vercellini et al). 2003;188:606-10 (Editors' choice)

The endometrial-myometrial interface (Quinn) (Letter); (Curtis et al) (Reply). 2003;188:857-8

Endometriosis: correlation between histologic and visual findings at laparoscopy (Martin) (Letter); (Walter) (Reply). 2003;188:1663-4

The outcome of in vitro fertilization in advanced endometriosis with previous surgery: a case-controlled study (Aboulghar et al). 2003;188:371-5

Twenty-year history of endometriosis-associated pelvic pain: too much surgery or not enough? (Matalliotakis et al). 2003;188:1103-4

Endometritis

Endometritis does not predict reproductive morbidity after pelvic inflammatory disease (Haggerty et al). 2003;188:141-8

Gentamicin and clindamycin therapy in postpartum endometritis: the efficacy of daily dosing versus dosing every 8 hours (Livingston et al). 2003;188:149-52

Vaginal polymorphonuclear leukocytes and bacterial vaginosis as markers for histologic endometritis among women without symptoms of pelvic inflammatory disease (Yudin et al). 2003;188:318-23

Endometrium

The endometrial-myometrial interface (Quinn) (Letter); (Curtis et al) (Reply). 2003;188:857-8

A randomized, double-blind, placebo-controlled, multicenter study that assessed the endometrial effects of norethindrone acetate plus ethinyl estradiol versus ethinyl estradiol alone (Portman et al). 2003;188:334-42

Ultrasound assessment of endometrial thickness and endometrial polyps in women on hormonal replacement therapy (Van den Bosch et al). 2003;188:1249-53

Usefulness of Pipelle endometrial biopsy in the diagnosis of women at risk for ectopic pregnancy (Barnhart et al). 2003;188:906-9

Visceral fat is more important than peripheral fat for endometrial thickness and bone mass in healthy postmenopausal women (Warming et al). 2003;188:349-53

Endometrium, surgery

Durability of treatment effects after endometrial cryoablation versus rollerball electroablation for abnormal uterine bleeding: two-year results of a multicenter randomized trial (Townsend et al). 2003;188:699-701

Hysteroscopic endometrial resection versus laparoscopic supracervical hysterectomy for menorrhagia: a prospective randomized trial (Zupi et al). 2003;188:7-12 (Editors' choice)

Endopelvic fascia; *see* Pelvis

Endothelial growth factors

Vascular endothelial growth factor induced functional and morphologic signs of endothelial dysfunction in isolated arteries from normal pregnant women (Svedas et al). 2003;188:168-76

Endothelium

Fetal plasma stimulates endothelial cell production of cytokines and the family of suppressor of cytokine signaling in umbilical placental vascular disease (Wang et al). 2003;188:510-6

Longitudinal evaluation of markers of endothelial cell dysfunction and hemostasis in treated antiphospholipid syndrome and in healthy pregnancy (Stone et al). 2003; 188:454-60

Orally and transdermally replaced estradiol improves endothelial function equally in middle-aged women after surgical menopause (Žegura et al). 2003;188:1291-6

Raloxifene does not influence flow-mediated endothelium-dependent and endothelium-independent vasodilatation of osteopenic postmenopausal women (Cagnacci et al). 2003; 188:313-7

Raloxifene and endothelial function in healthy postmenopausal women (Sarrel et al). 2003;188:304-9 (Editors' choice)

Endothelium, vascular

Hypoxia activates the human placental vascular endothelial growth factor system in vitro and in vivo: up-regulation of vascular endothelial growth factor in clinically relevant hypoxic ischemia in birth asphyxia (Trollmann et al). 2003;188:517-23

Increased vascular endothelial cell production of interleukin-6 in severe preeclampsia (Takacs et al). 2003;188:740-4

Regulation of amniotic fluid volume by intramembranous absorption in sheep: role of passive permeability and vascular endothelial growth factor (Daneshmand et al). 2003;188:786-93

Vascular endothelial growth factor induced functional and morphologic signs of endothelial dysfunction in isolated arteries from normal pregnant women (Svedas et al). 2003;188:168-76

Endotoxins

Endotoxin-induced cytokine production of monocytes of third-trimester pregnant women compared with women in the follicular phase of the menstrual cycle (van Nieuwenhoven et al). 2003;188:1073-7

Systemic administration of betamethasone delays endotoxin–induced preterm labor in the murine model (Schwartz et al). 2003;188:439-43

Enterobius vermicularis
Pregnancy outcome after gestational exposure to mebendazole: a prospective controlled cohort study (Diav-Citrin et al). 2003;188:282-5

Environmental exposure
Disparities in health: minority environmental exposures—gene mutations in African American women. Overview (Pattillo). 2003;188:S25 (Symposium)
Maternal blood lead effects on infant intelligence at age 7 months (Emory et al). 2003;188:S26-32 (Symposium)

Enzymes
Soluble HLA-DR levels in the maternal circulation of normal and pathologic pregnancy (Steinborn et al). 2003;188:473-9
Subsequent pregnancy outcome in women with a history of HELLP syndrome at ≤28 weeks of gestation (Chames et al). 2003;188:1504-8

Epidemiology
Microcephaly: an epidemiologic analysis (Krauss et al). 2003;188:1484-90

Episiotomy
Racial differences in severe perineal lacerations after vaginal delivery (Goldberg et al). 2003;188:1063-7

Epithelium
Recruitment of CD4+ T lymphocytes and macrophages into the cervical epithelium of women after coitus (Prakash et al). 2003;188:376-81
Relaxin causes proliferation of human amniotic epithelium by stimulation of insulin-like growth factor-II (Millar et al). 2003;188:234-41

Epoprostenol
Prostacyclin/thromboxane early changes in pregnancies that are complicated by preeclampsia (Chavarría et al). 2003;188:986-92

Equipment and supplies
Does the tension-free vaginal tape stay where you put it? (Dietz et al). 2003;188:950-3
The role of covering gowns in reducing rates of bacterial contamination of scrub suits (Kaplan et al). 2003;188:1154-5 (Residents' papers)

Erb's palsy
Complete brachial plexus impairment: a traction-related injury (Allen) (Letter); (Jennett and Tarby) (Reply). 2003;188:858-9

Erythrocyte count
The association of fetal heart rate patterns with nucleated red blood cell counts at birth (Ferber et al). 2003;188:1228-30 (Residents' papers)

Erythrocytes
Nucleated red blood cells in infants of mothers with asthma (Littner et al). 2003;188:409-12
Nucleated red blood cells in polycythemic infants (Mandel et al). 2003;188:193-5

Erythromycin
Predominance of serotype V and frequency of erythromycin resistance in *Streptococcus agalactiae* in Ohio (Croak et al). 2003;188:1148-50 (Residents' papers)

Erythropoietin
Effect of maternal exercise and fetoplacental growth rate on serum erythropoietin concentrations (Clapp et al). 2003;188:1021-5
Vasoactive effects of erythropoietin on human placental blood vessels in vitro (Resch et al). 2003;188:993-6

Estradiol
Orally and transdermally replaced estradiol improves endothelial function equally in middle-aged women after surgical menopause (Žegura et al). 2003;188:1291-6

Estrogen replacement therapy
Are women with urogenital atrophy symptomatic? (Davila et al). 2003;188:382-8
Comparison of the effect of raloxifene and continuous-combined hormone therapy on mammographic breast density and breast tenderness in postmenopausal women (Jackson et al). 2003;188:389-94
Contrasting effects of two hormone replacement therapies on the cardiovascular and mammary gland outcomes in surgically postmenopausal monkeys (Suparto et al). 2003;188:1132-40 (Editors' choice)
Estrogen increases inducible nitric oxide synthase gene expression (Walsh et al). 2003;188:1208-10 (Residents' papers)
Female sexual dysfunction in postmenopausal women: systematic review of placebo-controlled trials (Modelska and Cummings). 2003;188:286-93 (AJOG reviews)
Progestins and breast cancer (Eden). 2003;188:1123-31 (Editors' choice)
A randomized, double-blind, placebo-controlled, multicenter study that assessed the endometrial effects of norethindrone acetate plus ethinyl estradiol versus ethinyl estradiol alone (Portman et al). 2003;188:334-42
Reduced vaginal bleeding in postmenopausal women who receive combined norethindrone acetate and low-dose ethinyl estradiol therapy versus combined conjugated equine estrogens and medroxyprogesterone acetate therapy (Simon et al). 2003;188:92-9
Ultrasound assessment of endometrial thickness and endometrial polyps in women on hormonal replacement therapy (Van den Bosch et al). 2003;188:1249-53

Ethics
Achieving equipoise in maternal-fetal surgery (Lyerly) (Letter); (Chervenak and McCullough) (Reply). 2003;188:854-6
Don't ask, don't tell: a change in medical student attitudes after obstetrics/gynecology clerkships toward seeking consent for pelvic examinations on an anesthetized patient (Ubel et al). 2003;188:575-9 (Education)
The relationship between physicians and industry: Faustian or symbiotic? (Israel). 2003;188:1530-40 (Pres. address)
A teachable moment: research ethics revisited (Cohn and Manetta). 2003;188:2 (Editorial)

Ethinyl estradiol
A randomized controlled trial of second- versus third-generation oral contraceptives in the treatment of acne vulgaris (Rosen et al). 2003;188:1158-60 (Residents' papers)
A randomized, double-blind, placebo-controlled, multicenter study that assessed the endometrial effects of norethindrone acetate plus ethinyl estradiol versus ethinyl estradiol alone (Portman et al). 2003;188:334-42
Reduced vaginal bleeding in postmenopausal women who receive combined norethindrone acetate and low-dose ethinyl estradiol therapy versus combined conjugated equine estrogens and medroxyprogesterone acetate therapy (Simon et al). 2003;188:92-9

Ethnic groups
Age and racial/ethnic differences in maternal, fetal, and placental conditions in laboring patients (Gregory and Korst). 2003;188:1602-8
Ethnic differences at risk for gestational trophoblastic disease in New Mexico: a 25-year population-based study (Smith et al). 2003;188:357-66

Exercise
Effect of maternal exercise and fetoplacental growth rate on serum erythropoietin concentrations (Clapp et al). 2003;188:1021-5
Response of uterine and umbilical circulations to physical exercise (Erkkola) (Letter); (Kennelly) (Reply). 2003;188:1379

External cephalic version; *see* Version, fetal

F

Factor V
Inherited thrombophilias are not increased in "idiopathic" small-for-gestational-age pregnancies (McCowan et al). 2003;188:981-5

Fallopian tubes
Expression and regulation of interleukin-8 in human fallopian tubal cells (Mulayim et al). 2003;188:651-6

Fats
Visceral fat is more important than peripheral fat for endometrial thickness and bone mass in healthy postmenopausal women (Warming et al). 2003;188:349-53

Fecal incontinence
Frequency and predictors for postpartum fecal incontinence (Hall et al). 2003;188:1205-7 (Residents' papers)

Fertility
Laparoscopic preservation of ovarian function: an underused procedure (Bisharah and Tulandi). 2003;188:367-70

Fertilization in vitro
The outcome of in vitro fertilization in advanced endometriosis with previous surgery: a case-controlled study (Aboulghar et al). 2003;188:371-5

Fetal alcohol syndrome
Are users of alcohol in pregnancy necessarily alcohol abusers? (Kesmodel) (Letter); (Abel and Kruger) (Reply). 2003;188:296-7

Fetal blood
CD34+ cells from first-trimester fetal blood are enriched in primitive hemopoietic progenitors (Tocci et al). 2003;188:1002-10
Leptin concentrations in maternal serum and cord blood in diabetic and nondiabetic pregnancy (Manderson et al). 2003;188:1326-32
Obstetric predictors of placental umbilical cord blood volume for transplantation (Jones et al). 2003;188:503-9

Fetal circulation
Antenatal prediction of pulmonary hypoplasia by acceleration time/ejection time ratio of fetal pulmonary arteries by Doppler blood flow velocimetry (Fuke et al). 2003;188:228-33

Fetal death
Birth weight discordancy and adverse perinatal outcomes among twin gestations in the United States: the effect of placental abruption (Ananth et al). 2003;188:954-60
Intimate partner violence and adverse pregnancy outcomes: a population-based study (Janssen et al). 2003;188:1341-7
Protective effect of N-acetylcysteine against fetal death and preterm labor induced by maternal inflammation (Buhimschi et al). 2003;188:203-8

Fetal development
Effect of maternal exercise and fetoplacental growth rate on serum erythropoietin concentrations (Clapp et al). 2003;188:1021-5
Gestation-related and betamethasone-induced changes in 11β-hydroxysteroid dehydrogenase types 1 and 2 in the baboon placenta (Ma et al). 2003;188:13-21 (Editors' choice)

Fetal electrocardiography; *see* Electrocardiography, fetal

Fetal growth retardation
Cell-free fetal DNA in the plasma of pregnant women with severe fetal growth restriction (Sekizawa et al). 2003;188:480-4
Impairment of fetal growth potential and neonatal encephalopathy (Bukowski et al). 2003;188:1011-5
Intimate partner violence and adverse pregnancy outcomes: a population-based study (Janssen et al). 2003;188:1341-7
Intrauterine growth restriction is accompanied by decreased renal volume in the human fetus (Silver et al). 2003;188:1320-5
Pregnancy outcomes associated with intrauterine growth restriction (Gilbert and Danielsen). 2003;188:1596-601
Soluble HLA-DR levels in the maternal circulation of normal and pathologic pregnancy (Steinborn et al). 2003;188:473-9

Fetal heart rate; *see* Heart rate, fetal

Fetal macrosomia
Macrosomic births in the United States: determinants, outcomes, and proposed grades of risk (Boulet et al). 2003;188:1372-8

Fetal membranes, premature rupture
Antibiotic therapy in preterm premature rupture of membranes: are seven days necessary? A preliminary, randomized clinical trial (Lewis et al). 2003;188:1413-7 (Editors' choice)
Expectant management of preterm premature rupture of membranes complicated by active recurrent genital herpes (Major et al). 2003;188:1551-5
Increased polymorphonuclear infiltration and iatrogenic amniotic band after closure of fetoscopic access sites with a bioactive membrane in the rabbit at midgestation (Devlieger et al). 2003;188:844-8
Preterm premature rupture of membranes: risks of recurrent complications in the next pregnancy among a population-based sample of gravid women (Lee et al). 2003;188:209-13

Fetal monitoring
Fetal electrocardiography in labor and neonatal outcome: data from the Swedish randomized controlled trial on intrapartum fetal monitoring (Norén et al). 2003;188:183-92
Noninvasive antepartum recording of fetal S-T segment with a newly developed 151-channel magnetic sensor system (Lowery et al). 2003;188:1491-7
Screening for fetal well-being in a high-risk pregnant population comparing the nonstress test and umbilical artery Doppler velocimetry: a randomized controlled clinical trial (Williams et al). 2003;188:1366-71
Temporal and demographic trends in cerebral palsy—fact and fiction (Clark and Hankins). 2003;188:628-33 (Clin. opinion)

Fetal organ maturity
Differential effects of maternal betamethasone and cortisol on lung maturation and growth in fetal sheep (Jobe et al). 2003;188:22-8 (Editors' choice)
The usefulness of the TDx/TDxFLx Fetal Lung Maturity II assay in the initial evaluation of fetal lung maturity (Kesselman et al). 2003;188:1220-2 (Residents' papers)

Fetal surgery
Achieving equipoise in maternal-fetal surgery (Lyerly) (Letter); (Chervenak and McCullough) (Reply). 2003;188:854-6

Fetal to maternal hemorrhage; *see* Rh isoimmunization

Fetofetal transfusion
Long-term neurodevelopmental outcome after intrauterine laser treatment for severe twin-twin transfusion syndrome (Banek et al). 2003;188:876-80 (Editors' choice)
Placental types and twin-twin transfusion syndrome (Taylor et al) (Letter); (Bermúdez et al) (Reply). 2003;188:1119-20
Stage-based treatment of twin-twin transfusion syndrome (Quintero et al). 2003;188:1333-40

Fetoscopy
Increased polymorphonuclear infiltration and iatrogenic amniotic band after closure of fetoscopic access sites with a bioactive membrane in the rabbit at midgestation (Devlieger et al). 2003;188:844-8

Fetus
Age and racial/ethnic differences in maternal, fetal, and placental conditions in laboring patients (Gregory and Korst). 2003;188:1602-8
Antepartum fetal asphyxia in the preterm pregnancy (Low et al). 2003;188:461-5
Cerebral blood flow and metabolism in relation to electrocortical activity with severe umbilical cord occlusion in the near-term ovine fetus (Kaneko et al). 2003;188:961-72

Components of the systemic fetal inflammatory response syndrome as predictors of impaired neurologic outcomes in children (Mittendorf et al). 2003;188:1438-46
Decreased relative brain tissue levels of inositol in fetal hydrocephalus (Kok et al). 2003;188:978-80
Defecation in utero: a physiologic fetal function (Ramón y Cajal and Martínez). 2003;188:153-6
Doppler assessment of the fetal cerebral hemodynamic response to moderate or severe maternal anemia (Carles et al). 2003;188:794-9
Fetal fibronectin: the impact of a rapid test on the treatment of women with preterm labor symptoms (Plaut et al). 2003;188:1596-601
Fetal gender affects ultrasound gestation at term (Hutchon) (Letter); (Divon) (Reply). 2003;188:1665-6
Fetal plasma stimulates endothelial cell production of cytokines and the family of suppressor of cytokine signaling in umbilical placental vascular disease (Wang et al). 2003;188:510-6
Noninvasive tests to predict fetal anemia: a study comparing Doppler and ultrasound parameters (Dukler et al). 2003;188:1310-4
Uterine contractility in women whose fetus is delivered in the occipitoposterior position (Buhimschi et al). 2003;188:734-9

Fetus, abnormalities
A characteristic cluster of fetal sonographic markers that are predictive of fetal Turner syndrome in early pregnancy (Bronshtein et al). 2003;188:1016-20
Ductus venosus flow velocities in relation to the cardiac defects in first-trimester fetuses with enlarged nuchal translucency (Haak et al). 2003;188:727-33
Second-opinion magnetic resonance imaging for suspected fetal central nervous system abnormalities (Twickler et al). 2003;188:492-6
Ultrasound-guided laser treatment for fetal bladder outlet obstruction resulting from ureterocele (Soothill et al). 2003;188:1107-8

Fetus, drug effects
Birth outcomes after prenatal exposure to antidepressant medication (Hendrick et al). 2003;188:812-5
Differential effects of maternal betamethasone and cortisol on lung maturation and growth in fetal sheep (Jobe et al). 2003;188:22-8 (Editors' choice)
A double-blind randomized study of fetal side effects during and after the short-term maternal administration of indomethacin, sulindac, and nimesulide for the treatment of preterm labor (Sawdy et al). 2003;188:1046-51
Pregnancy outcome after gestational exposure to mebendazole: a prospective controlled cohort study (Diav-Citrin et al). 2003;188:282-5
Single and multiple prenatal glucocorticoid exposures improve preterm newborn lamb cardiovascular and renal function similarly (Smith et al). 2003;188:444-53

Fever
Effects of hyperthermia on hypoxic-ischemic brain damage in the immature rat: its influence on caspase-3–like protease (Tomimatsu et al). 2003;188:768-73
Evaluation of postoperative fever: usefulness and cost-effectiveness of routine workup (de la Torre et al). 2003;188:1642-7
Intrapartum fever at term: serum and histologic markers of inflammation (Smulian et al). 2003;188:269-74

Fibronectin
Fetal fibronectin: the impact of a rapid test on the treatment of women with preterm labor symptoms (Plaut et al). 2003;188:1596-601

Financial burden; *see* Costs and cost analysis

First trimester of pregnancy; *see* Pregnancy trimester, first

Fluorescence
Cervical light-induced fluorescence in humans decreases throughout gestation and before delivery: preliminary observations (Maul et al). 2003;188:537-41
Dual fluorescence analysis of DNA apoptosis in sperm (Rowland et al). 2003;188:1156-7 (Residents' papers)

Fluoxetine
Recurrence of symptoms of premenstrual dysphoric disorder after the cessation of luteal-phase fluoxetine treatment (Pearlstein et al). 2003;188:887-95

Follicular phase
Endotoxin-induced cytokine production of monocytes of third-trimester pregnant women compared with women in the follicular phase of the menstrual cycle (van Nieuwenhoven et al). 2003;188:1073-7

Funisitis
Components of the systemic fetal inflammatory response syndrome as predictors of impaired neurologic outcomes in children (Mittendorf et al). 2003;188:1438-46

G

Gemcitabine
Treatment of recurrent platinum resistant ovarian or peritoneal cancer with gemcitabine and doxorubicin: a phase I/II trial of the Puget Sound Oncology Consortium (PSOC 1602) (Goff et al). 2003;188:1556-64

Gender; *see* Sex

Gene expression
Estrogen increases inducible nitric oxide synthase gene expression (Walsh et al). 2003;188:1208-10 (Residents' papers)

Gene therapy
CD34+ cells from first-trimester fetal blood are enriched in primitive hemopoietic progenitors (Tocci et al). 2003;188:1002-10

Genes
Disparities in health: minority environmental exposures—gene mutations in African American women. Overview (Pattillo). 2003;188:S25 (Symposium)

Genes, suppressor
PTEN/MMAC1 mutations correlate inversely with an altered p53 tumor suppressor gene in gynecologic tumors (Soyoola and Pattillo). 2003;188:S33-6 (Symposium)

Genital diseases, female
Clinical findings among young women with genital human papillomavirus infection (Mao et al). 2003;188:677-84
Genital tract and plasma human immunodeficiency virus viral load throughout the menstrual cycle in women who are infected with ovulatory human immunodeficiency virus (Money et al). 2003;188:122-8. Correction 2003;188:1038

Genital herpes; *see* Herpes simplex

Genital neoplasms, female
PTEN/MMAC1 mutations correlate inversely with an altered p53 tumor suppressor gene in gynecologic tumors (Soyoola and Pattillo). 2003;188:S33-6 (Symposium)

Genotype
Comparison of human papillomavirus genotypes, sexual, and reproductive risk factors of cervical adenocarcinoma and squamous cell carcinoma: Northeastern United States (Altekruse et al). 2003;188:657-63
Genotyping of 22 human papillomavirus types by DNA chip in Korean women: comparison with cytologic diagnosis (Cho et al). 2003;188:56-62

Gentamicins
Gentamicin and clindamycin therapy in postpartum endometritis: the efficacy of daily dosing versus dosing every 8 hours (Livingston et al). 2003;188:149-52

Gestational age
The benefit of preterm birth at tertiary care centers is related to gestational age (Lee et al). 2003;188:617-22 (Editors' choice)

Cervical light-induced fluorescence in humans decreases throughout gestation and before delivery: preliminary observations (Maul et al). 2003;188:537-41
A novel approach to intertriplet birth weight discordance (Blickstein et al). 2003;188:1026-30

Gestational development; *see* Fetal development

Gestational diabetes; *see* Diabetes, gestational

Glucocorticoids
Antenatal steroids in twins (Jobe) (Letter); (Murphy) (Reply). 2003;188:856-7
Effects of antenatal glucocorticoids on outcomes of very-low-birth-weight multifetal gestations (Spellacy) (Letter); (Hashimoto and Donovan) (Reply). 2003;188:1117
Single and multiple prenatal glucocorticoid exposures improve preterm newborn lamb cardiovascular and renal function similarly (Smith et al). 2003;188:444-53

Glyceryl trinitrate; *see* Nitroglycerin

Gonadorelin
Immunohistochemical detection of insulin-like growth factor type I receptor and uterine volume changes in gonadotropin-releasing hormone analog–treated uterine leiomyomas (Di Lieto et al). 2003;188:702-6

Gonadotropins, chorionic
Association between second-trimester isolated high maternal serum human chorionic gonadotropin levels and obstetric complications in singleton and twin pregnancies (Lepage et al). 2003;188:1354-9
Maternal serum α-fetoprotein and human chorionic gonadotropin levels in women with human immunodeficiency virus (Gross et al). 2003;188:1052-6
Persistent low levels of human chorionic gonadotropin: a premalignant gestational trophoblastic disease (Khanlian et al). 2003;188:1254-9

Graft-versus-host disease
Treatment of vaginal outflow tract obstruction in graft-versus-host reaction (Louis-Sylvestre et al). 2003;188:943-4

Gram stain; *see* Stains and staining

Growth
Comparison of the growth and hydrogen peroxide production by vaginal probiotic lactobacilli under different culture conditions (Tomás et al). 2003;188:35-44

Growth hormone, pituitary; *see* Somatotropin

Growth substances
Hypoxia activates the human placental vascular endothelial growth factor system in vitro and in vivo: up-regulation of vascular endothelial growth factor in clinically relevant hypoxic ischemia in birth asphyxia (Trollmann et al). 2003;188:517-23
Levels of placenta growth factor in gestational trophoblastic diseases (Okamoto et al). 2003;188:135-40
Longitudinal serum concentrations of placental growth factor: evidence for abnormal placental angiogenesis in pathologic pregnancies (Taylor et al). 2003;188:177-82
Regulation of amniotic fluid volume by intramembranous absorption in sheep: role of passive permeability and vascular endothelial growth factor (Daneshmand et al). 2003;188:786-93

Gynecologic neoplasms; *see* Genital neoplasms, female

Gynecologic surgery; *see* Surgery, gynecologic

Gynecology
A comparison of two models of gynecology service consultation to the emergency department in an academic medical center (LaCoursiere and Nager). 2003;188:1166-8 (Residents' papers)
Differing symptoms of abused versus nonabused women in obstetric-gynecology settings (Kovac et al). 2003;188:707-13
Don't ask, don't tell: a change in medical student attitudes after obstetrics/gynecology clerkships toward seeking consent for pelvic examinations on an anesthetized patient (Ubel et al). 2003;188:575-9 (Education)
Five-year experience with midtrimester amniocentesis performed by a single group of obstetrician-gynecologists at a community hospital (Welch et al) (Letter); (Blackwell) (Reply). 2003;188:600-1
A legacy of professionalism since 1929 (Tomich). 2003;188:1432-7 (Pres. address)
Medical student self-assessment of performance on an obstetrics and gynecology clerkship (Edwards et al). 2003;188:1078-82 (Education)
Treatment of women with low-grade squamous intraepithelial lesions on cytologic evidence or biopsy results by board-certified gynecologists (Lee et al). 2003;188:693-8
Urogynecologists are not encouraging a higher cesarean section rate (Davila). 2003;188:1660 (Letter)

H

Head
Complete brachial plexus impairment: a traction-related injury (Allen) (Letter); (Jennett and Tarby) (Reply). 2003;188:858-9

Health
Elective induction: an analysis of economic and health consequences (Clark) (Letter); (Grobman) (Reply). 2003;188:1664-5

Health outcome, pregnancy; *see* Pregnancy outcome

Health resources
The relationship of race to women's use of health information resources (Nicholson et al). 2003;188:580-5 (Education)

Health services
Use of health services associated with increased menstrual loss in the United States (Côté et al). 2003;188:343-8

Health services accessibility
Disparities in health: minority environmental exposures—gene mutations in African American women. Overview (Pattillo). 2003;188:S25 (Symposium)
Racial disparities in reproductive health outcomes (Anachebe and Sutton). 2003;188:S37-42 (Symposium)

Heart defects, congenital
Ductus venosus flow velocities in relation to the cardiac defects in first-trimester fetuses with enlarged nuchal translucency (Haak et al). 2003;188:727-33

Heart rate, fetal
The association of fetal heart rate patterns with nucleated red blood cell counts at birth (Ferber et al). 2003;188:1228-30 (Residents' papers)
Immediate and delayed effects of antenatal corticosteroids on fetal heart rate: a randomized trial that compares betamethasone acetate and phosphate, betamethasone phosphate, and dexamethasone (Subtil et al). 2003;188:524-31
Intrapartum fetal heart rate patterns in the prediction of neonatal acidemia (Williams and Galerneau). 2003;188:820-3
Noninvasive antepartum recording of fetal S-T segment with a newly developed 151-channel magnetic sensor system (Lowery et al). 2003;188:1491-7
Temporal and demographic trends in cerebral palsy—fact and fiction (Clark and Hankins). 2003;188:628-33 (Clin. opinion)

Heat
Hysteroscopic transcervical endometrial resection versus thermal destruction for menorrhagia: a prospective randomized trial on satisfaction rate (Loffer) (Letter); (Pellicano et al) (Reply). 2003;188:1664

HELLP syndrome
Soluble HLA-DR levels in the maternal circulation of normal and pathologic pregnancy (Steinborn et al). 2003;188:473-9

Subsequent pregnancy outcome in women with a history of HELLP syndrome at ≤28 weeks of gestation (Chames et al). 2003;188:1504-8

Hemodynamics

Doppler assessment of the fetal cerebral hemodynamic response to moderate or severe maternal anemia (Carles et al). 2003;188:794-9

Hemodynamic changes during complete umbilical cord occlusion in fetal sheep related to hippocampal neuronal damage (Fujii et al). 2003;188:413-8

Hemolysis

Soluble HLA-DR levels in the maternal circulation of normal and pathologic pregnancy (Steinborn et al). 2003;188:473-9

Hemopoiesis

CD34+ cells from first-trimester fetal blood are enriched in primitive hemopoietic progenitors (Tocci et al). 2003;188:1002-10

Hemorrhage

Is the incidence of fetal-to-maternal hemorrhage increased in patients with third-trimester bleeding? (Balderston et al). 2003;188:1615-21

Hemostasis

Longitudinal evaluation of markers of endothelial cell dysfunction and hemostasis in treated antiphospholipid syndrome and in healthy pregnancy (Stone et al). 2003;188:454-60

Herbs

Prescription, over-the-counter, and herbal medicine use in a rural, obstetric population (Glover et al). 2003;188:1039-45

Herpes simplex

A double-blind, randomized, placebo-controlled trial of acyclovir in late pregnancy for the reduction of herpes simplex virus shedding and cesarean delivery (Watts et al). 2003;188:836-43

Expectant management of preterm premature rupture of membranes complicated by active recurrent genital herpes (Major et al). 2003;188:1551-5

Herpes simplex virus type II is not a cofactor to human papillomavirus in cancer of the uterine cervix (Tran-Thanh et al). 2003;188:129-34

Hippocampus

Hemodynamic changes during complete umbilical cord occlusion in fetal sheep related to hippocampal neuronal damage (Fujii et al). 2003;188:413-8

Hispanic Americans

Cervical adenocarcinoma survival among Hispanic and white women: a multicenter cohort study (Schorge et al). 2003;188:640-4

Ethnic differences at risk for gestational trophoblastic disease in New Mexico: a 25-year population-based study (Smith et al). 2003;188:357-66

Histamine

Effect of histamine on phasic and tonic contractions of isolated uterine tissue from pregnant women (Bytautiene et al). 2003;188:774-8

Histology

Combined use of magnetic resonance imaging, CA 125 assay, histologic type, and histologic grade in the prediction of lymph node metastasis in endometrial carcinoma (Todo et al). 2003;188:1265-72

Endometriosis: correlation between histologic and visual findings at laparoscopy (Martin) (Letter); (Walter) (Reply). 2003;188:1663-4

Intrapartum fever at term: serum and histologic markers of inflammation (Smulian et al). 2003;188:269-74

Loop excision for high-grade squamous intraepithelial lesion on cytology: correlation with colposcopic and histologic findings (Szurkus and Harrison). 2003;188:1180-2 (Residents' papers)

Vaginal polymorphonuclear leukocytes and bacterial vaginosis as markers for histologic endometritis among women without symptoms of pelvic inflammatory disease (Yudin et al). 2003;188:318-23

Histopathology

Histopathologic features and risk factors for benignity, hyperplasia, and cancer in endometrial polyps (Savelli et al). 2003;188:927-31

HIV

Genital tract and plasma human immunodeficiency virus viral load throughout the menstrual cycle in women who are infected with ovulatory human immunodeficiency virus (Money et al). 2003;188:122-8. Correction 2003;188:1038

Maternal serum α-fetoprotein and human chorionic gonadotropin levels in women with human immunodeficiency virus (Gross et al). 2003;188:1052-6

The predictive value of cytologic testing in women with the human immunodeficiency virus who have low-grade squamous cervical lesions: a substudy of a randomized, phase III chemoprevention trial (Robinson et al). 2003;188:896-900

Substance use and psychotherapeutic medications: a likely contributor to menstrual disorders in women who are seropositive for human immunodeficiency virus (Harlow et al). 2003;188:881-6

HLA-DR antigens

Soluble HLA-DR levels in the maternal circulation of normal and pathologic pregnancy (Steinborn et al). 2003;188:473-9

Home care services

Use of automated home blood pressure monitoring in pregnancy (Loewenstein and Naschitz) (Letter); (North and Lo) (Reply). 2003;188:1662

Hormone replacement therapy; *see* Estrogen replacement therapy

Hormones

Effects of steroid hormones on calcitonin gene–related peptide receptors in cultured human myometrium (Dong et al). 2003;188:466-72

Hospitals, community

Five-year experience with midtrimester amniocentesis performed by a single group of obstetrician-gynecologists at a community hospital (Welch et al) (Letter); (Blackwell) (Reply). 2003;188:600-1

Hospitals, teaching

Ambulatory diagnosis and medical management of ectopic pregnancy in a public teaching hospital serving indigent women (Nelson et al). 2003;188:1541-50

HPV; *see* Papillomaviruses

Human chorionic gonadotropins; *see* Gonadotropins, chorionic

Hydatidiform mole

Postmolar surveillance at a trophoblastic disease center that serves indigent women (Allen et al). 2003;188:1151-3 (Residents' papers)

Prenatal diagnosis by DNA polymorphism analysis of complete mole with coexisting twin (Wax et al). 2003;188:1105-6

Hydrocephalus

Decreased relative brain tissue levels of inositol in fetal hydrocephalus (Kok et al). 2003;188:978-80

Hydrocortisone

Differential effects of maternal betamethasone and cortisol on lung maturation and growth in fetal sheep (Jobe et al). 2003;188:22-8 (Editors' choice)

Hydrogen-ion concentration

Early pregnancy threshold vaginal pH and Gram stain scores predictive of subsequent preterm birth in asymptomatic women (Hauth et al). 2003;188:831-5

The effects of pH change on Ca^{++} signaling and force in pregnant human myometrium (Pierce et al). 2003;188:1031-8

Hydrogen peroxide
Comparison of the growth and hydrogen peroxide production by vaginal probiotic lactobacilli under different culture conditions (Tomás et al). 2003;188:35-44

Hydrolysis
Subsequent pregnancy outcome in women with a history of HELLP syndrome at ≤28 weeks of gestation (Chames et al). 2003;188:1504-8

Hydronephrosis
Results of systematic screening for minor degrees of fetal renal pelvis dilatation in an unselected population (Ismaili et al). 2003;188:242-6

Hydrosalpinx
Tubal migration: a rare complication of an intrauterine contraceptive device leading to formation of a hydrosalpinx (Sindos et al). 2003;188:1109-10

Hydroxysteroid dehydrogenases
Gestation-related and betamethasone-induced changes in 11β-hydroxysteroid dehydrogenase types 1 and 2 in the baboon placenta (Ma et al). 2003;188:13-21 (Editors' choice)

Hyperemesis gravidarum
Basal metabolic rate in hyperemesis gravidarum: comparison to normal pregnancy and response to treatment (Chihara et al). 2003;188:434-8

Hyperplasia
Histopathologic features and risk factors for benignity, hyperplasia, and cancer in endometrial polyps (Savelli et al). 2003;188:927-31

Hypertension
The effect of isosorbide dinitrate, a donor of nitric oxide, on maternal cerebral blood flow in gestational hypertension and preeclampsia (Nevo et al). 2003;188:1360-5

Hyperthermia; *see* Fever

Hypoxia; *see* Anoxia

Hysterectomy
Hysteroscopic endometrial resection versus laparoscopic supracervical hysterectomy for menorrhagia: a prospective randomized trial (Zupi et al). 2003;188:7-12 (Editors' choice)
Increased risk of thyroid cancer among women with hysterectomies (Luoto et al). 2003;188:45-8

Hysteroscopy
Combined hysteroscopy and laparoscopy in the treatment of interstitial pregnancy (Katz et al). 2003;188:1113-4
Direct visualization of the uterine cavity provides a better triage than saline hysterography (Loffer) (Letter); (Mihm) (Reply). 2003;188:299
Hysteroscopic endometrial resection versus laparoscopic supracervical hysterectomy for menorrhagia: a prospective randomized trial (Zupi et al). 2003;188:7-12 (Editors' choice)
Hysteroscopic transcervical endometrial resection versus thermal destruction for menorrhagia: a prospective randomized trial on satisfaction rate (Loffer) (Letter); (Pellicano et al) (Reply). 2003;188:1664
Technology assessment of saline contrast hysterosonography (de Kroon et al). 2003;188:945-9
The use of misoprostol as a cervical ripening agent in operative hysteroscopy (Sharma and El-Refaey) (Letter); (Thomas and Windrim) (Reply). 2003;188:297-8. Correction 2003;188:1378

I

IgG
Is Rh immune globulin needed in early first-trimester abortion? A review (Jabara and Barnhart). 2003;188:623-7 (Clin. opinion)

Immunohistochemistry
Dipeptidyl peptidase IV expression in endometrial endometrioid adenocarcinoma and its inverse correlation with tumor grade (Khin et al). 2003;188:670-6
Immunohistochemical detection of insulin-like growth factor type I receptor and uterine volume changes in gonadotropin-releasing hormone analog–treated uterine leiomyomas (Di Lieto et al). 2003;188:702-6

Immunotherapy
Immunotherapy of human cervical high-grade cervical intraepithelial neoplasia with microparticle-delivered human papillomavirus 16 E7 plasmid DNA (Sheets et al). 2003;188:916-26

In vitro fertilization; *see* Fertilization in vitro

Incidence
Procedures for pelvic organ prolapse in the United States, 1979-1997 (Boyles et al). 2003;188:108-15

Increased menstrual loss; *see* Menorrhagia

Indians, North American
Ethnic differences at risk for gestational trophoblastic disease in New Mexico: a 25-year population-based study (Smith et al). 2003;188:357-66

Indigency; *see* Poverty

Indomethacin
A double-blind randomized study of fetal side effects during and after the short-term maternal administration of indomethacin, sulindac, and nimesulide for the treatment of preterm labor (Sawdy et al). 2003;188:1046-51

Induction of labor; *see* Labor, induced

Industry
The relationship between physicians and industry: Faustian or symbiotic? (Israel). 2003;188:1530-40 (Pres. address)

Infant
Association between use of antenatal magnesium sulfate in preterm labor and adverse health outcomes in infants (McElrath) (Letter); (Mittendorf et al) (Reply). 2003;188:294-5
Association between use of antenatal magnesium sulfate in preterm labor and adverse health outcomes in infants (Rouse et al). 2003;188:295 (Letter)
Maternal blood lead effects on infant intelligence at age 7 months (Emory et al). 2003;188:S26-32 (Symposium)
Nucleated red blood cells in infants of mothers with asthma (Littner et al). 2003;188:409-12

Infant, low birth weight
Effects of antenatal glucocorticoids on outcomes of very-low-birth-weight multifetal gestations (Spellacy) (Letter); (Hashimoto and Donovan) (Reply). 2003;188:1117
Infant mortality, low birth weight, and prematurity among Latina, white, and African American women in North Carolina (Leslie et al). 2003;188:1238-40 (Residents' papers)
Ovulation induction/intrauterine insemination in infertile couples is associated with low-birth-weight infants (Gaudoin et al). 2003;188:611-6 (Editors' choice)

Infant, newborn
The effect of placenta previa on neonatal mortality: a population-based study in the United States, 1989 through 1997 (Ananth et al). 2003;188:1299-304
Fetal electrocardiography in labor and neonatal outcome: data from the Swedish randomized controlled trial on intrapartum fetal monitoring (Norén et al). 2003;188:183-92
Placenta previa: neonatal death after live births in the United States (Salihu et al). 2003;188:1305-9
Predictability of intrapartum and neonatal outcomes with the amniotic fluid volume distribution: a reassessment using the amniotic fluid index, single deepest pocket, and a dye-determined amniotic fluid volume (Magann et al). 2003;188:1523-8

Single and multiple prenatal glucocorticoid exposures improve preterm newborn lamb cardiovascular and renal function similarly (Smith et al). 2003;188:444-53

Infant, newborn, diseases

Impairment of fetal growth potential and neonatal encephalopathy (Bukowski et al). 2003;188:1011-5

Intrapartum fetal heart rate patterns in the prediction of neonatal acidemia (Williams and Galerneau). 2003;188:820-3

Nucleated red blood cells in polycythemic infants (Mandel et al). 2003;188:193-5

Infant, premature

Infant mortality, low birth weight, and prematurity among Latina, white, and African American women in North Carolina (Leslie et al). 2003;188:1238-40 (Residents' papers)

Regulation of insulin-like growth factor-I and insulin-like growth factor binding protein-1 concentrations in preterm fetuses (Verhaeghe et al). 2003;188:485-91

Single and multiple prenatal glucocorticoid exposures improve preterm newborn lamb cardiovascular and renal function similarly (Smith et al). 2003;188:444-53

Infant, small for gestational age

Inherited thrombophilias are not increased in "idiopathic" small-for-gestational-age pregnancies (McCowan et al). 2003;188:981-5

Infant mortality

The effect of placenta previa on neonatal mortality: a population-based study in the United States, 1989 through 1997 (Ananth et al). 2003;188:1299-304

Infant mortality, low birth weight, and prematurity among Latina, white, and African American women in North Carolina (Leslie et al). 2003;188:1238-40 (Residents' papers)

Macrosomic births in the United States: determinants, outcomes, and proposed grades of risk (Boulet et al). 2003;188:1372-8

Placenta previa: neonatal death after live births in the United States (Salihu et al). 2003;188:1305-9

Infection

Clinical findings among young women with genital human papillomavirus infection (Mao et al). 2003;188:677-84

Infection control

The role of covering gowns in reducing rates of bacterial contamination of scrub suits (Kaplan et al). 2003;188:1154-5 (Residents' papers)

Infertility

Ovulation induction/intrauterine insemination in infertile couples is associated with low-birth-weight infants (Gaudoin et al). 2003;188:611-6 (Editors' choice)

Infertility, female

Endometritis does not predict reproductive morbidity after pelvic inflammatory disease (Haggerty et al). 2003;188:141-8

Extremes of body mass index do not affect first-trimester pregnancy outcome in patients with infertility (Roth et al). 2003;188:1169-70 (Residents' papers)

Twenty-year history of endometriosis-associated pelvic pain: too much surgery or not enough? (Matalliotakis et al). 2003;188:1103-4

Inflammation

Components of the systemic fetal inflammatory response syndrome as predictors of impaired neurologic outcomes in children (Mittendorf et al). 2003;188:1438-46

Intrapartum fever at term: serum and histologic markers of inflammation (Smulian et al). 2003;188:269-74

Protective effect of N-acetylcysteine against fetal death and preterm labor induced by maternal inflammation (Buhimschi et al). 2003;188:203-8

Information processing; *see* Mental processes

Informed consent

Don't ask, don't tell: a change in medical student attitudes after obstetrics/gynecology clerkships toward seeking consent for pelvic examinations on an anesthetized patient (Ubel et al). 2003;188:575-9 (Education)

Much research is needed to provide fully informed consent about mode of delivery (Sakala and Corry) (Letter); (O'Boyle et al) (Reply). 2003;188:1380

Urogynecologists are not encouraging a higher cesarean section rate (Davila). 2003;188:1660 (Letter)

Infusions, intravenous

Sublingual nitroglycerin versus intravenous ritodrine as tocolytic for external cephalic version: a double-blinded randomized trial (Bujold et al). 2003;188:1454-9

Injections, subcutaneous

Continuous subcutaneous terbutaline administration prolongs pregnancy after recurrent preterm labor (Morrison et al). 2003;188:1560-7

Inner city population; *see* Urban population

Inositol

Decreased relative brain tissue levels of inositol in fetal hydrocephalus (Kok et al). 2003;188:978-80

Inpatients

Effectiveness of inpatient and outpatient treatment strategies for women with pelvic inflammatory disease (Ledger) (Letter); (Ness et al) (Reply). 2003;188:598-600

The PEACH study (Osborne) (Letter); (Ness et al) (Reply). 2003;188:598-600

Regarding the PEACH randomized trial (Monif) (Letter); (Ness et al) (Reply). 2003;188:597-600

Insemination, artificial

Ovulation induction/intrauterine insemination in infertile couples is associated with low-birth-weight infants (Gaudoin et al). 2003;188:611-6 (Editors' choice)

Insulin-like growth factor I

Immunohistochemical detection of insulin-like growth factor type 1 receptor and uterine volume changes in gonadotropin-releasing hormone analog–treated uterine leiomyomas (Di Lieto et al). 2003;188:702-6

Regulation of insulin-like growth factor-I and insulin-like growth factor binding protein-1 concentrations in preterm fetuses (Verhaeghe et al). 2003;188:485-91

Insulin-like growth factor II

Relaxin causes proliferation of human amniotic epithelium by stimulation of insulin-like growth factor-II (Millar et al). 2003;188:234-41

Insulin resistance

Characteristics predictive of response to ovarian diathermy in women with polycystic ovarian syndrome (Stegmann et al). 2003;188:1171-3 (Residents' papers)

Polycystic ovarian syndrome and insulin resistance in white and Mexican American women (Gokcel et al) (Letter); (Kauffman and Castracane) (Reply). 2003;188:1661-2

Intelligence

Maternal blood lead effects on infant intelligence at age 7 months (Emory et al). 2003;188:S26-32 (Symposium)

Intensive care units, neonatal

The benefit of preterm birth at tertiary care centers is related to gestational age (Lee et al). 2003;188:617-22 (Editors' choice)

Interleukin-1

Dexamethasone or interleukin-10 blocks interleukin-1β–induced uterine contractions in pregnant rhesus monkeys (Sadowsky et al). 2003;188:252-63

Expression and regulation of interleukin-8 in human fallopian tubal cells (Mulayim et al). 2003;188:651-6

Interleukin-6

Components of the systemic fetal inflammatory response syndrome as predictors of impaired neurologic outcomes in children (Mittendorf et al). 2003;188:1438-46

Increased vascular endothelial cell production of interleukin-6 in severe preeclampsia (Takacs et al). 2003;188:740-4

Interleukin-8
Expression and regulation of interleukin-8 in human fallopian tubal cells (Mulayim et al). 2003;188:651-6

Interleukin-10
Dexamethasone or interleukin-10 blocks interleukin-1β–induced uterine contractions in pregnant rhesus monkeys (Sadowsky et al). 2003;188:252-63

Interleukins
Interleukin-18 in the plasma of women with preeclampsia (Adams et al). 2003;188:1234-7 (Residents' papers)

Internship and residency
Effect of sleep deprivation on medical resident and student cognitive function: a prospective study (Halbach et al). 2003;188:1198-201 (Residents' papers)
The effect of training on the provision of elective abortion: a survey of five residency programs (Steinauer et al). 2003;188:1161-3 (Residents' papers)

Interstitial pregnancy; *see* Pregnancy, ectopic

Intrauterine devices, copper
Tubal migration: a rare complication of an intrauterine contraceptive device leading to formation of a hydrosalpinx (Sindos et al). 2003;188:1109-10

Intrauterine drug delivery system; *see* Drug delivery systems

Intrauterine growth restriction; *see* Fetal growth retardation

Ischemia
Effects of hyperthermia on hypoxic-ischemic brain damage in the immature rat: its influence on caspase-3–like protease (Tomimatsu et al). 2003;188:768-73
Hypoxia activates the human placental vascular endothelial growth factor system in vitro and in vivo: up-regulation of vascular endothelial growth factor in clinically relevant hypoxic ischemia in birth asphyxia (Trollmann et al). 2003;188:517-23

Isosorbide dinitrate
The effect of isosorbide dinitrate, a donor of nitric oxide, on maternal cerebral blood flow in gestational hypertension and preeclampsia (Nevo et al). 2003;188:1360-5

J

Jews
Procedural risks versus theology: chorionic villus sampling for Orthodox Jews at less than 8 weeks' gestation (Peleg) (Letter); (Petrikovsky) (Letter); (Wapner and Evans) (Reply). 2003;188:299-301

Jurisprudence
Legal outcomes of sexual assault (Wiley et al). 2003;188:1638-41
Physician attitudes concerning legal coercion of pregnant alcohol and drug users (Chavkin and Paltrow) (Letter); (Abel and Kruger) (Reply). 2003;188:298-9

K

Kidney
Intrauterine growth restriction is accompanied by decreased renal volume in the human fetus (Silver et al). 2003;188:1320-5
Results of systematic screening for minor degrees of fetal renal pelvis dilatation in an unselected population (Ismaili et al). 2003;188:242-6
Single and multiple prenatal glucocorticoid exposures improve preterm newborn lamb cardiovascular and renal function similarly (Smith et al). 2003;188:444-53

Kidney failure
Biochemical screening for Down syndrome in renal failure (Lam et al) (Letter); (Chao et al) (Reply). 2003;188:597

Korea
Genotyping of 22 human papillomavirus types by DNA chip in Korean women: comparison with cytologic diagnosis (Cho et al). 2003;188:56-62

fontbysize

L

Labor
Age and racial/ethnic differences in maternal, fetal, and placental conditions in laboring patients (Gregory and Korst). 2003;188:1602-8
The association of fetal heart rate patterns with nucleated red blood cell counts at birth (Ferber et al). 2003;188:1228-30 (Residents' papers)
Changes in the isoforms of the sodium pump in the placenta and myometrium of women in labor (Esplin et al). 2003;188:759-64
The effects of community-acquired pneumonia during pregnancy ending with a live birth (Jin et al). 2003;188:800-6
Expression of regulator of G protein signaling-2 in rat myometrium during pregnancy and parturition (Suarez et al). 2003;188:973-7
Fetal electrocardiography in labor and neonatal outcome: data from the Swedish randomized controlled trial on intrapartum fetal monitoring (Norén et al). 2003;188:183-92
Increase in maternal placental growth hormone during pregnancy and disappearance during parturition in normal and growth hormone–deficient pregnancies (Lønberg et al). 2003;188:247-51
The laborist: a new focus of practice for the obstetrician (Weinstein). 2003;188:310-2 (Clin. opinion)
Myometrial thickness during human labor and immediately post partum (Buhimschi et al). 2003;188:553-9
Noninvasive antepartum recording of fetal S-T segment with a newly developed 151-channel magnetic sensor system (Lowery et al). 2003;188:1491-7
Urogynecologists are not encouraging a higher cesarean section rate (Davila). 2003;188:1660 (Letter)

Labor, induced
Comparative efficacy and cost of the prostaglandin analogs dinoprostone and misoprostol as labor preinduction agents (Ramsey et al). 2003;188:560-5
Elective induction: an analysis of economic and health consequences (Clark) (Letter); (Grobman) (Reply). 2003;188:1664-5
Oral misoprostol or vaginal dinoprostone for labor induction: a randomized controlled trial (Dällenbach et al). 2003;188:162-7
Risk of cesarean delivery after induction at term in nulliparous women with an unfavorable cervix (Johnson et al). 2003;188:1565-72

Labor, premature
Antepartum fetal asphyxia in the preterm pregnancy (Low et al). 2003;188:461-5
Association between use of antenatal magnesium sulfate in preterm labor and adverse health outcomes in infants (McElrath) (Letter); (Mittendorf et al) (Reply). 2003;188:294-5
Association between use of antenatal magnesium sulfate in preterm labor and adverse health outcomes in infants (Rouse et al). 2003;188:295 (Letter)
The benefit of preterm birth at tertiary care centers is related to gestational age (Lee et al). 2003;188:617-22 (Editors' choice)
Continuous subcutaneous terbutaline administration prolongs pregnancy after recurrent preterm labor (Morrison et al). 2003;188:1460-7
A double-blind randomized study of fetal side effects during and after the short-term maternal administration of indomethacin, sulindac, and nimesulide for the treatment of preterm labor (Sawdy et al). 2003;188:1046-51

Early pregnancy threshold vaginal pH and Gram stain scores predictive of subsequent preterm birth in asymptomatic women (Hauth et al). 2003;188:831-5
Fetal fibronectin: the impact of a rapid test on the treatment of women with preterm labor symptoms (Plaut et al). 2003;188:1588-95
Prophylactic administration of progesterone by vaginal suppository to reduce the incidence of spontaneous preterm birth in women at increased risk: a randomized placebo-controlled double-blind study (da Fonseca et al). 2003;188:419-24
Protective effect of N-acetylcysteine against fetal death and preterm labor induced by maternal inflammation (Buhimschi et al). 2003;188:203-8
Supplemental progesterone to prevent preterm birth (Iams). 2003;188:303 (Editorial)
Systemic administration of betamethasone delays endotoxin–induced preterm labor in the murine model (Schwartz et al). 2003;188:439-43
Temporal and demographic trends in cerebral palsy—fact and fiction (Clark and Hankins). 2003;188:628-33 (Clin. opinion)
Tocolytic treatment for the management of preterm labor: a review of the evidence (Berkman et al). 2003;188:1648-59 (AJOG reviews)

Labor complications
Cohort study of maternal views on future mode of delivery after operative delivery in the second stage of labor (Murphy and Liebling). 2003;188:542-8
Frequency and predictors for postpartum fecal incontinence (Hall et al). 2003;188:1205-7 (Residents' papers)
Intrapartum fever at term: serum and histologic markers of inflammation (Smulian et al). 2003;188:269-74
Racial differences in severe perineal lacerations after vaginal delivery (Goldberg et al). 2003;188:1063-7

Labor presentation
Uterine contractility in women whose fetus is delivered in the occipitoposterior position (Buhimschi et al). 2003;188:734-9

Labor stage, first
Cervical light-induced fluorescence in humans decreases throughout gestation and before delivery: preliminary observations (Maul et al). 2003;188:537-41
Comparative efficacy and cost of the prostaglandin analogs dinoprostone and misoprostol as labor preinduction agents (Ramsey et al). 2003;188:560-5
Nitric oxide metabolites in cervical fluid during pregnancy: further evidence for the role of cervical nitric oxide in cervical ripening (Väisänen-Tommiska et al). 2003;188:779-85
The use of misoprostol as a cervical ripening agent in operative hysteroscopy (Sharma and El-Refacy) (Letter); (Thomas and Windrim) (Reply). 2003;188:297-8. Correction 2003;188:1378

Labor stage, second
Cohort study of maternal views on future mode of delivery after operative delivery in the second stage of labor (Murphy and Liebling). 2003;188:542-8

Laborist; *see* Specialties, medical

Lactobacilli
Comparison of the growth and hydrogen peroxide production by vaginal probiotic lactobacilli under different culture conditions (Tomás et al). 2003;188:35-44

Laparoscopy
Coagulation or excision of ovarian endometriomas? (Vercellini et al). 2003;188:606-10 (Editors' choice)
Combined hysteroscopy and laparoscopy in the treatment of interstitial pregnancy (Katz et al). 2003;188:1113-4
Endometriosis: correlation between histologic and visual findings at laparoscopy (Martin) (Letter); (Walter) (Reply). 2003;188:1663-4
Hysteroscopic endometrial resection versus laparoscopic supracervical hysterectomy for menorrhagia: a prospective randomized trial (Zupi et al). 2003;188:7-12 (Editors' choice)
Laparoscopic preservation of ovarian function: an underused procedure (Bisharah and Tulandi). 2003;188:367-70

Laparotomy
Pre-emptive analgesia in gynecologic surgical procedures: preoperative wound infiltration with ropivacaine in patients who undergo laparotomy through a midline vertical incision (Updike et al). 2003;188:901-5
Subcutaneous drainage versus no drainage after minilaparotomy in gynecologic benign conditions: a randomized study (Panici et al). 2003;188:71-5

Laser coagulation
Interstitial laser coagulation for uterine myomas (Hindley et al) (Letter); (Visvanathan et al) (Reply). 2003;188:859-60
Long-term neurodevelopmental outcome after intrauterine laser treatment for severe twin-twin transfusion syndrome (Banek et al). 2003;188:876-80 (Editors' choice)
Stage-based treatment of twin-twin transfusion syndrome (Quintero et al). 2003;188:1333-40

Laser surgery
Ultrasound-guided laser treatment for fetal bladder outlet obstruction resulting from ureterocele (Soothill et al). 2003;188:1107-8

Late pregnancy; *see* Pregnancy trimester, third

Latin Americans
Infant mortality, low birth weight, and prematurity among Latina, white, and African American women in North Carolina (Leslie et al). 2003;188:1238-40 (Residents' papers)

Lead
Maternal blood lead effects on infant intelligence at age 7 months (Emory et al). 2003;188:S26-32 (Symposium)

Leg
Pregnancy in a spinal cord–injured bilateral total leg amputee: management and considerations (Ehrenberg et al). 2003;188:1096-9

Legal issues; *see* Jurisprudence

Leiomyoma
Expression, menstrual cycle-dependent activation, and bimodal mitogenic effect of transforming growth factor-β1 in human myometrium and leiomyoma (Arici and Sozen). 2003;188:76-83
High cumulative incidence of uterine leiomyoma in black and white women: ultrasound evidence (Baird et al). 2003;188:100-7
Immunohistochemical detection of insulin-like growth factor type I receptor and uterine volume changes in gonadotropin-releasing hormone analog–treated uterine leiomyomas (Di Lieto et al). 2003;188:702-6
Increased expression of cyclin G1 in leiomyoma compared with normal myometrium (Baek et al). 2003;188:634-9

Leiomyosarcoma
Primary ovarian leiomyosarcoma as a new component in the nevoid basal cell carcinoma syndrome: a case report (Seracchioli et al). 2003;188:1093-5

Leptins
Leptin concentrations in maternal serum and cord blood in diabetic and nondiabetic pregnancy (Manderson et al). 2003;188:1326-32

Letters to the editors
Achieving equipoise in maternal-fetal surgery (Lyerly) (Letter); (Chervenak and McCullough) (Reply). 2003;188:854-6
Antenatal steroids in twins (Jobe) (Letter); (Murphy) (Reply). 2003;188:856-7
Are users of alcohol in pregnancy necessarily alcohol abusers? (Kesmodel) (Letter); (Abel and Kruger) (Reply). 2003;188:296-7
Association between use of antenatal magnesium sulfate in preterm labor and adverse health outcomes in infants

(McElrath) (Letter); (Mittendorf et al) (Reply). 2003; 188:294-5
Association between use of antenatal magnesium sulfate in preterm labor and adverse health outcomes in infants (Rouse et al). 2003;188:295 (Letter)
Biochemical screening for Down syndrome in renal failure (Lam et al) (Letter); (Chao et al) (Reply). 2003;188:597
Can cervicography by improved? (Hall) (Letter); (Schneider and Schiffman) (Reply). 2003;188:854
Cephalopelvic disproportion/failure to progress diagnosis (Escamilla) (Letter); (Young) (Reply). 2003;188:1660-1
Cerebral perfusion pressure, and not cerebral blood flow, may be the critical determinant of intracranial injury in preeclampsia: a new hypothesis (Raschke) (Letter); (Belfort) (Reply). 2003;188:860-1
Complete brachial plexus impairment: a traction-related injury (Allen) (Letter); (Jennett and Tarby) (Reply). 2003;188:858-9
Direct visualization of the uterine cavity provides a better triage than saline hysterography (Loffer) (Letter); (Mihm) (Reply). 2003;188:299
Effectiveness of inpatient and outpatient treatment strategies for women with pelvic inflammatory disease (Ledger) (Letter); (Ness et al) (Reply). 2003;188:598-600
Effects of antenatal glucocorticoids on outcomes of very-low-birth-weight multifetal gestations (Spellacy) (Letter); (Hashimoto and Donovan) (Reply). 2003;188:1117
Elective induction: an analysis of economic and health consequences (Clark) (Letter); (Grobman) (Reply). 2003; 188:1664-5
The endometrial-myometrial interface (Quinn) (Letter); (Curtis et al) (Reply). 2003;188:857-8
Endometriosis: correlation between histologic and visual findings at laparoscopy (Martin) (Letter); (Walter) (Reply). 2003;188:1663-4
Fetal gender affects ultrasound gestation at term (Hutchon) (Letter); (Divon) (Reply). 2003;188:1665-6
Five-year experience with midtrimester amniocentesis performed by a single group of obstetrician-gynecologists at a community hospital (Welch et al) (Letter); (Blackwell) (Reply). 2003;188:600-1
Hysteroscopic transcervical endometrial resection versus thermal destruction for menorrhagia: a prospective randomized trial on satisfaction rate (Loffer) (Letter); (Pellicano et al) (Reply). 2003;188:1664
The impact of a single- or double-layer closure on uterine rupture (Cruikshank) (Letter); (Bujold et al) (Reply). 2003;188:295-6
Impact of single- or double-layer closure on uterine rupture (Shipp and Lieberman) (Letter); (Bujold et al) (Reply). 2003;188:601-2
Impact of single-or double-layer closure on uterine rupture (Vidaeff and Lucas) (Letter); (Bujold et al) (Reply). 2003;188:602-3
Interstitial laser coagulation for uterine myomas (Hindley et al) (Letter); (Visvanathan et al) (Reply). 2003;188:859-60
Letters to the editors (Zuspan). 2003;188:605 (Editorial)
Mode of delivery and outcome of 699 term singleton breech deliveries at a single center (Newman) (Letter); (Giuliani and Tamussino) (Reply). 2003;188:1666
Much research is needed to provide fully informed consent about mode of delivery (Sakala and Corry) (Letter); (O'Boyle et al) (Reply). 2003;188:1380
The PEACH study (Osborne) (Letter); (Ness et al) (Reply). 2003;188:598-600
Pelvic organ support in nulliparous pregnant and nonpregnant women (O'Boyle). 2003;188:301 (Letter)
The pharmacokinetics of glyceryl trinitrate with the use of the in vitro term human placental perfusion setup (David and Sinha) (Letter); (Bustard et al) (Reply). 2003;188:1118-9
Physician attitudes concerning legal coercion of pregnant alcohol and drug users (Chavkin and Paltrow) (Letter); (Abel and Kruger) (Reply). 2003;188:298-9
Placental types and twin-twin transfusion syndrome (Taylor et al) (Letter); (Bermúdez et al) (Reply). 2003;188:1119-20
Polycystic ovarian syndrome and insulin resistance in white and Mexican American women (Gokcel et al) (Letter); (Kauffman and Castracane) (Reply). 2003;188:1661-2
Postpartum hemorrhage mistakes (Jaraquemada) (Letter); (Ko et al) (Reply). 2003;188:603-4
Procedural risks versus theology: chorionic villus sampling for Orthodox Jews at less than 8 weeks' gestation (Peleg) (Letter); (Petrikovsky) (Letter); (Wapner and Evans) (Reply). 2003;188:299-301
Regarding the PEACH randomized trial (Monif) (Letter); (Ness et al) (Reply). 2003;188:597-600
Response of uterine and umbilical circulations to physical exercise (Erkkola) (Letter); (Kennelly) (Reply). 2003;188:1379
Subcutaneous stitch closure versus subcutaneous drain to prevent wound disruption after cesarean delivery: a randomized clinical trial (White and Ramsey) (Letter); (Chauhan et al) (Reply). 2003;188:861-2
Urogynecologists are not encouraging a higher cesarean section rate (Davila). 2003;188:1660 (Letter)
Use of automated home blood pressure monitoring in pregnancy (Loewenstein and Naschitz) (Letter); (North and Lo) (Reply). 2003;188:1662-3
The use of misoprostol as a cervical ripening agent in operative hysteroscopy (Sharma and El-Refacy) (Letter); (Thomas and Windrim) (Reply). 2003;188:297-8. Correction 2003;188:1378

Levator ani muscles; *see* Pelvis

Levonorgestrel
A randomized controlled trial of second- versus third-generation oral contraceptives in the treatment of acne vulgaris (Rosen et al). 2003;188:1158-60 (Residents' papers)
Treatment of nonatypical and atypical endometrial hyperplasia with a levonorgestrel-releasing intrauterine system (Wildemeersch and Dhont). 2003;188:1297-8

Liability, legal
A legacy of professionalism since 1929 (Tomich). 2003;188:1432-7 (Pres. address)

Liver
Soluble HLA-DR levels in the maternal circulation of normal and pathologic pregnancy (Steinborn et al). 2003;188:473-9
Subsequent pregnancy outcome in women with a history of HELLP syndrome at ≤28 weeks of gestation (Chames et al). 2003;188:1504-8

Local anesthesia; *see* Anesthesia, local

Loop excision, cervical; *see* Cervix, surgery

Low birth weight infant; *see* Infant, low birth weight

Low density lipoprotein receptors; *see* Receptors, LDL

LSIL; *see* Carcinoma, squamous cell

Lung
Differential effects of maternal betamethasone and cortisol on lung maturation and growth in fetal sheep (Jobe et al). 2003;188:22-8 (Editors' choice)
The usefulness of the TDx/TDxFLx Fetal Lung Maturity II assay in the initial evaluation of fetal lung maturity (Kesselman et al). 2003;188:1220-2 (Residents' papers)

Lung diseases
Antenatal prediction of pulmonary hypoplasia by acceleration time/ejection time ratio of fetal pulmonary arteries by Doppler blood flow velocimetry (Fuke et al). 2003;188:228-33
Chorioamnionitis and increased neonatal lung lavage fluid matrix metalloproteinase-9 levels: implications for antenatal origins of chronic lung disease (Curley et al). 2003;188:871-5 (Editors' choice)

Lung lavage fluid; *see* Bronchoalveolar lavage fluid

Luteal phase
Recurrence of symptoms of premenstrual dysphoric disorder after the cessation of luteal-phase fluoxetine treatment (Pearlstein et al). 2003;188:887-95

Lymph node excision
Radical trachelectomy and pelvic lymphadenectomy with uterine preservation in the treatment of cervical cancer (Schlaerth et al). 2003;188:29-34

Lymph nodes
Combined use of magnetic resonance imaging, CA 125 assay, histologic type, and histologic grade in the prediction of lymph node metastasis in endometrial carcinoma (Todo et al). 2003;188:1265-72

Lymphocytes
Recruitment of CD4+ T lymphocytes and macrophages into the cervical epithelium of women after coitus (Prakash et al). 2003;188:376-81

M

Macrolide antibiotics; *see* Antibiotics, macrolide

Macrophages
Effects of colony-stimulating factors on the secretion of platelet-activating factor acetylhydrolase by human decidual macrophages (Narahara et al). 2003;188:157-61
Recruitment of CD4+ T lymphocytes and macrophages into the cervical epithelium of women after coitus (Prakash et al). 2003;188:376-81

Magnesium sulfate
Association between use of antenatal magnesium sulfate in preterm labor and adverse health outcomes in infants (McElrath) (Letter); (Mittendorf et al) (Reply). 2003;188:294-5
Association between use of antenatal magnesium sulfate in preterm labor and adverse health outcomes in infants (Rouse et al). 2003;188:295 (Letter)

Magnetic resonance imaging
Anatomic variations in the levator ani muscle, endopelvic fascia, and urethra in nulliparas evaluated by magnetic resonance imaging (Tunn et al). 2003;188:116-21
Combined use of magnetic resonance imaging, CA 125 assay, histologic type, and histologic grade in the prediction of lymph node metastasis in endometrial carcinoma (Todo et al). 2003;188:1265-72
Second-opinion magnetic resonance imaging for suspected fetal central nervous system abnormalities (Twickler et al). 2003;188:492-6
Three-dimensional magnetic resonance imaging assessment of levator ani morphologic features in different grades of prolapse (Singh et al). 2003;188:910-5

Magnetic sensor system; *see* Fetal monitoring

Mammary gland; *see* Breast

Mammography
Comparison of the effect of raloxifene and continuous–combined hormone therapy on mammographic breast density and breast tenderness in postmenopausal women (Jackson et al). 2003;188:389-94

Marijuana abuse
Substance use and psychotherapeutic medications: a likely contributor to menstrual disorders in women who are seropositive for human immunodeficiency virus (Harlow et al). 2003;188:881-6

Marriage
The impact of urodynamic stress incontinence and detrusor overactivity on marital relationship and sexual function (Yip et al). 2003;188:1244-8

Mass screening
Biochemical screening for Down syndrome in renal failure (Lam et al) (Letter); (Chao et al) (Reply). 2003;188:597
Combined first-trimester versus second-trimester serum screening for Down syndrome: a cost analysis (Cusick et al). 2003;188:745-51
Comparison of cell collection and direct visualization cervical cancer screening adjuncts (Parham). 2003;188:S13-20
A comparison of four screening methods for cervical neoplasia in a developing country (Cronjé et al). 2003;188:395-400
Results of systematic screening for minor degrees of fetal renal pelvis dilatation in an unselected population (Ismaili et al). 2003;188:242-6
The science behind the effectiveness of in vivo screening (Felix). 2003;188:S8-12
Screening for fetal well-being in a high-risk pregnant population comparing the nonstress test and umbilical artery Doppler velocimetry: a randomized controlled clinical trial (Williams et al). 2003;188:1366-71
Screening for postpartum depression in an inner-city population (Morris-Rush et al). 2003;188:1217-9 (Residents' papers)
Shedding a new light on Bethesda III: new technologies in cervical screening (DiSaia). 2003;188:S1 (Symposium)
The significance of psammoma bodies in screening cervical cytologic smears (Muntz et al). 2003;188:1609-14

Mast cells
Proteinase-activated receptor-2 activation induces uterine contractility in term pregnant rats that is not dependent on mast cell activation and cyclo-oxygenase products (Maul et al). 2003;188:1498-503

Maternal behavior
Are users of alcohol in pregnancy necessarily alcohol abusers? (Kesmodel) (Letter); (Abel and Kruger) (Reply). 2003;188:296-7

Maternal-fetal exchange
Birth outcomes after prenatal exposure to antidepressant medication (Hendrick et al). 2003;188:812-5
A double-blind randomized study of fetal side effects during and after the short-term maternal administration of indomethacin, sulindac, and nimesulide for the treatment of preterm labor (Sawdy et al). 2003;188:1046-51
Placental passage of clarithromycin surpasses other macrolide antibiotics (Witt et al). 2003;188:816-9
Pregnancy outcome after gestational exposure to mebendazole: a prospective controlled cohort study (Diav-Citrin et al). 2003;188:282-5

Maternal opinion; *see* Attitude

Maturation and growth of fetal organs; *see* Fetal organ maturity

Mebendazole
Pregnancy outcome after gestational exposure to mebendazole: a prospective controlled cohort study (Diav-Citrin et al). 2003;188:282-5

Mechanical ventilation; *see* Respiration, artificial

Meconium
Defecation in utero: a physiologic fetal function (Ramón y Cajal and Martínez). 2003;188:153-6

Medical education; *see* Education, medical

Medical students; *see* Students, medical

Medroxyprogesterone
Reduced vaginal bleeding in postmenopausal women who receive combined norethindrone acetate and low-dose ethinyl estradiol therapy versus combined conjugated equine estrogens and medroxyprogesterone acetate therapy (Simon et al). 2003;188:92-9

Membranes, premature rupture; *see* Fetal membranes, premature rupture

Menopause
Administration of raloxifene does not influence 24-hour ambulatory blood pressure of postmenopausal women with osteopenia: a double-blind placebo-controlled study (Cagnacci et al). 2003;188:1278-82
Are women with urogenital atrophy symptomatic? (Davila et al). 2003;188:382-8

Can ultrasound replace dilation and curettage? A longitudinal evaluation of postmenopausal bleeding and transvaginal sonographic measurement of the endometrium as predictors of endometrial cancer (Gull et al). 2003;188:401-8
Comparison of the effect of raloxifene and continuous–combined hormone therapy on mammographic breast density and breast tenderness in postmenopausal women (Jackson et al). 2003;188:389-94
Contrasting effects of two hormone replacement therapies on the cardiovascular and mammary gland outcomes in surgically postmenopausal monkeys (Suparto et al). 2003;188:1132-40 (Editors' choice)
Female sexual dysfunction in postmenopausal women: systematic review of placebo-controlled trials (Modelska and Cummings). 2003;188:286-93 (AJOG reviews)
Orally and transdermally replaced estradiol improves endothelial function equally in middle-aged women after surgical menopause (Žegura et al). 2003;188:1291-6
Raloxifene does not influence flow-mediated endothelium–dependent and endothelium-independent vasodilatation of osteopenic postmenopausal women (Cagnacci et al). 2003;188:313-7
Raloxifene and endothelial function in healthy postmenopausal women (Sarrel et al). 2003;188:304-9 (Editors' choice)
Reduced vaginal bleeding in postmenopausal women who receive combined norethindrone acetate and low-dose ethinyl estradiol therapy versus combined conjugated equine estrogens and medroxyprogesterone acetate therapy (Simon et al). 2003;188:92-9
Visceral fat is more important than peripheral fat for endometrial thickness and bone mass in healthy postmenopausal women (Warming et al). 2003;188:349-53

Menorrhagia
Hysteroscopic endometrial resection versus laparoscopic supracervical hysterectomy for menorrhagia: a prospective randomized trial (Zupi et al). 2003;188:7-12 (Editors' choice)
Hysteroscopic transcervical endometrial resection versus thermal destruction for menorrhagia: a prospective randomized trial on satisfaction rate (Loffer) (Letter); (Pellicano et al) (Reply). 2003;188:1664
Use of health services associated with increased menstrual loss in the United States (Côté et al). 2003;188:343-8

Menstrual cycle
Endotoxin-induced cytokine production of monocytes of third-trimester pregnant women compared with women in the follicular phase of the menstrual cycle (van Nieuwenhoven et al). 2003;188:1073-7
Expression, menstrual cycle-dependent activation, and bimodal mitogenic effect of transforming growth factor-β1 in human myometrium and leiomyoma (Arici and Sozen). 2003;188:76-83
Genital tract and plasma human immunodeficiency virus viral load throughout the menstrual cycle in women who are infected with ovulatory human immunodeficiency virus (Money et al). 2003;188:122-8. Correction 2003;188:1038

Menstruation disorders
Irregular menses: an independent risk factor for gestational diabetes mellitus (Haver et al). 2003;188:1189-91 (Residents' papers)
Recurrence of symptoms of premenstrual dysphoric disorder after the cessation of luteal-phase fluoxetine treatment (Pearlstein et al). 2003;188:887-95
Substance use and psychotherapeutic medications: a likely contributor to menstrual disorders in women who are seropositive for human immunodeficiency virus (Harlow et al). 2003;188:881-6

Mental processes
Effect of maternal docosahexaenoic acid supplementation on postpartum depression and information processing (Llorente et al). 2003;188:1348-53

Messenger RNA; *see* RNA, messenger

Metabolism
Cerebral blood flow and metabolism in relation to electrocortical activity with severe umbilical cord occlusion in the near-term ovine fetus (Kaneko et al). 2003;188:961-72

Metalloproteinases
Chorioamnionitis and increased neonatal lung lavage fluid matrix metalloproteinase-9 levels: implications for antenatal origins of chronic lung disease (Curley et al). 2003;188:871-5 (Editors' choice)

Metastasis, neoplasm; *see* Neoplasm metastasis

Methadone
Substance use and psychotherapeutic medications: a likely contributor to menstrual disorders in women who are seropositive for human immunodeficiency virus (Harlow et al). 2003;188:881-6

Methotrexate
Mifepristone and misoprostol and methotrexate/misoprostol in clinical practice for abortion (Creinin et al). 2003;188:664-9
Predictors of success with methotrexate treatment of tubal ectopic pregnancy at Grady Memorial Hospital (Potter et al). 2003;188:1192-4 (Residents' papers)

Metoclopramide
Metoclopramide pretreatment attenuates emergency contraceptive-associated nausea (Ragan et al). 2003;188:330-3

Mexican Americans
Polycystic ovarian syndrome and insulin resistance in white and Mexican American women (Gokcel et al) (Letter); (Kauffman and Castracane) (Reply). 2003;188:1661-2

Microcephaly
Microcephaly: an epidemiologic analysis (Krauss et al). 2003;188:1484-90

Middle age
Orally and transdermally replaced estradiol improves endothelial function equally in middle-aged women after surgical menopause (Žegura et al). 2003;188:1291-6

Midtrimester of pregnancy; *see* Pregnancy trimester, second

Mifepristone
Medical abortion at 64 to 91 days of gestation: a review of 483 consecutive cases (Hamoda et al). 2003;188:1315-9
Mifepristone and misoprostol and methotrexate/misoprostol in clinical practice for abortion (Creinin et al). 2003;188:664-9

Minilaparotomy; *see* Laparotomy

Misoprostol
Comparative efficacy and cost of the prostaglandin analogs dinoprostone and misoprostol as labor preinduction agents (Ramsey et al). 2003;188:560-5
Medical abortion at 64 to 91 days of gestation: a review of 483 consecutive cases (Hamoda et al). 2003;188:1315-9
Mifepristone and misoprostol and methotrexate/misoprostol in clinical practice for abortion (Creinin et al). 2003;188:664-9
Oral misoprostol or vaginal dinoprostone for labor induction: a randomized controlled trial (Dällenbach et al). 2003;188:162-7
The use of misoprostol as a cervical ripening agent in operative hysteroscopy (Sharma and El-Refacy) (Letter); (Thomas and Windrim) (Reply). 2003;188:297-8. Correction 2003;188:1378

Mitogens
Expression, menstrual cycle-dependent activation, and bimodal mitogenic effect of transforming growth factor-β1 in human myometrium and leiomyoma (Arici and Sozen). 2003;188:76-83

Mole, hydatidiform; *see* Hydatidiform mole

Monocytes
Endotoxin-induced cytokine production of monocytes of third-trimester pregnant women compared with women in the follicular phase of the menstrual cycle (van Nieuwenhoven et al). 2003;188:1073-7

Multiple birth defects; *see* Abnormalities

Multiple pregnancy; *see* Pregnancy, multiple

Muscle, smooth

A technique to evaluate the thickness and density of nonvascular smooth muscle in the suburethral fibromuscular layer (Morgan et al). 2003;188:1183-5 (Residents' papers)

Mutation

Disparities in health: minority environmental exposures—gene mutations in African American women. Overview (Pattillo). 2003;188:S25 (Symposium)

PTEN/MMAC1 mutations correlate inversely with an altered p53 tumor suppressor gene in gynecologic tumors (Soyoola and Pattillo). 2003;188:S33-6 (Symposium)

Myoma

Interstitial laser coagulation for uterine myomas (Hindley et al) (Letter); (Visvanathan et al) (Reply). 2003;188:859-60

Myometrium

Changes in the isoforms of the sodium pump in the placenta and myometrium of women in labor (Esplin et al). 2003;188:759-64

Chorion-induced myometrial relaxation is mediated by large-conductance Ca^{2+}-activated K^+ channel opening in the guinea pig (Carvajal et al). 2003;188:84-91

The effects of pH change on Ca^{++} signaling and force in pregnant human myometrium (Pierce et al). 2003;188:1031-8

Effects of recombinant human relaxin on pregnant rat uterine artery and myometrium in vitro (Longo et al). 2003;188:1468-76

Effects of steroid hormones on calcitonin gene–related peptide receptors in cultured human myometrium (Dong et al). 2003;188:466-72

The endometrial-myometrial interface (Quinn) (Letter); (Curtis et al) (Reply). 2003;188:857-8

Expression, menstrual cycle-dependent activation, and bimodal mitogenic effect of transforming growth factor-β1 in human myometrium and leiomyoma (Arici and Sozen). 2003;188:76-83

Expression of regulator of G protein signaling-2 in rat myometrium during pregnancy and parturition (Suarez et al). 2003;188:973-7

FGL2 prothrombinase messenger RNA expression in gravid and nongravid human myometrium (Pan et al). 2003;188:1057-62

Increased expression of cyclin G1 in leiomyoma compared with normal myometrium (Baek et al). 2003;188:634-9

Myometrial thickness during human labor and immediately post partum (Buhimschi et al). 2003;188:553-9

Proteinase-activated receptor-2 activation induces uterine contractility in term pregnant rats that is not dependent on mast cell activation and cyclo-oxygenase products (Maul et al). 2003;188:1498-503

N

Nausea

Metoclopramide pretreatment attenuates emergency contraceptive-associated nausea (Ragan et al). 2003;188:330-3

Necrosis

Dual fluorescence analysis of DNA apoptosis in sperm (Rowland et al). 2003;188:1156-7 (Residents' papers)

Neisseria gonorrhoeae

Effectiveness of inpatient and outpatient treatment strategies for women with pelvic inflammatory disease (Ledger) (Letter); (Ness et al) (Reply). 2003;188:598-600

The PEACH study (Osborne) (Letter); (Ness et al) (Reply). 2003;188:598-600

Regarding the PEACH randomized trial (Monif) (Letter); (Ness et al) (Reply). 2003;188:597-600

Neonatal mortality; *see* Infant mortality

Neonate; *see* Infant, newborn

Neoplasm metastasis

Combined use of magnetic resonance imaging, CA 125 assay, histologic type, and histologic grade in the prediction of lymph node metastasis in endometrial carcinoma (Todo et al). 2003;188:1265-72

Neoplasm staging

A cost-effectiveness analysis of management strategies for cervical intraepithelial neoplasia grades 2 and 3 (Kleinberg et al). 2003;188:1186-8 (Residents' papers)

Neoplasms

Cancer patients' satisfaction with physicians: Princess Margaret Hospital Satisfaction with Doctor questionnaire results (Landen et al). 2003;188:1177-9 (Residents' papers)

Neovascularization

Longitudinal serum concentrations of placental growth factor: evidence for abnormal placental angiogenesis in pathologic pregnancies (Taylor et al). 2003;188:177-82

Neurodevelopmental outcome; *see* Child development

Neurokinin K

Vasoactive effects of neurokinin B on human blood vessels (Wareing et al). 2003;188:196-202

Neurologic manifestations

Components of the systemic fetal inflammatory response syndrome as predictors of impaired neurologic outcomes in children (Mittendorf et al). 2003;188:1438-46

Neurons

Hemodynamic changes during complete umbilical cord occlusion in fetal sheep related to hippocampal neuronal damage (Fujii et al). 2003;188:413-8

Neutrophils

Increased polymorphonuclear infiltration and iatrogenic amniotic band after closure of fetoscopic access sites with a bioactive membrane in the rabbit at midgestation (Devlieger et al). 2003;188:844-8

Vaginal polymorphonuclear leukocytes and bacterial vaginosis as markers for histologic endometritis among women without symptoms of pelvic inflammatory disease (Yudin et al). 2003;188:318-23

Nevoid basal cell carcinoma syndrome; *see* Basal cell nevus syndrome

Nimesulide

A double-blind randomized study of fetal side effects during and after the short-term maternal administration of indomethacin, sulindac, and nimesulide for the treatment of preterm labor (Sawdy et al). 2003;188:1046-51

Nitric oxide

The effect of isosorbide dinitrate, a donor of nitric oxide, on maternal cerebral blood flow in gestational hypertension and preeclampsia (Nevo et al). 2003;188:1360-5

Effects of recombinant human relaxin on pregnant rat uterine artery and myometrium in vitro (Longo et al). 2003;188:1468-76

Estrogen increases inducible nitric oxide synthase gene expression (Walsh et al). 2003;188:1208-10 (Residents' papers)

Nitric oxide metabolites in cervical fluid during pregnancy: further evidence for the role of cervical nitric oxide in cervical ripening (Väisänen-Tommiska et al). 2003;188:779-85

Nitroglycerin

The pharmacokinetics of glyceryl trinitrate with the use of the in vitro term human placental perfusion setup (David and Sinha) (Letter); (Bustard et al) (Reply). 2003;188:1118-9

Sublingual nitroglycerin versus intravenous ritodrine as tocolytic for external cephalic version: a double-blinded randomized trial (Bujold et al). 2003;188:1454-9

Nonstress test; *see* Fetal monitoring

Norethindrone

A randomized, double-blind, placebo-controlled, multicenter study that assessed the endometrial effects of norethindrone

acetate plus ethinyl estradiol versus ethinyl estradiol alone (Portman et al). 2003;188:334-42
Reduced vaginal bleeding in postmenopausal women who receive combined norethindrone acetate and low-dose ethinyl estradiol therapy versus combined conjugated equine estrogens and medroxyprogesterone acetate therapy (Simon et al). 2003;188:92-9

Norway
Indications for cesarean deliveries in Norway (Kolås et al). 2003;188:864-70 (Editors' choice)

Nuchal cord; *see* Umbilical cord

Nucleated red blood cells; *see* Erythrocytes

Nulliparity; *see* Parity

O

Obesity
Extremes of body mass index do not affect first-trimester pregnancy outcome in patients with infertility (Roth et al). 2003;188:1169-70 (Residents' papers)

Obstetric complications; *see* Pregnancy complications

Obstetrics
A blueprint for obstetric critical care (Zeeman et al). 2003;188:532-6
Differing symptoms of abused versus nonabused women in obstetric-gynecology settings (Kovac et al). 2003;188:707-13
Don't ask, don't tell: a change in medical student attitudes after obstetrics/gynecology clerkships toward seeking consent for pelvic examinations on an anesthetized patient (Ubel et al). 2003;188:575-9 (Education)
Five-year experience with midtrimester amniocentesis performed by a single group of obstetrician-gynecologists at a community hospital (Welch et al) (Letter); (Blackwell) (Reply). 2003;188:600-1
The laborist: a new focus of practice for the obstetrician (Weinstein). 2003;188:310-2 (Clin. opinion)
A legacy of professionalism since 1929 (Tomich). 2003;188:1432-7 (Pres. address)
Mechanical ventilation in an obstetric population: characteristics and delivery rates (Jenkins et al). 2003;188:549-52
Medical student self-assessment of performance on an obstetrics and gynecology clerkship (Edwards et al). 2003;188:1078-82 (Education)
Obstetric predictors of placental umbilical cord blood volume for transplantation (Jones et al). 2003;188:503-9
Obstetric technologies: what determines clinical acceptance or rejection of results of randomized controlled trials? (Parer). 2003;188:1622-8

Occupations
Parental occupations and other risk factors associated with nonchromosomal single, chromosomal single, and multiple birth defects: a population-based study in Singapore from 1994 to 1998 (Chia et al). 2003;188:425-33

Oncogene proteins
Antibody reactivity to HPV E6 and E7 oncoproteins and early diagnosis of invasive cervical cancer (Stanley). 2003;188:3-4 (Editorial)

Operative delivery; *see* Cesarean section

Oral administration; *see* Administration, oral

Oral contraceptives; *see* Contraceptives, oral

Osteopenia; *see* Bone diseases, metabolic

Outcome of pregnancy; *see* Pregnancy outcome

Outpatients
Effectiveness of inpatient and outpatient treatment strategies for women with pelvic inflammatory disease (Ledger) (Letter); (Ness et al) (Reply). 2003;188:598-600
The PEACH study (Osborne) (Letter); (Ness et al) (Reply). 2003;188:598-600
Regarding the PEACH randomized trial (Monif) (Letter); (Ness et al) (Reply). 2003;188:597-600

Ovarian neoplasms
Coagulation or excision of ovarian endometriomas? (Vercellini et al). 2003;188:606-10 (Editors' choice)
Expression of cyclooxygenase-2 in cervical, endometrial, and ovarian malignancies (Landen et al). 2003;188:1174-6 (Residents' papers)
Inhibitors that target protein kinases for the treatment of ovarian carcinoma (Arbel et al). 2003;188:1283-90
Primary ovarian leiomyosarcoma as a new component in the nevoid basal cell carcinoma syndrome: a case report (Seracchioli et al). 2003;188:1093-5
Treatment of recurrent platinum resistant ovarian or peritoneal cancer with gemcitabine and doxorubicin: a phase I/II trial of the Puget Sound Oncology Consortium (PSOC 1602) (Goff et al). 2003;188:1556-64

Ovary
Characteristics predictive of response to ovarian diathermy in women with polycystic ovarian syndrome (Stegmann et al). 2003;188:1171-3 (Residents' papers)
Laparoscopic preservation of ovarian function: an underused procedure (Bisharah and Tulandi). 2003;188:367-70

Over-the-counter drugs; *see* Drugs, non-prescription

Ovulation induction
Ovulation induction/intrauterine insemination in infertile couples is associated with low-birth-weight infants (Gaudoin et al). 2003;188:611-6 (Editors' choice)

Oxygen
Basal metabolic rate in hyperemesis gravidarum: comparison to normal pregnancy and response to treatment (Chihara et al). 2003;188:434-8

Oxytocin
Cesarean delivery on demand: what will it cost? (Bost). 2003;188:1418-23 (Editors' choice)
Oxytocin-induced desensitization of the oxytocin receptor (Robinson et al). 2003;188:497-502

P

Pacific Coast Obstetrical and Gynecological Society
Transactions of the sixty-ninth annual meeting of the Pacific Coast Obstetrical and Gynecological Society. 2003;188:1529-647

Pain
Local anesthetic reduces the pain of colposcopic biopsies: a randomized trial (Oyama et al). 2003;188:1164-5 (Residents' papers)
Twenty-year history of endometriosis-associated pelvic pain: too much surgery or not enough? (Matalliotakis et al). 2003;188:1103-4

Papanicolaou smear; *see* Vaginal smears

Papillomaviruses
Antibody reactivity to HPV E6 and E7 oncoproteins and early diagnosis of invasive cervical cancer (Stanley). 2003;188:3-4 (Editorial)
Clinical findings among young women with genital human papillomavirus infection (Mao et al). 2003;188:677-84
Comparison of human papillomavirus genotypes, sexual, and reproductive risk factors of cervical adenocarcinoma and squamous cell carcinoma: Northeastern United States (Altekruse et al). 2003;188:657-63
Does the ALTS trial apply to the community-based practitioner? (Monk and Brewster). 2003;188:1381-2 (Editorial)
The effect of time interval between referral and colposcopy on detection of human papillomavirus DNA and on outcome of biopsy (Berkova et al). 2003;188:932-7
Evaluation of antibody response to human papillomavirus early proteins in women in whom cervical cancer developed 1 to 20 years later (Lehtinen et al). 2003;188:49-55

Genotyping of 22 human papillomavirus types by DNA chip in Korean women: comparison with cytologic diagnosis (Cho et al). 2003;188:56-62
Herpes simplex virus type II is not a cofactor to human papillomavirus in cancer of the uterine cervix (Tran-Thanh et al). 2003;188:129-34
Immunotherapy of human cervical high-grade cervical intraepithelial neoplasia with microparticle-delivered human papillomavirus 16 E7 plasmid DNA (Sheets et al). 2003;188:916-26
Postcolposcopy management strategies for patients referred with low-grade squamous intraepithelial lesions or human papillomavirus DNA–positive atypical squamous cells of undetermined significance: a two-year prospective study (Guido et al). 2003;188:1401-5 (Editors' choice)
A randomized trial on the management of LSIL cytology interpretations (Solomon et al). 2003;188:1391-400 (Editors' choice)

Parents
Parental occupations and other risk factors associated with nonchromosomal single, chromosomal single, and multiple birth defects: a population-based study in Singapore from 1994 to 1998 (Chia et al). 2003;188:425-33

Parity
Anatomic variations in the levator ani muscle, endopelvic fascia, and urethra in nulliparas evaluated by magnetic resonance imaging (Tunn et al). 2003;188:116-21
Indications for cesarean deliveries in Norway (Kolås et al). 2003;188:864-70 (Editors' choice)
Pelvic organ support in nulliparous pregnant and nonpregnant women (O'Boyle). 2003;188:301 (Letter)
Relationship of plasma volume to sympathetic tone in nulliparous women (Bernstein et al). 2003;188:938-42
Risk of cesarean delivery after induction at term in nulliparous women with an unfavorable cervix (Johnson et al). 2003;188:1565-72

Parturition; *see* Labor

Pasteurella multocida
Postoperative wound infection with *Pasteurella multocida* from a pet cat (Chun et al). 2003;188:1115-6

Patient education
Patient satisfaction and the impact of written material about postpartum contraceptive decisions (Johnson et al). 2003;188:1202-4 (Residents' papers)
The relationship of race to women's use of health information resources (Nicholson et al). 2003;188:580-5 (Education)

Patient Health Questionnaire
Differing symptoms of abused versus nonabused women in obstetric-gynecology settings (Kovac et al). 2003;188:707-13

Patient satisfaction
Cancer patients' satisfaction with physicians: Princess Margaret Hospital Satisfaction with Doctor questionnaire results (Landen et al). 2003;188:1177-9 (Residents' papers)
Hysteroscopic transcervical endometrial resection versus thermal destruction for menorrhagia: a prospective randomized trial on satisfaction rate (Loffer) (Letter); (Pellicano et al) (Reply). 2003;188:1664
Patient satisfaction and the impact of written material about postpartum contraceptive decisions (Johnson et al). 2003;188:1202-4 (Residents' papers)

Pelvic inflammatory disease; *see* Adnexitis

Pelvic organ prolapse; *see* Uterine prolapse

Pelvis
Anatomic variations in the levator ani muscle, endopelvic fascia, and urethra in nulliparas evaluated by magnetic resonance imaging (Tunn et al). 2003;188:116-21
Cephalopelvic disproportion/failure to progress diagnosis (Escamilla) (Letter); (Young) (Reply). 2003;188:1660-1
Don't ask, don't tell: a change in medical student attitudes after obstetrics/gynecology clerkships toward seeking consent for pelvic examinations on an anesthetized patient (Ubel et al). 2003;188:575-9 (Education)
Innervation of the levator ani muscles in the female squirrel monkey (Pierce et al). 2003;188:1141-7 (Editors' choice)
Much research is needed to provide fully informed consent about mode of delivery (Sakala and Corry) (Letter); (O'Boyle et al) (Reply). 2003;188:1380
Pelvic organ support in nulliparous pregnant and nonpregnant women (O'Boyle). 2003;188:301 (Letter)
Procedures for pelvic organ prolapse in the United States, 1979-1997 (Boyles et al). 2003;188:108-15
Results of systematic screening for minor degrees of fetal renal pelvis dilatation in an unselected population (Ismaili et al). 2003;188:242-6
Three-dimensional magnetic resonance imaging assessment of levator ani morphologic features in different grades of prolapse (Singh et al). 2003;188:910-5
Twenty-year history of endometriosis-associated pelvic pain: too much surgery or not enough? (Matalliotakis et al). 2003;188:1103-4
Urogynecologists are not encouraging a higher cesarean section rate (Davila). 2003;188:1660 (Letter)

Pelvis, surgery
Outcomes study: a comparison of cure rates in 695 patients undergoing sacrospinous ligament fixation alone and with other site-specific procedures—a 16-year study (Cruikshank and Muniz). 2003;188:1509-15
Prevention of ureteral injuries in gynecologic surgery (Chan et al). 2003;188:1273-7
Radical trachelectomy and pelvic lymphadenectomy with uterine preservation in the treatment of cervical cancer (Schlaerth et al). 2003;188:29-34

Peptide peptidohydrolases
Proteinase-activated receptor-2 activation induces uterine contractility in term pregnant rats that is not dependent on mast cell activation and cyclo-oxygenase products (Maul et al). 2003;188:1498-503

Perfusion
Cerebral perfusion pressure, and not cerebral blood flow, may be the critical determinant of intracranial injury in preeclampsia: a new hypothesis (Raschke) (Letter); (Belfort) (Reply). 2003;188:860-1
The pharmacokinetics of glyceryl trinitrate with the use of the in vitro term human placental perfusion setup (David and Sinha) (Letter); (Bustard et al) (Reply). 2003;188:1118-9

Perineum
Frequency and predictors for postpartum fecal incontinence (Hall et al). 2003;188:1205-7 (Residents' papers)
Racial differences in severe perineal lacerations after vaginal delivery (Goldberg et al). 2003;188:1063-7

Peripheral catheterization; *see* Catheterization, peripheral

Peripheral fat; *see* Fats

Peritoneal neoplasms
Treatment of recurrent platinum resistant ovarian or peritoneal cancer with gemcitabine and doxorubicin: a phase I/II trial of the Puget Sound Oncology Consortium (PSOC 1602) (Goff et al). 2003;188:1556-64

Permeability
Regulation of amniotic fluid volume by intramembranous absorption in sheep: role of passive permeability and vascular endothelial growth factor (Daneshmand et al). 2003;188:786-93

Pessaries
Prophylactic administration of progesterone by vaginal suppository to reduce the incidence of spontaneous preterm birth in women at increased risk: a randomized placebo–controlled double-blind study (da Fonseca et al). 2003;188:419-24

pH; *see* Hydrogen-ion concentration

Pharmacokinetics
Maternal and transplacental pharmacokinetics of azithromycin (Ramsey et al). 2003;188:714-8
The pharmacokinetics of glyceryl trinitrate with the use of the in vitro term human placental perfusion setup (David and Sinha) (Letter); (Bustard et al) (Reply). 2003;188:1118-9

Phase III clinical trial; *see* Clinical trial, phase III

Phosphates
Immediate and delayed effects of antenatal corticosteroids on fetal heart rate: a randomized trial that compares betamethasone acetate and phosphate, betamethasone phosphate, and dexamethasone (Subtil et al). 2003;188:524-31

Physical exercise; *see* Exercise

Physician attitudes; *see* Attitude of health personnel

Physicians
The relationship between physicians and industry: Faustian or symbiotic? (Israel). 2003;188:1530-40 (Pres. address)

Physician's practice patterns
Physician contribution to a cesarean delivery risk model (Luthy et al). 2003;188:1579-87

Physiology
Defecation in utero: a physiologic fetal function (Ramón y Cajal and Martínez). 2003;188:153-6

Placenta
Age and racial/ethnic differences in maternal, fetal, and placental conditions in laboring patients (Gregory and Korst). 2003;188:1602-8
Changes in the isoforms of the sodium pump in the placenta and myometrium of women in labor (Esplin et al). 2003;188:759-64
Decreased tryptophan catabolism by placental indoleamine 2,3-dioxygenase in preeclampsia (Kudo et al). 2003;188:719-26
Effect of maternal exercise and fetoplacental growth rate on serum erythropoietin concentrations (Clapp et al). 2003;188:1021-5
Expression of placental low-density lipoprotein receptor-related protein and scavenger receptors AI/AII transcripts in the baboon (Shi et al). 2003;188:1211-3 (Residents' papers)
Fetal plasma stimulates endothelial cell production of cytokines and the family of suppressor of cytokine signaling in umbilical placental vascular disease (Wang et al). 2003;188:510-6
Fused umbilical arteries near placental cord insertion (Fujikura). 2003;188:765-7
Gestation-related and betamethasone-induced changes in 11β-hydroxysteroid dehydrogenase types 1 and 2 in the baboon placenta (Ma et al). 2003;188:13-21 (Editors' choice)
Hypoxia activates the human placental vascular endothelial growth factor system in vitro and in vivo: up-regulation of vascular endothelial growth factor in clinically relevant hypoxic ischemia in birth asphyxia (Trollmann et al). 2003;188:517-23
Increase in maternal placental growth hormone during pregnancy and disappearance during parturition in normal and growth hormone–deficient pregnancies (Lønberg et al). 2003;188:247-51
Levels of placenta growth factor in gestational trophoblastic diseases (Okamoto et al). 2003;188:135-40
Longitudinal serum concentrations of placental growth factor: evidence for abnormal placental angiogenesis in pathologic pregnancies (Taylor et al). 2003;188:177-82
Maternal and transplacental pharmacokinetics of azithromycin (Ramsey et al). 2003;188:714-8
Obstetric predictors of placental umbilical cord blood volume for transplantation (Jones et al). 2003;188:503-9
The pharmacokinetics of glyceryl trinitrate with the use of the in vitro term human placental perfusion setup (David and Sinha) (Letter); (Bustard et al) (Reply). 2003;188:1118-9
Placental types and twin-twin transfusion syndrome (Taylor et al) (Letter); (Bermúdez et al) (Reply). 2003;188:1119-20
Vasoactive effects of erythropoietin on human placental blood vessels in vitro (Resch et al). 2003;188:993-6

Placenta previa
The effect of placenta previa on neonatal mortality: a population-based study in the United States, 1989 through 1997 (Ananth et al). 2003;188:1299-304
Is placenta previa more common in multiple gestations? (Francois et al). 2003;188:1226-7 (Residents' papers)
Placenta previa: neonatal death after live births in the United States (Salihu et al). 2003;188:1305-9
Placenta previa in singleton and twin births in the United States, 1989 through 1998: a comparison of risk factor profiles and associated conditions (Ananth et al). 2003;188:275-81

Placental abruption; *see* Abruptio placentae

Placental passage; *see* Maternal-fetal exchange

Plasma
Cell-free fetal DNA in the plasma of pregnant women with severe fetal growth restriction (Sekizawa et al). 2003;188:480-4
Fetal plasma stimulates endothelial cell production of cytokines and the family of suppressor of cytokine signaling in umbilical placental vascular disease (Wang et al). 2003;188:510-6
Genital tract and plasma human immunodeficiency virus viral load throughout the menstrual cycle in women who are infected with ovulatory human immunodeficiency virus (Money et al). 2003;188:122-8. Correction 2003;188:1038
Interleukin-18 in the plasma of women with preeclampsia (Adams et al). 2003;188:1234-7 (Residents' papers)

Plasma volume
Relationship of plasma volume to sympathetic tone in nulliparous women (Bernstein et al). 2003;188:938-42

Plasmids
Immunotherapy of human cervical high-grade cervical intraepithelial neoplasia with microparticle-delivered human papillomavirus 16 E7 plasmid DNA (Sheets et al). 2003;188:916-26

Platelet activating factor
Effects of colony-stimulating factors on the secretion of platelet-activating factor acetylhydrolase by human decidual macrophages (Narahara et al). 2003;188:157-61

Platelet count
Soluble HLA-DR levels in the maternal circulation of normal and pathologic pregnancy (Steinborn et al). 2003;188:473-9
Subsequent pregnancy outcome in women with a history of HELLP syndrome at ≤28 weeks of gestation (Chames et al). 2003;188:1504-8

Platinum
Treatment of recurrent platinum resistant ovarian or peritoneal cancer with gemcitabine and doxorubicin: a phase I/II trial of the Puget Sound Oncology Consortium (PSOC 1602) (Goff et al). 2003;188:1556-64

Pneumonia
The effects of community-acquired pneumonia during pregnancy ending with a live birth (Jin et al). 2003;188:800-6

Polycystic ovary syndrome
Characteristics predictive of response to ovarian diathermy in women with polycystic ovarian syndrome (Stegmann et al). 2003;188:1171-3 (Residents' papers)
Polycystic ovarian syndrome and insulin resistance in white and Mexican American women (Gokcel et al) (Letter); (Kauffman and Castracane) (Reply). 2003;188:1661-2

Polycythemia
Nucleated red blood cells in polycythemic infants (Mandel et al). 2003;188:193-5

Polymorphism
Prenatal diagnosis by DNA polymorphism analysis of complete mole with coexisting twin (Wax et al). 2003;188:1105-6

Polymorphonuclear leukocytes; *see* Neutrophils

Polyps
Histopathologic features and risk factors for benignity, hyperplasia, and cancer in endometrial polyps (Savelli et al). 2003;188:927-31
Ultrasound assessment of endometrial thickness and endometrial polyps in women on hormonal replacement therapy (Van den Bosch et al). 2003;188:1249-53

Population
Population-based survival for cervical cancer in Singapore, 1968-1992 (Wang et al). 2003;188:324-9

Position, fetal; *see* Labor presentation

Postcolposcopy management; *see* Colposcopy

Postdated pregnancy; *see* Pregnancy, prolonged

Postmenopause; *see* Menopause

Postmolar pregnancy; *see* Hydatidiform mole

Postoperative care
Pre-emptive analgesia in gynecologic surgical procedures: preoperative wound infiltration with ropivacaine in patients who undergo laparotomy through a midline vertical incision (Updike et al). 2003;188:901-5

Postoperative complications
Evaluation of postoperative fever: usefulness and cost-effectiveness of routine workup (de la Torre et al). 2003;188:1642-7
Postpartum hemorrhage mistakes (Jaraquemada) (Letter); (Ko et al) (Reply). 2003;188:603-4

Postoperative wound infection; *see* Surgical wound infection

Postpartum hemorrhage
Postpartum hemorrhage mistakes (Jaraquemada) (Letter); (Ko et al) (Reply). 2003;188:603-4

Postpartum period; *see* Puerperium

Potassium channels
Chorion-induced myometrial relaxation is mediated by large-conductance Ca^{2+}-activated K^+ channel opening in the guinea pig (Carvajal et al). 2003;188:84-91

Poverty
Ambulatory diagnosis and medical management of ectopic pregnancy in a public teaching hospital serving indigent women (Nelson et al). 2003;188:1541-50
Postdating pregnancy in an indigent population: the financial burden (Fonseca et al). 2003;188:1214-6 (Residents' papers)
Postmolar surveillance at a trophoblastic disease center that serves indigent women (Allen et al). 2003;188:1151-3 (Residents' papers)

Predictive value of tests
A comparison between middle cerebral artery peak systolic velocity and amniotic fluid optical density at 450 nm in the prediction of fetal anemia (Nishie et al). 2003;188:214-9
Early pregnancy threshold vaginal pH and Gram stain scores predictive of subsequent preterm birth in asymptomatic women (Hauth et al). 2003;188:831-5
Intrapartum fetal heart rate patterns in the prediction of neonatal acidemia (Williams and Galerneau). 2003;188:820-3
The predictive value of cytologic testing in women with the human immunodeficiency virus who have low-grade squamous cervical lesions: a substudy of a randomized, phase III chemoprevention trial (Robinson et al). 2003;188:896-900
Ultrasonographic prediction of term birth weight: how accurate is it? (Nahum and Stanislaw). 2003;188:566-74

Preeclampsia
Cerebral perfusion pressure, and not cerebral blood flow, may be the critical determinant of intracranial injury in preeclampsia: a new hypothesis (Raschke) (Letter); (Belfort) (Reply). 2003;188:860-1
Decreased tryptophan catabolism by placental indoleamine 2,3-dioxygenase in preeclampsia (Kudo et al). 2003;188:719-26
The effect of isosorbide dinitrate, a donor of nitric oxide, on maternal cerebral blood flow in gestational hypertension and preeclampsia (Nevo et al). 2003;188:1360-5
Increased vascular endothelial cell production of interleukin-6 in severe preeclampsia (Takacs et al). 2003;188:740-4
Interleukin-18 in the plasma of women with preeclampsia (Adams et al). 2003;188:1234-7 (Residents' papers)
Maternal serum activin A is not elevated before preeclampsia in women who are at high risk (Blackburn et al). 2003;188:807-11
Perinatal outcomes in preeclampsia that is complicated by massive proteinuria (Newman et al). 2003;188:264-8
Prostacyclin/thromboxane early changes in pregnancies that are complicated by preeclampsia (Chavarría et al). 2003;188:986-92
Relationship of plasma volume to sympathetic tone in nulliparous women (Bernstein et al). 2003;188:938-42
Soluble HLA-DR levels in the maternal circulation of normal and pathologic pregnancy (Steinborn et al). 2003;188:473-9
Sperm exposure and development of preeclampsia (Einarsson et al). 2003;188:1241-3 (Residents' papers)
Subsequent pregnancy outcome in women with a history of HELLP syndrome at ≤28 weeks of gestation (Chames et al). 2003;188:1504-8
Vasoactive effects of neurokinin B on human blood vessels (Wareing et al). 2003;188:196-202

Pregnancy, drug effects
Pregnancy outcome after gestational exposure to mebendazole: a prospective controlled cohort study (Diav-Citrin et al). 2003;188:282-5
Prescription, over-the-counter, and herbal medicine use in a rural, obstetric population (Glover et al). 2003;188:1039-45
Use of anthelminthic drugs during pregnancy (Savioli et al). 2003;188:5-6 (Editorial)

Pregnancy, ectopic
Ambulatory diagnosis and medical management of ectopic pregnancy in a public teaching hospital serving indigent women (Nelson et al). 2003;188:1541-50
Combined hysteroscopy and laparoscopy in the treatment of interstitial pregnancy (Katz et al). 2003;188:1113-4
Predictors of success with methotrexate treatment of tubal ectopic pregnancy at Grady Memorial Hospital (Potter et al). 2003;188:1192-4 (Residents' papers)
Usefulness of Pipelle endometrial biopsy in the diagnosis of women at risk for ectopic pregnancy (Barnhart et al). 2003;188:906-9

Pregnancy, multiple
Antenatal steroids in twins (Jobe) (Letter); (Murphy) (Reply). 2003;188:856-7
Association between second-trimester isolated high maternal serum human chorionic gonadotropin levels and obstetric complications in singleton and twin pregnancies (Lepage et al). 2003;188:1354-9
Birth weight discordancy and adverse perinatal outcomes among twin gestations in the United States: the effect of placental abruption (Ananth et al). 2003;188:954-60
Cesarean delivery for twins: a systematic review and meta-analysis (Hogle et al). 2003;188:220-7
Effects of antenatal glucocorticoids on outcomes of very-low-birth-weight multifetal gestations (Spellacy) (Letter); (Hashimoto and Donovan) (Reply). 2003;188:1117
Is placenta previa more common in multiple gestations? (Francois et al). 2003;188:1226-7 (Residents' papers)
Long-term neurodevelopmental outcome after intrauterine laser treatment for severe twin-twin transfusion syndrome (Banek et al). 2003;188:876-80 (Editors' choice)
A novel approach to intertriplet birth weight discordance (Blickstein et al). 2003;188:1026-30
Placenta previa in singleton and twin births in the United States, 1989 through 1998: a comparison of risk factor profiles and associated conditions (Ananth et al). 2003;188:275-81
Placental types and twin-twin transfusion syndrome (Taylor et al) (Letter); (Bermúdez et al) (Reply). 2003;188:1119-20
Prenatal diagnosis by DNA polymorphism analysis of complete mole with coexisting twin (Wax et al). 2003;188:1105-6

Stage-based treatment of twin-twin transfusion syndrome (Quintero et al). 2003;188:1333-40
Urinary incontinence among mothers of multiples: the protective effect of cesarean delivery (Goldberg et al). 2003;188:1447-53

Pregnancy, physiology

Basal metabolic rate in hyperemesis gravidarum: comparison to normal pregnancy and response to treatment (Chihara et al). 2003;188:434-8
Cell-free fetal DNA in the plasma of pregnant women with severe fetal growth restriction (Sekizawa et al). 2003;188:480-4
Dexamethasone or interleukin-10 blocks interleukin-1β–induced uterine contractions in pregnant rhesus monkeys (Sadowsky et al). 2003;188:252-63
Effect of histamine on phasic and tonic contractions of isolated uterine tissue from pregnant women (Bytautiene et al). 2003;188:774-8
The effects of pH change on Ca^{++} signaling and force in pregnant human myometrium (Pierce et al). 2003;188:1031-8
Effects of recombinant human relaxin on pregnant rat uterine artery and myometrium in vitro (Longo et al). 2003;188:1468-76
Endotoxin-induced cytokine production of monocytes of third-trimester pregnant women compared with women in the follicular phase of the menstrual cycle (van Nieuwenhoven et al). 2003;188:1073-7
Expression of regulator of G protein signaling-2 in rat myometrium during pregnancy and parturition (Suarez et al). 2003;188:973-7
Increase in maternal placental growth hormone during pregnancy and disappearance during parturition in normal and growth hormone–deficient pregnancies (Lønberg et al). 2003;188:247-51
Levels of placenta growth factor in gestational trophoblastic diseases (Okamoto et al). 2003;188:135-40
Longitudinal evaluation of markers of endothelial cell dysfunction and hemostasis in treated antiphospholipid syndrome and in healthy pregnancy (Stone et al). 2003;188:454-60
Nitric oxide metabolites in cervical fluid during pregnancy: further evidence for the role of cervical nitric oxide in cervical ripening (Väisänen-Tommiska et al). 2003;188:779-85
Vascular endothelial growth factor induced functional and morphologic signs of endothelial dysfunction in isolated arteries from normal pregnant women (Svedas et al). 2003;188:168-76
Vasoactive effects of neurokinin B on human blood vessels (Wareing et al). 2003;188:196-202

Pregnancy, prolonged

Postdating pregnancy in an indigent population: the financial burden (Fonseca et al). 2003;188:1214-6 (Residents' papers)

Pregnancy, tubal

Predictors of success with methotrexate treatment of tubal ectopic pregnancy at Grady Memorial Hospital (Potter et al). 2003;188:1192-4 (Residents' papers)

Pregnancy complications

Antibiotic therapy in preterm premature rupture of membranes: are seven days necessary? A preliminary, randomized clinical trial (Lewis et al). 2003;188:1413-7 (Editors' choice)
Association between second-trimester isolated high maternal serum human chorionic gonadotropin levels and obstetric complications in singleton and twin pregnancies (Lepage et al). 2003;188:1354-9
A blueprint for obstetric critical care (Zeeman et al). 2003;188:532-6
Characteristics predictive of response to ovarian diathermy in women with polycystic ovarian syndrome (Stegmann et al). 2003;188:1171-3 (Residents' papers)
Combined hysteroscopy and laparoscopy in the treatment of interstitial pregnancy (Katz et al). 2003;188:1113-4
Dermatoses of pregnancy (Kaufman). 2003;188:863 (Editorial)
The effect of placenta previa on neonatal mortality: a population-based study in the United States, 1989 through 1997 (Ananth et al). 2003;188:1299-304
Expectant management of preterm premature rupture of membranes complicated by active recurrent genital herpes (Major et al). 2003;188:1551-5
Fused umbilical arteries near placental cord insertion (Fujikura). 2003;188:765-7
Increase in maternal placental growth hormone during pregnancy and disappearance during parturition in normal and growth hormone–deficient pregnancies (Lønberg et al). 2003;188:247-51
Increased polymorphonuclear infiltration and iatrogenic amniotic band after closure of fetoscopic access sites with a bioactive membrane in the rabbit at midgestation (Devlieger et al). 2003;188:844-8
Inherited thrombophilias are not increased in "idiopathic" small-for-gestational-age pregnancies (McCowan et al). 2003;188:981-5
Irregular menses: an independent risk factor for gestational diabetes mellitus (Haver et al). 2003;188:1189-91 (Residents' papers)
Is placenta previa more common in multiple gestations? (Francois et al). 2003;188:1226-7 (Residents' papers)
Leptin concentrations in maternal serum and cord blood in diabetic and nondiabetic pregnancy (Manderson et al). 2003;188:1326-32
Levels of placenta growth factor in gestational trophoblastic diseases (Okamoto et al). 2003;188:135-40
Mechanical ventilation in an obstetric population: characteristics and delivery rates (Jenkins et al). 2003;188:549-52
A novel approach to intertriplet birth weight discordance (Blickstein et al). 2003;188:1026-30
Placenta previa: neonatal death after live births in the United States (Salihu et al). 2003;188:1305-9
Placenta previa in singleton and twin births in the United States, 1989 through 1998: a comparison of risk factor profiles and associated conditions (Ananth et al). 2003;188:275-81
Predictors of success with methotrexate treatment of tubal ectopic pregnancy at Grady Memorial Hospital (Potter et al). 2003;188:1192-4 (Residents' papers)
Pregnancy in a spinal cord–injured bilateral total leg amputee: management and considerations (Ehrenberg et al). 2003;188:1096-9
Preterm premature rupture of membranes: risks of recurrent complications in the next pregnancy among a population-based sample of gravid women (Lee et al). 2003;188:209-13
Specific dermatoses of pregnancy: an evidence-based systematic review (Kroumpouzos and Cohen). 2003;188:1083-92 (AJOG reviews)
Usefulness of Pipelle endometrial biopsy in the diagnosis of women at risk for ectopic pregnancy (Barnhart et al). 2003;188:906-9

Pregnancy complications, cardiovascular

The effect of isosorbide dinitrate, a donor of nitric oxide, on maternal cerebral blood flow in gestational hypertension and preeclampsia (Nevo et al). 2003;188:1360-5
Use of automated home blood pressure monitoring in pregnancy (Loewenstein and Naschitz) (Letter); (North and Lo) (Reply). 2003;188:1662-3

Pregnancy complications, hematologic

Fetal plasma stimulates endothelial cell production of cytokines and the family of suppressor of cytokine signaling in umbilical placental vascular disease (Wang et al). 2003;188:510-6
Fused umbilical arteries near placental cord insertion (Fujikura). 2003;188:765-7
Is the incidence of fetal-to-maternal hemorrhage increased in patients with third-trimester bleeding? (Balderston et al). 2003;188:1615-21
Longitudinal serum concentrations of placental growth factor: evidence for abnormal placental angiogenesis in pathologic pregnancies (Taylor et al). 2003;188:177-82

Placental types and twin-twin transfusion syndrome (Taylor et al) (Letter); (Bermúdez et al) (Reply). 2003;188:1119-20
Soluble HLA-DR levels in the maternal circulation of normal and pathologic pregnancy (Steinborn et al). 2003;188:473-9

Pregnancy complications, infectious

Antibiotic treatment of bacterial vaginosis in pregnancy: a meta-analysis (Leitich et al). 2003;188:752-8
Complications associated with peripherally inserted central catheter use during pregnancy (Ogura et al). 2003;188:1223-5 (Residents' papers)
A double-blind, randomized, placebo-controlled trial of acyclovir in late pregnancy for the reduction of herpes simplex virus shedding and cesarean delivery (Watts et al). 2003;188:836-43
Early pregnancy threshold vaginal pH and Gram stain scores predictive of subsequent preterm birth in asymptomatic women (Hauth et al). 2003;188:831-5
The effects of community-acquired pneumonia during pregnancy ending with a live birth (Jin et al). 2003;188:800-6
Maternal and transplacental pharmacokinetics of azithromycin (Ramsey et al). 2003;188:714-8
Placental passage of clarithromycin surpasses other macrolide antibiotics (Witt et al). 2003;188:816-9
Protective effect of N-acetylcysteine against fetal death and preterm labor induced by maternal inflammation (Buhimschi et al). 2003;188:203-8
Use of anthelminthic drugs during pregnancy (Savioli et al). 2003;188:5-6 (Editorial)

Pregnancy complications, neoplastic

Postmolar surveillance at a trophoblastic disease center that serves indigent women (Allen et al). 2003;188:1151-3 (Residents' papers)

Pregnancy in adolescence

Perceived quality of life in pregnant adolescent girls (Drescher et al). 2003;188:1231-3 (Residents' papers)
Pregnant adolescents at risk: sexual behaviors and sexually transmitted disease prevalence (Niccolai et al). 2003;188:63-70

Pregnancy in diabetes

Leptin concentrations in maternal serum and cord blood in diabetic and nondiabetic pregnancy (Manderson et al). 2003;188:1326-32

Pregnancy maintenance

Continuous subcutaneous terbutaline administration prolongs pregnancy after recurrent preterm labor (Morrison et al). 2003;188:1468-76

Pregnancy outcome

Antepartum fetal asphyxia in the preterm pregnancy (Low et al). 2003;188:461-5
Association between use of antenatal magnesium sulfate in preterm labor and adverse health outcomes in infants (McElrath) (Letter); (Mittendorf et al) (Reply). 2003;188:294-5
Association between use of antenatal magnesium sulfate in preterm labor and adverse health outcomes in infants (Rouse et al). 2003;188:295 (Letter)
Birth outcomes after prenatal exposure to antidepressant medication (Hendrick et al). 2003;188:812-5
Birth weight discordancy and adverse perinatal outcomes among twin gestations in the United States: the effect of placental abruption (Ananth et al). 2003;188:954-60
The effect of placenta previa on neonatal mortality: a population-based study in the United States, 1989 through 1997 (Ananth et al). 2003;188:1299-304
Effects of antenatal glucocorticoids on outcomes of very-low-birth-weight multifetal gestations (Spellacy) (Letter); (Hashimoto and Donovan) (Reply). 2003;188:1117
The effects of community-acquired pneumonia during pregnancy ending with a live birth (Jin et al). 2003;188:800-6
Expectant management of preterm premature rupture of membranes complicated by active recurrent genital herpes (Major et al). 2003;188:1551-5
Extremes of body mass index do not affect first-trimester pregnancy outcome in patients with infertility (Roth et al). 2003;188:1169-70 (Residents' papers)
Fetal electrocardiography in labor and neonatal outcome: data from the Swedish randomized controlled trial on intrapartum fetal monitoring (Norén et al). 2003;188:183-92
Intimate partner violence and adverse pregnancy outcomes: a population-based study (Janssen et al). 2003;188:1341-7
Macrosomic births in the United States: determinants, outcomes, and proposed grades of risk (Boulet et al). 2003;188:1372-8
Mode of delivery and outcome of 699 term singleton breech deliveries at a single center (Newman) (Letter); (Giuliani and Tamussino) (Reply). 2003;188:1666
Perinatal outcomes in preeclampsia that is complicated by massive proteinuria (Newman et al). 2003;188:264-8
Predictability of intrapartum and neonatal outcomes with the amniotic fluid volume distribution: a reassessment using the amniotic fluid index, single deepest pocket, and a dye–determined amniotic fluid volume (Magann et al). 2003;188:1523-8
Pregnancy outcome after gestational exposure to mebendazole: a prospective controlled cohort study (Diav-Citrin et al). 2003;188:282-5
Pregnancy outcomes associated with intrauterine growth restriction (Gilbert and Danielsen). 2003;188:1596-601
Subsequent pregnancy outcome in women with a history of HELLP syndrome at ≤28 weeks of gestation (Chames et al). 2003;188:1504-8
Temporal and demographic trends in cerebral palsy—fact and fiction (Clark and Hankins). 2003;188:628-33 (Clin. opinion)

Pregnancy trimester, first

CD34+ cells from first-trimester fetal blood are enriched in primitive hemopoietic progenitors (Tocci et al). 2003;188:1002-10
A characteristic cluster of fetal sonographic markers that are predictive of fetal Turner syndrome in early pregnancy (Bronshtein et al). 2003;188:1016-20
Combined first-trimester versus second-trimester serum screening for Down syndrome: a cost analysis (Cusick et al). 2003;188:745-51
Ductus venosus flow velocities in relation to the cardiac defects in first-trimester fetuses with enlarged nuchal translucency (Haak et al). 2003;188:727-33
Early pregnancy threshold vaginal pH and Gram stain scores predictive of subsequent preterm birth in asymptomatic women (Hauth et al). 2003;188:831-5
Extremes of body mass index do not affect first-trimester pregnancy outcome in patients with infertility (Roth et al). 2003;188:1169-70 (Residents' papers)
Is Rh immune globulin needed in early first-trimester abortion? A review (Jabara and Barnhart). 2003;188:623-7 (Clin. opinion)
Medical abortion at 64 to 91 days of gestation: a review of 483 consecutive cases (Hamoda et al). 2003;188:1315-9
Procedural risks versus theology: chorionic villus sampling for Orthodox Jews at less than 8 weeks' gestation (Peleg) (Letter); (Petrikovsky) (Letter); (Wapner and Evans) (Reply). 2003;188:299-301

Pregnancy trimester, second

Association between second-trimester isolated high maternal serum human chorionic gonadotropin levels and obstetric complications in singleton and twin pregnancies (Lepage et al). 2003;188:1354-9
Combined first-trimester versus second-trimester serum screening for Down syndrome: a cost analysis (Cusick et al). 2003;188:745-51
Five-year experience with midtrimester amniocentesis performed by a single group of obstetrician-gynecologists at a community hospital (Welch et al) (Letter); (Blackwell) (Reply). 2003;188:600-1

Pregnancy trimester, third
A double-blind, randomized, placebo-controlled trial of acyclovir in late pregnancy for the reduction of herpes simplex virus shedding and cesarean delivery (Watts et al). 2003;188:836-43
Endotoxin-induced cytokine production of monocytes of third-trimester pregnant women compared with women in the follicular phase of the menstrual cycle (van Nieuwenhoven et al). 2003;188:1073-7
Is the incidence of fetal-to-maternal hemorrhage increased in patients with third-trimester bleeding? (Balderston et al). 2003;188:1615-21

Prenatal care
Single and multiple prenatal glucocorticoid exposures improve preterm newborn lamb cardiovascular and renal function similarly (Smith et al). 2003;188:444-53
Supplemental progesterone to prevent preterm birth (Iams). 2003;188:303 (Editorial)
Ultrasonographic prediction of term birth weight: how accurate is it? (Nahum and Stanislaw). 2003;188:566-74

Prenatal diagnosis
Biochemical screening for Down syndrome in renal failure (Lam et al) (Letter); (Chao et al) (Reply). 2003;188:597
A characteristic cluster of fetal sonographic markers that are predictive of fetal Turner syndrome in early pregnancy (Bronshtein et al). 2003;188:1016-20
Combined first-trimester versus second-trimester serum screening for Down syndrome: a cost analysis (Cusick et al). 2003;188:745-51
Noninvasive tests to predict fetal anemia: a study comparing Doppler and ultrasound parameters (Dukler et al). 2003;188:1310-4
Prenatal diagnosis by DNA polymorphism analysis of complete mole with coexisting twin (Wax et al). 2003;188:1105-6
Results of systematic screening for minor degrees of fetal renal pelvis dilatation in an unselected population (Ismaili et al). 2003;188:242-6
Screening for fetal well-being in a high-risk pregnant population comparing the nonstress test and umbilical artery Doppler velocimetry: a randomized controlled clinical trial (Williams et al). 2003;188:1366-71
Second-opinion magnetic resonance imaging for suspected fetal central nervous system abnormalities (Twickler et al). 2003;188:492-6
Ultrasound-guided laser treatment for fetal bladder outlet obstruction resulting from ureterocele (Soothill et al). 2003;188:1107-8
The usefulness of the TDx/TDxFLx Fetal Lung Maturity II assay in the initial evaluation of fetal lung maturity (Kesselman et al). 2003;188:1220-2 (Residents' papers)

Preoperative care
CA 125 levels in the preoperative assessment of advanced-stage uterine cancer (Jhang et al). 2003;188:1195-7 (Residents' papers)
Pre-emptive analgesia in gynecologic surgical procedures: preoperative wound infiltration with ropivacaine in patients who undergo laparotomy through a midline vertical incision (Updike et al). 2003;188:901-5

Prescriptions, drugs
Prescription, over-the-counter, and herbal medicine use in a rural, obstetric population (Glover et al). 2003;188:1039-45

Presidential address
Presidential address. 2003;188:1432-7, 1530-40

Preterm infant; *see* Infant, premature

Preterm labor; *see* Labor, premature

Preterm premature rupture of membranes; *see* Fetal membranes, premature rupture

Princess Margaret Hospital Satisfaction with Doctor questionnaire
Cancer patients' satisfaction with physicians: Princess Margaret Hospital Satisfaction with Doctor questionnaire results (Landen et al). 2003;188:1177-9 (Residents' papers)

Private practice
Cephalopelvic disproportion/failure to progress diagnosis (Escamilla) (Letter); (Young) (Reply). 2003;188:1660-1

Professional practice
The laborist: a new focus of practice for the obstetrician (Weinstein). 2003;188:310-2 (Clin. opinion)

Professionalism
A legacy of professionalism since 1929 (Tomich). 2003;188:1432-7 (Pres. address)

Progenitor cells; *see* Stem cells

Progestational hormones
Progestins and breast cancer (Eden). 2003;188:1123-31 (Editors' choice)

Progesterone
Expression of placental low-density lipoprotein receptor-related protein and scavenger receptors AI/AII transcripts in the baboon (Shi et al). 2003;188:1211-3 (Residents' papers)
Prophylactic administration of progesterone by vaginal suppository to reduce the incidence of spontaneous preterm birth in women at increased risk: a randomized placebo–controlled double-blind study (da Fonseca et al). 2003;188:419-24

Prolapse, uterine; *see* Uterine prolapse

Prophylaxis
Prophylactic administration of progesterone by vaginal suppository to reduce the incidence of spontaneous preterm birth in women at increased risk: a randomized placebo–controlled double-blind study (da Fonseca et al). 2003;188:419-24

Prostacyclin; *see* Epoprostenol

Prostaglandin-endoperoxide synthase
Expression of cyclooxygenase-2 in cervical, endometrial, and ovarian malignancies (Landen et al). 2003;188:1174-6 (Residents' papers)
Proteinase-activated receptor-2 activation induces uterine contractility in term pregnant rats that is not dependent on mast cell activation and cyclo-oxygenase products (Maul et al). 2003;188:1498-503

Prostaglandins, synthetic
Comparative efficacy and cost of the prostaglandin analogs dinoprostone and misoprostol as labor preinduction agents (Ramsey et al). 2003;188:560-5

Proteases
Effects of hyperthermia on hypoxic-ischemic brain damage in the immature rat: its influence on caspase-3–like protease (Tomimatsu et al). 2003;188:768-73

Protein kinases
Inhibitors that target protein kinases for the treatment of ovarian carcinoma (Arbel et al). 2003;188:1283-90

Proteinases; *see* Peptide peptidohydrolases

Proteins
Evaluation of antibody response to human papillomavirus early proteins in women in whom cervical cancer developed 1 to 20 years later (Lehtinen et al). 2003;188:49-55
Expression of regulator of G protein signaling-2 in rat myometrium during pregnancy and parturition (Suarez et al). 2003;188:973-7

Proteinuria
Perinatal outcomes in preeclampsia that is complicated by massive proteinuria (Newman et al). 2003;188:264-8

Prothrombin
FGL2 prothrombinase messenger RNA expression in gravid and nongravid human myometrium (Pan et al). 2003;188:1057-62

Psammoma bodies
The significance of psammoma bodies in screening cervical cytologic smears (Muntz et al). 2003;188:1609-14

Puerperium
Effect of maternal docosahexaenoic acid supplementation on postpartum depression and information processing (Llorente et al). 2003;188:1348-53
Frequency and predictors for postpartum fecal incontinence (Hall et al). 2003;188:1205-7 (Residents' papers)
Gentamicin and clindamycin therapy in postpartum endometritis: the efficacy of daily dosing versus dosing every 8 hours (Livingston et al). 2003;188:149-52
Myometrial thickness during human labor and immediately post partum (Buhimschi et al). 2003;188:553-9
Patient satisfaction and the impact of written material about postpartum contraceptive decisions (Johnson et al). 2003;188:1202-4 (Residents' papers)
Screening for postpartum depression in an inner-city population (Morris-Rush et al). 2003;188:1217-9 (Residents' papers)

Puget Sound Oncology Consortium
Treatment of recurrent platinum resistant ovarian or peritoneal cancer with gemcitabine and doxorubicin: a phase I/II trial of the Puget Sound Oncology Consortium (PSOC 1602) (Goff et al). 2003;188:1556-64

Pulmonary artery
Antenatal prediction of pulmonary hypoplasia by acceleration time/ejection time ratio of fetal pulmonary arteries by Doppler blood flow velocimetry (Fuke et al). 2003;188:228-33

Pulmonary hypoplasia; *see* Lung diseases

Q

Quality of life
Perceived quality of life in pregnant adolescent girls (Drescher et al). 2003;188:1231-3 (Residents' papers)
Quality of life and sexual function after evaluation and treatment at a referral center for vulvovaginal disorders (Jensen et al). 2003;188:1629-37

R

Race factors
Age and racial/ethnic differences in maternal, fetal, and placental conditions in laboring patients (Gregory and Korst). 2003;188:1602-8
Racial differences in severe perineal lacerations after vaginal delivery (Goldberg et al). 2003;188:1063-7
Racial disparities in reproductive health outcomes (Anachebe and Sutton). 2003;188:S37-42 (Symposium)
The relationship of race to women's use of health information resources (Nicholson et al). 2003;188:580-5 (Education)

Raloxifene
Administration of raloxifene does not influence 24-hour ambulatory blood pressure of postmenopausal women with osteopenia: a double-blind placebo-controlled study (Cagnacci et al). 2003;188:1278-82
Comparison of the effect of raloxifene and continuous–combined hormone therapy on mammographic breast density and breast tenderness in postmenopausal women (Jackson et al). 2003;188:389-94
Raloxifene does not influence flow-mediated endothelium–dependent and endothelium-independent vasodilatation of osteopenic postmenopausal women (Cagnacci et al). 2003;188:313-7
Raloxifene and endothelial function in healthy postmenopausal women (Sarrel et al). 2003;188:304-9 (Editors' choice)

Randomized controlled trial
Obstetric technologies: what determines clinical acceptance or rejection of results of randomized controlled trials? (Parer). 2003;188:1622-8

Receptors, LDL
Expression of placental low-density lipoprotein receptor-related protein and scavenger receptors AI/AII transcripts in the baboon (Shi et al). 2003;188:1211-3 (Residents' papers)

Receptors, scavenger
Expression of placental low-density lipoprotein receptor–related protein and scavenger receptors AI/AII transcripts in the baboon (Shi et al). 2003;188:1211-3 (Residents' papers)

Recurrence
Preterm premature rupture of membranes: risks of recurrent complications in the next pregnancy among a population–based sample of gravid women (Lee et al). 2003;188:209-13

Referral and consultation
A comparison of two models of gynecology service consultation to the emergency department in an academic medical center (LaCoursiere and Nager). 2003;188:1166-8 (Residents' papers)
Second-opinion magnetic resonance imaging for suspected fetal central nervous system abnormalities (Twickler et al). 2003;188:492-6

Relaxin
Effects of recombinant human relaxin on pregnant rat uterine artery and myometrium in vitro (Longo et al). 2003;188:1468-76
Relaxin causes proliferation of human amniotic epithelium by stimulation of insulin-like growth factor-II (Millar et al). 2003;188:234-41

Religion
Procedural risks versus theology: chorionic villus sampling for Orthodox Jews at less than 8 weeks' gestation (Peleg) (Letter); (Petrikovsky) (Letter); (Wapner and Evans) (Reply). 2003;188:299-301

Renal failure; *see* Kidney failure

Reproduction
Comparison of human papillomavirus genotypes, sexual, and reproductive risk factors of cervical adenocarcinoma and squamous cell carcinoma: Northeastern United States (Altekruse et al). 2003;188:657-63
Endometritis does not predict reproductive morbidity after pelvic inflammatory disease (Haggerty et al). 2003;188:141-8

Reproductive health
Racial disparities in reproductive health outcomes (Anachebe and Sutton). 2003;188:S37-42 (Symposium)

Reproductive morbidity; *see* Infertility, female

Research
Achieving equipoise in maternal-fetal surgery (Lyerly) (Letter); (Chervenak and McCullough) (Reply). 2003;188:854-6
A teachable moment: research ethics revisited (Cohn and Manetta). 2003;188:2 (Editorial)

Residency; *see* Internship and residency

Residents' papers
Residents' papers. 2003;188:1148-243

Respiration, artificial
Mechanical ventilation in an obstetric population: characteristics and delivery rates (Jenkins et al). 2003;188:549-52

Respiratory distress syndrome
The usefulness of the TDx/TDxFLx Fetal Lung Maturity II assay in the initial evaluation of fetal lung maturity (Kesselman et al). 2003;188:1220-2 (Residents' papers)

Rh isoimmunization
A comparison between middle cerebral artery peak systolic velocity and amniotic fluid optical density at 450 nm in the prediction of fetal anemia (Nishie et al). 2003;188:214-9
Is the incidence of fetal-to-maternal hemorrhage increased in patients with third-trimester
bleeding? (Balderston et al). 2003;188:1615-21
Is Rh immune globulin needed in early first-trimester abortion? A review (Jabara and Barnhart). 2003;188:623-7 (Clin. opinion)

Rheology
Antenatal prediction of pulmonary hypoplasia by acceleration time/ejection time ratio of fetal pulmonary arteries by Doppler blood flow velocimetry (Fuke et al). 2003;188:228-33
Screening for fetal well-being in a high-risk pregnant population comparing the nonstress test and umbilical artery Doppler velocimetry: a randomized controlled clinical trial (Williams et al). 2003;188:1366-71

Risk factors
Comparison of human papillomavirus genotypes, sexual, and reproductive risk factors of cervical adenocarcinoma and squamous cell carcinoma: Northeastern United States (Altekruse et al). 2003;188:657-63
Ethnic differences at risk for gestational trophoblastic disease in New Mexico: a 25-year population-based study (Smith et al). 2003;188:357-66
Histopathologic features and risk factors for benignity, hyperplasia, and cancer in endometrial polyps (Savelli et al). 2003;188:927-31
Increased risk of thyroid cancer among women with hysterectomies (Luoto et al). 2003;188:45-8
Irregular menses: an independent risk factor for gestational diabetes mellitus (Haver et al). 2003;188:1189-91 (Residents' papers)
Macrosomic births in the United States: determinants, outcomes, and proposed grades of risk (Boulet et al). 2003;188:1372-8
Maternal serum activin A is not elevated before preeclampsia in women who are at high risk (Blackburn et al). 2003;188:807-11
Parental occupations and other risk factors associated with nonchromosomal single, chromosomal single, and multiple birth defects: a population-based study in Singapore from 1994 to 1998 (Chia et al). 2003;188:425-33
Placenta previa in singleton and twin births in the United States, 1989 through 1998: a comparison of risk factor profiles and associated conditions (Ananth et al). 2003;188:275-81
Preterm premature rupture of membranes: risks of recurrent complications in the next pregnancy among a population-based sample of gravid women (Lee et al). 2003;188:209-13
Prophylactic administration of progesterone by vaginal suppository to reduce the incidence of spontaneous preterm birth in women at increased risk: a randomized placebo–controlled double-blind study (da Fonseca et al). 2003;188:419-24

Ritodrine
Sublingual nitroglycerin versus intravenous ritodrine as tocolytic for external cephalic version: a double-blinded randomized trial (Bujold et al). 2003;188:1454-9

RNA, messenger
FGL2 prothrombinase messenger RNA expression in gravid and nongravid human myometrium (Pan et al). 2003;188:1057-62

Ropivacaine
Pre-emptive analgesia in gynecologic surgical procedures: preoperative wound infiltration with ropivacaine in patients who undergo laparotomy through a midline vertical incision (Updike et al). 2003;188:901-5

Roster
Roster of American obstetric and gynecologic societies. 2003;188:302

Rural population
Prescription, over-the-counter, and herbal medicine use in a rural, obstetric population (Glover et al). 2003;188:1039-45

S

S-T segment, fetal; *see* Electrocardiography, fetal

Sacrospinous ligament fixation; *see* Pelvis, surgery

Satisfaction, patient; *see* Patient satisfaction

Scalp
Vaginoplasty with split skin grafts from the scalp: optimization of the surgical treatment for vaginal agenesis (Höckel et al). 2003;188:1100-2

Scavenger receptors; *see* Receptors, scavenger

Science
Medical education as a science: the quality of evidence for computer-assisted instruction (Letterie). 2003;188:849-53 (Education)

Screening; *see* Mass screening

Scrub suits; *see* Clothing

Second opinion; *see* Referral and consultation

Second stage of labor; *see* Labor stage, second

Second trimester of pregnancy; *see* Pregnancy trimester, second

Self assessment
Medical student self-assessment of performance on an obstetrics and gynecology clerkship (Edwards et al). 2003;188:1078-82 (Education)

Serotyping
Predominance of serotype V and frequency of erythromycin resistance in *Streptococcus agalactiae* in Ohio (Croak et al). 2003;188:1148-50 (Residents' papers)

Sex
Fetal gender affects ultrasound gestation at term (Hutchon) (Letter); (Divon) (Reply). 2003;188:1665-6

Sex behavior
Comparison of human papillomavirus genotypes, sexual, and reproductive risk factors of cervical adenocarcinoma and squamous cell carcinoma: Northeastern United States (Altekruse et al). 2003;188:657-63
Pregnant adolescents at risk: sexual behaviors and sexually transmitted disease prevalence (Niccolai et al). 2003;188:63-70

Sexual assault; *see* Violence

Sexual dysfunction
Female sexual dysfunction in postmenopausal women: systematic review of placebo-controlled trials (Modelska and Cummings). 2003;188:286-93 (AJOG reviews)

Sexual function; *see* Coitus

Sexually transmitted diseases
Pregnant adolescents at risk: sexual behaviors and sexually transmitted disease prevalence (Niccolai et al). 2003;188:63-70

Shoulder
Complete brachial plexus impairment: a traction-related injury (Allen) (Letter); (Jennett and Tarby) (Reply). 2003;188:858-9
Defining forces that are associated with shoulder dystocia: the use of a mathematical dynamic computer model (Gonik et al). 2003;188:1068-72

Sildenafil citrate
Female sexual dysfunction in postmenopausal women: systematic review of placebo-controlled trials (Modelska and Cummings). 2003;188:286-93 (AJOG reviews)

Singapore
Parental occupations and other risk factors associated with nonchromosomal single, chromosomal single, and multiple birth defects: a population-based study in Singapore from 1994 to 1998 (Chia et al). 2003;188:425-33
Population-based survival for cervical cancer in Singapore, 1968-1992 (Wang et al). 2003;188:324-9

Skin diseases
Dermatoses of pregnancy (Kaufman). 2003;188:863 (Editorial)
Specific dermatoses of pregnancy: an evidence-based systematic review (Kroumpouzos and Cohen). 2003;188:1083-92 (AJOG reviews)

Skin transplantation
Vaginoplasty with split skin grafts from the scalp: optimization of the surgical treatment for vaginal agenesis (Höckel et al). 2003;188:1100-2

Sleep deprivation
Effect of sleep deprivation on medical resident and student cognitive function: a prospective study (Halbach et al). 2003;188:1198-201 (Residents' papers)

Small for gestational age infant; *see* Infant, small for gestational age

Smears, vaginal; *see* Vaginal smears

Smooth muscle; *see* Muscle, smooth

Sodium chloride
Direct visualization of the uterine cavity provides a better triage than saline hysterography (Loffer) (Letter); (Mihm) (Reply). 2003;188:299
Technology assessment of saline contrast hysterosonography (de Kroon et al). 2003;188:945-9

Sodium-potassium pump
Changes in the isoforms of the sodium pump in the placenta and myometrium of women in labor (Esplin et al). 2003;188:759-64

Somatotropin
Increase in maternal placental growth hormone during pregnancy and disappearance during parturition in normal and growth hormone–deficient pregnancies (Lønberg et al). 2003;188:247-51

Sonography; *see* Ultrasonography

Specialties, medical
The laborist: a new focus of practice for the obstetrician (Weinstein). 2003;188:310-2 (Clin. opinion)

Spectroscopy
Decreased relative brain tissue levels of inositol in fetal hydrocephalus (Kok et al). 2003;188:978-80

Spermatozoa
Dual fluorescence analysis of DNA apoptosis in sperm (Rowland et al). 2003;188:1156-7 (Residents' papers)
Sperm exposure and development of preeclampsia (Einarsson et al). 2003;188:1241-3 (Residents' papers)

Spinal cord injuries
Pregnancy in a spinal cord–injured bilateral total leg amputee: management and considerations (Ehrenberg et al). 2003;188:1096-9

Spinal dysraphism
Achieving equipoise in maternal-fetal surgery (Lyerly) (Letter); (Chervenak and McCullough) (Reply). 2003;188:854-6

Spouse abuse
Differing symptoms of abused versus nonabused women in obstetric-gynecology settings (Kovac et al). 2003;188:707-13
Intimate partner violence and adverse pregnancy outcomes: a population-based study (Janssen et al). 2003;188:1341-7

Squamous cell carcinoma; *see* Carcinoma, squamous cell

Squamous intraepithelial neoplasms; *see* Cervix neoplasms

Stains and staining
Early pregnancy threshold vaginal pH and Gram stain scores predictive of subsequent preterm birth in asymptomatic women (Hauth et al). 2003;188:831-5

Stem cells
CD34+ cells from first-trimester fetal blood are enriched in primitive hemopoietic progenitors (Tocci et al). 2003;188:1002-10

Steroids
Antenatal steroids in twins (Jobe) (Letter); (Murphy) (Reply). 2003;188:856-7
Effects of steroid hormones on calcitonin gene–related peptide receptors in cultured human myometrium (Dong et al). 2003;188:466-72
Treatment of vaginal outflow tract obstruction in graft–versus-host reaction (Louis-Sylvestre et al). 2003;188:943-4

Stitch closure techniques; *see* Suture techniques

Streptococcus agalactiae
Predominance of serotype V and frequency of erythromycin resistance in *Streptococcus agalactiae* in Ohio (Croak et al). 2003;188:1148-50 (Residents' papers)

Stress incontinence; *see* Urinary incontinence, stress

Students, medical
Don't ask, don't tell: a change in medical student attitudes after obstetrics/gynecology clerkships toward seeking consent for pelvic examinations on an anesthetized patient (Ubel et al). 2003;188:575-9 (Education)
Effect of sleep deprivation on medical resident and student cognitive function: a prospective study (Halbach et al). 2003;188:1198-201 (Residents' papers)
Medical student self-assessment of performance on an obstetrics and gynecology clerkship (Edwards et al). 2003;188:1078-82 (Education)

Subcutaneous injections; *see* Injections, subcutaneous

Sublingual administration; *see* Administration, sublingual

Substance use; *see* Drugs

Suburethral fibromuscles; *see* Urethra

Sulbactam
Antibiotic therapy in preterm premature rupture of membranes: are seven days necessary? A preliminary, randomized clinical trial (Lewis et al). 2003;188:1413-7 (Editors' choice)

Sulindac
A double-blind randomized study of fetal side effects during and after the short-term maternal administration of indomethacin, sulindac, and nimesulide for the treatment of preterm labor (Sawdy et al). 2003;188:1046-51

Suppressor genes; *see* Genes, suppressor

Surgery, gynecologic
Factors that influence voiding function after the tension-free vaginal tape procedure for stress urinary incontinence (Mutone et al). 2003;188:1477-83
The outcome of in vitro fertilization in advanced endometriosis with previous surgery: a case-controlled study (Aboulghar et al). 2003;188:371-5
Pre-emptive analgesia in gynecologic surgical procedures: preoperative wound infiltration with ropivacaine in patients who undergo laparotomy through a midline vertical incision (Updike et al). 2003;188:901-5
Prevention of ureteral injuries in gynecologic surgery (Chan et al). 2003;188:1273-7
Procedures for pelvic organ prolapse in the United States, 1979-1997 (Boyles et al). 2003;188:108-15
Subcutaneous drainage versus no drainage after minilaparotomy in gynecologic benign conditions: a randomized study (Panici et al). 2003;188:71-5
Treatment of vaginal outflow tract obstruction in graft–versus-host reaction (Louis-Sylvestre et al). 2003;188:943-4
Twenty-year history of endometriosis-associated pelvic pain: too much surgery or not enough? (Matalliotakis et al). 2003;188:1103-4
Vaginoplasty with split skin grafts from the scalp: optimization of the surgical treatment for vaginal agenesis (Höckel et al). 2003;188:1100-2

Surgical equipment
Vaginoplasty with Interceed absorbable adhesion barrier for complete squamous epithelialization in vaginal agenesis (Motoyama et al). 2003;188:1260-4

Surgical menopause; *see* Menopause

Surgical wound infection
Postoperative wound infection with *Pasteurella multocida* from a pet cat (Chun et al). 2003;188:1115-6

Survival
Cervical adenocarcinoma survival among Hispanic and white women: a multicenter cohort study (Schorge et al). 2003;188:640-4
Endometrial carcinoma: treatment and outcomes in the regional hospital setting (Hickerson). 2003;188:1573-8
Population-based survival for cervical cancer in Singapore, 1968-1992 (Wang et al). 2003;188:324-9

Suture techniques
The impact of a single- or double-layer closure on uterine rupture (Cruikshank) (Letter); (Bujold et al) (Reply). 2003;188:295-6
Impact of single- or double-layer closure on uterine rupture (Shipp and Lieberman) (Letter); (Bujold et al) (Reply). 2003;188:601-2
Impact of single-or double-layer closure on uterine rupture (Vidaeff and Lucas) (Letter); (Bujold et al) (Reply). 2003;188:602-3
Subcutaneous stitch closure versus subcutaneous drain to prevent wound disruption after cesarean delivery: a randomized clinical trial (White and Ramsey) (Letter); (Chauhan et al) (Reply). 2003;188:861-2

Sweden
Fetal electrocardiography in labor and neonatal outcome: data from the Swedish randomized controlled trial on intrapartum fetal monitoring (Norén et al). 2003;188:183-92

Sympathetic nervous system
Relationship of plasma volume to sympathetic tone in nulliparous women (Bernstein et al). 2003;188:938-42

Symposium
Comparison of cell collection and direct visualization cervical cancer screening adjuncts (Parham). 2003;188:S13-20
Disparities in health: minority environmental exposures—gene mutations in African American women. Overview (Pattillo). 2003;188:S25
Maternal blood lead effects on infant intelligence at age 7 months (Emory et al). 2003;188:S26-32
PTEN/MMAC1 mutations correlate inversely with an altered p53 tumor suppressor gene in gynecologic tumors (Soyoola and Pattillo). 2003;188:S33-6
The science behind the effectiveness of in vivo screening (Felix). 2003;188:S8-12
Shedding a new light on Bethesda III: new technologies in cervical screening (DiSaia). 2003;188:S1
Simplification of the New Bethesda 2001 Classification System (Berek). 2003;188:S2-7

Symposium Racial disparities in reproductive health outcomes (Anachebe and Sutton). 2003;188:S37-42

Systole
A comparison between middle cerebral artery peak systolic velocity and amniotic fluid optical density at 450 nm in the prediction of fetal anemia (Nishie et al). 2003;188:214-9

T

Teaching hospitals; *see* Hospitals, teaching

Technology
Obstetric technologies: what determines clinical acceptance or rejection of results of randomized controlled trials? (Parer). 2003;188:1622-8
Technology assessment of saline contrast hysterosonography (de Kroon et al). 2003;188:945-9

Terbutaline
Continuous subcutaneous terbutaline administration prolongs pregnancy after recurrent preterm labor (Morrison et al). 2003;188:1460-7

Tertiary care centers
The benefit of preterm birth at tertiary care centers is related to gestational age (Lee et al). 2003;188:617-22 (Editors' choice)

Theology; *see* Religion

Third trimester of pregnancy; *see* Pregnancy trimester, third

Thrombophilia
Inherited thrombophilias are not increased in "idiopathic" small-for-gestational-age pregnancies (McCowan et al). 2003;188:981-5

Thromboxanes
Prostacyclin/thromboxane early changes in pregnancies that are complicated by preeclampsia (Chavarría et al). 2003;188:986-92

Thyroid neoplasms
Increased risk of thyroid cancer among women with hysterectomies (Luoto et al). 2003;188:45-8

Tibolone
Female sexual dysfunction in postmenopausal women: systematic review of placebo-controlled trials (Modelska and Cummings). 2003;188:286-93 (AJOG reviews)

Time and motion studies
The effect of time interval between referral and colposcopy on detection of human papillomavirus DNA and on outcome of biopsy (Berkova et al). 2003;188:932-7

Tobacco
Substance use and psychotherapeutic medications: a likely contributor to menstrual disorders in women who are seropositive for human immunodeficiency virus (Harlow et al). 2003;188:881-6

Tocolysis
Sublingual nitroglycerin versus intravenous ritodrine as tocolytic for external cephalic version: a double-blinded randomized trial (Bujold et al). 2003;188:1454-9
Tocolytic treatment for the management of preterm labor: a review of the evidence (Berkman et al). 2003;188:1648-59 (AJOG reviews)

Trachelectomy; *see* Uterus

Traction
Complete brachial plexus impairment: a traction-related injury (Allen) (Letter); (Jennett and Tarby) (Reply). 2003;188:858-9

Training
The effect of training on the provision of elective abortion: a survey of five residency programs (Steinauer et al). 2003;188:1161-3 (Residents' papers)

Transactions
Transactions of the sixty-ninth annual meeting of the Central Association of Obstetricians and Gynecologists. 2003;188:1431-528
Transactions of the sixty-ninth annual meeting of the Pacific Coast Obstetrical and Gynecological Society. 2003;188:1529-647

Transdermal administration; *see* Administration, cutaneous

Transforming growth factor beta
Expression, menstrual cycle-dependent activation, and bimodal mitogenic effect of transforming growth factor-β1 in human myometrium and leiomyoma (Arici and Sozen). 2003;188:76-83

Triage
Direct visualization of the uterine cavity provides a better triage than saline hysterography (Loffer) (Letter); (Mihm) (Reply). 2003;188:299

Trial of labor
The effect of birth weight on vaginal birth after cesarean delivery success rates (Elkousy et al). 2003;188:824-30
Vaginal birth after cesarean section versus elective repeat cesarean delivery: weight-based outcomes (Carroll et al). 2003;188:1516-22

Trichomonas vaginalis
Accuracy of detection of *Trichomonas vaginalis* organisms on a liquid-based Papanicolaou smear (Lara-Torre and Pinkerton). 2003;188:354-6

Triplets
A novel approach to intertriplet birth weight discordance (Blickstein et al). 2003;188:1026-30

Trophoblast
Ethnic differences at risk for gestational trophoblastic disease in New Mexico: a 25-year population-based study (Smith et al). 2003;188:357-66

Expression of placental low-density lipoprotein receptor-related protein and scavenger receptors AI/AII transcripts in the baboon (Shi et al). 2003;188:1211-3 (Residents' papers)
Levels of placenta growth factor in gestational trophoblastic diseases (Okamoto et al). 2003;188:135-40
Persistent low levels of human chorionic gonadotropin: a premalignant gestational trophoblastic disease (Khanlian et al). 2003;188:1254-9
Postmolar surveillance at a trophoblastic disease center that serves indigent women (Allen et al). 2003;188:1151-3 (Residents' papers)

Tryptophan
Decreased tryptophan catabolism by placental indoleamine 2,3-dioxygenase in preeclampsia (Kudo et al). 2003; 188:719-26

Tryptophan oxygenase
Decreased tryptophan catabolism by placental indoleamine 2,3-dioxygenase in preeclampsia (Kudo et al). 2003; 188:719-26

Tubal pregnancy; *see* Pregnancy, tubal

Tumor necrosis factor
Expression and regulation of interleukin-8 in human fallopian tubal cells (Mulayim et al). 2003;188:651-6

Turner syndrome
A characteristic cluster of fetal sonographic markers that are predictive of fetal Turner syndrome in early pregnancy (Bronshtein et al). 2003;188:1016-20

Twin-twin transfusion syndrome; *see* Fetofetal transfusion

Twins
Antenatal steroids in twins (Jobe) (Letter); (Murphy) (Reply). 2003;188:856-7
Association between second-trimester isolated high maternal serum human chorionic gonadotropin levels and obstetric complications in singleton and twin pregnancies (Lepage et al). 2003;188:1354-9
Birth weight discordancy and adverse perinatal outcomes among twin gestations in the United States: the effect of placental abruption (Ananth et al). 2003;188:954-60
Cesarean delivery for twins: a systematic review and meta-analysis (Hogle et al). 2003;188:220-7
Long-term neurodevelopmental outcome after intrauterine laser treatment for severe twin-twin transfusion syndrome (Banek et al). 2003;188:876-80 (Editors' choice)
Placenta previa in singleton and twin births in the United States, 1989 through 1998: a comparison of risk factor profiles and associated conditions (Ananth et al). 2003;188:275-81
Placental types and twin-twin transfusion syndrome (Taylor et al) (Letter); (Bermúdez et al) (Reply). 2003;188:1119-20
Prenatal diagnosis by DNA polymorphism analysis of complete mole with coexisting twin (Wax et al). 2003;188:1105-6
Stage-based treatment of twin-twin transfusion syndrome (Quintero et al). 2003;188:1333-40

U

Ultrasonography
Can ultrasound replace dilation and curettage? A longitudinal evaluation of postmenopausal bleeding and transvaginal sonographic measurement of the endometrium as predictors of endometrial cancer (Gull et al). 2003;188:401-8
High cumulative incidence of uterine leiomyoma in black and white women: ultrasound evidence (Baird et al). 2003;188:100-7
A new scoring system to differentiate benign from malignant adnexal masses (Alcázar et al). 2003;188:685-92
Ultrasound assessment of endometrial thickness and endometrial polyps in women on hormonal replacement therapy (Van den Bosch et al). 2003;188:1249-53

Ultrasonography, prenatal
A characteristic cluster of fetal sonographic markers that are predictive of fetal Turner syndrome in early pregnancy (Bronshtein et al). 2003;188:1016-20
Doppler assessment of the fetal cerebral hemodynamic response to moderate or severe maternal anemia (Carles et al). 2003;188:794-9
Fetal gender affects ultrasound gestation at term (Hutchon) (Letter); (Divon) (Reply). 2003;188:1665-6
Noninvasive tests to predict fetal anemia: a study comparing Doppler and ultrasound parameters (Dukler et al). 2003;188:1310-4
Results of systematic screening for minor degrees of fetal renal pelvis dilatation in an unselected population (Ismaili et al). 2003;188:242-6
Ultrasonographic prediction of term birth weight: how accurate is it? (Nahum and Stanislaw). 2003;188:566-74
Ultrasound-guided laser treatment for fetal bladder outlet obstruction resulting from ureterocele (Soothill et al). 2003;188:1107-8
Vaginal sonography and cervical incompetence (Owen et al). 2003;188:586-96 (AJOG reviews)

Umbilical arteries
Fetal plasma stimulates endothelial cell production of cytokines and the family of suppressor of cytokine signaling in umbilical placental vascular disease (Wang et al). 2003;188:510-6
Fused umbilical arteries near placental cord insertion (Fujikura). 2003;188:765-7
Response of uterine and umbilical circulations to physical exercise (Erkkola) (Letter); (Kennelly) (Reply). 2003;188:1379
Screening for fetal well-being in a high-risk pregnant population comparing the nonstress test and umbilical artery Doppler velocimetry: a randomized controlled clinical trial (Williams et al). 2003;188:1366-71

Umbilical cord
Cerebral blood flow and metabolism in relation to electrocortical activity with severe umbilical cord occlusion in the near-term ovine fetus (Kaneko et al). 2003;188:961-72
Ductus venosus flow velocities in relation to the cardiac defects in first-trimester fetuses with enlarged nuchal translucency (Haak et al). 2003;188:727-33
Hemodynamic changes during complete umbilical cord occlusion in fetal sheep related to hippocampal neuronal damage (Fujii et al). 2003;188:413-8
Obstetric predictors of placental umbilical cord blood volume for transplantation (Jones et al). 2003;188:503-9

Up-regulation
Expression of aquaporin 8 and its up-regulation by cyclic adenosine monophosphate in human WISH cells (Wang et al). 2003;188:997-1001

Urban population
Screening for postpartum depression in an inner-city population (Morris-Rush et al). 2003;188:1217-9 (Residents' papers)

Ureaplasma urealyticum
Placental passage of clarithromycin surpasses other macrolide antibiotics (Witt et al). 2003;188:816-9

Ureter
Prevention of ureteral injuries in gynecologic surgery (Chan et al). 2003;188:1273-7

Ureterocele
Ultrasound-guided laser treatment for fetal bladder outlet obstruction resulting from ureterocele (Soothill et al). 2003;188:1107-8

Urethra
Anatomic variations in the levator ani muscle, endopelvic fascia, and urethra in nulliparas evaluated by magnetic resonance imaging (Tunn et al). 2003;188:116-21

A technique to evaluate the thickness and density of nonvascular smooth muscle in the suburethral fibromuscular layer (Morgan et al). 2003;188:1183-5 (Residents' papers)

Urethral neoplasms

Urethral adenocarcinoma associated with urethral diverticulum in a patient with progressive voiding dysfunction (von Pechmann et al). 2003;188:1111-2

Urinary incontinence

A technique to evaluate the thickness and density of nonvascular smooth muscle in the suburethral fibromuscular layer (Morgan et al). 2003;188:1183-5 (Residents' papers)

Urethral adenocarcinoma associated with urethral diverticulum in a patient with progressive voiding dysfunction (von Pechmann et al). 2003;188:1111-2

Urinary incontinence among mothers of multiples: the protective effect of cesarean delivery (Goldberg et al). 2003;188:1447-53

Urinary incontinence, stress

Does the tension-free vaginal tape stay where you put it? (Dietz et al). 2003;188:950-3

Factors that influence voiding function after the tension-free vaginal tape procedure for stress urinary incontinence (Mutone et al). 2003;188:1477-83

The impact of urodynamic stress incontinence and detrusor overactivity on marital relationship and sexual function (Yip et al). 2003;188:1244-8

Urination

Factors that influence voiding function after the tension-free vaginal tape procedure for stress urinary incontinence (Mutone et al). 2003;188:1477-83

Urodynamics

The impact of urodynamic stress incontinence and detrusor overactivity on marital relationship and sexual function (Yip et al). 2003;188:1244-8

Urogenital abnormalities

Are women with urogenital atrophy symptomatic? (Davila et al). 2003;188:382-8

Urology

Urogynecologists are not encouraging a higher cesarean section rate (Davila). 2003;188:1660 (Letter)

Uterine arteries

Response of uterine and umbilical circulations to physical exercise (Erkkola) (Letter); (Kennelly) (Reply). 2003;188:1379

Uterine contraction

Dexamethasone or interleukin-10 blocks interleukin-1β–induced uterine contractions in pregnant rhesus monkeys (Sadowsky et al). 2003;188:252-63

Effect of histamine on phasic and tonic contractions of isolated uterine tissue from pregnant women (Bytautiene et al). 2003;188:774-8

Proteinase-activated receptor-2 activation induces uterine contractility in term pregnant rats that is not dependent on mast cell activation and cyclo-oxygenase products (Maul et al). 2003;188:1498-503

Uterine contractility in women whose fetus is delivered in the occipitoposterior position (Buhimschi et al). 2003;188:734-9

Uterine hemorrhage

Can ultrasound replace dilation and curettage? A longitudinal evaluation of postmenopausal bleeding and transvaginal sonographic measurement of the endometrium as predictors of endometrial cancer (Gull et al). 2003;188:401-8

Durability of treatment effects after endometrial cryoablation versus rollerball electroablation for abnormal uterine bleeding: two-year results of a multicenter randomized trial (Townsend et al). 2003;188:699-701

Reduced vaginal bleeding in postmenopausal women who receive combined norethindrone acetate and low-dose ethinyl estradiol therapy versus combined conjugated equine estrogens and medroxyprogesterone acetate therapy (Simon et al). 2003;188:92-9

Uterine neoplasms

CA 125 levels in the preoperative assessment of advanced-stage uterine cancer (Jhang et al). 2003;188:1195-7 (Residents' papers)

Herpes simplex virus type II is not a cofactor to human papillomavirus in cancer of the uterine cervix (Tran-Thanh et al). 2003;188:129-34

High cumulative incidence of uterine leiomyoma in black and white women: ultrasound evidence (Baird et al). 2003;188:100-7

Immunohistochemical detection of insulin-like growth factor type I receptor and uterine volume changes in gonadotropin-releasing hormone analog–treated uterine leiomyomas (Di Lieto et al). 2003;188:702-6

Increased expression of cyclin G1 in leiomyoma compared with normal myometrium (Baek et al). 2003;188:634-9

Interstitial laser coagulation for uterine myomas (Hindley et al) (Letter); (Visvanathan et al) (Reply). 2003;188:859-60

Uterine prolapse

Innervation of the levator ani muscles in the female squirrel monkey (Pierce et al). 2003;188:1141-7 (Editors' choice)

Outcomes study: a comparison of cure rates in 695 patients undergoing sacrospinous ligament fixation alone and with other site-specific procedures—a 16-year study (Cruikshank and Muniz). 2003;188:1509-15

Pelvic organ support in nulliparous pregnant and nonpregnant women (O'Boyle). 2003;188:301 (Letter)

Procedures for pelvic organ prolapse in the United States, 1979-1997 (Boyles et al). 2003;188:108-15

Sacrospinous cervicocolpopexy with uterine conservation for uterovaginal prolapse in elderly women: an evolving concept (Hefni et al). 2003;188:645-50

Three-dimensional magnetic resonance imaging assessment of levator ani morphologic features in different grades of prolapse (Singh et al). 2003;188:910-5

Uterine rupture

The impact of a single- or double-layer closure on uterine rupture (Cruikshank) (Letter); (Bujold et al) (Reply). 2003;188:295-6

Impact of single- or double-layer closure on uterine rupture (Shipp and Lieberman) (Letter); (Bujold et al) (Reply). 2003;188:601-2

Impact of single-or double-layer closure on uterine rupture (Vidaeff and Lucas) (Letter); (Bujold et al) (Reply). 2003;188:602-3

Uterus

Direct visualization of the uterine cavity provides a better triage than saline hysterography (Loffer) (Letter); (Mihm) (Reply). 2003;188:299

Effects of recombinant human relaxin on pregnant rat uterine artery and myometrium in vitro (Longo et al). 2003;188:1468-76

The endometrial-myometrial interface (Quinn) (Letter); (Curtis et al) (Reply). 2003;188:857-8

Radical trachelectomy and pelvic lymphadenectomy with uterine preservation in the treatment of cervical cancer (Schlaerth et al). 2003;188:29-34

Technology assessment of saline contrast hysterosonography (de Kroon et al). 2003;188:945-9

V

Vagina

Comparison of the growth and hydrogen peroxide production by vaginal probiotic lactobacilli under different culture conditions (Tomás et al). 2003;188:35-44

Does the tension-free vaginal tape stay where you put it? (Dietz et al). 2003;188:950-3

Early pregnancy threshold vaginal pH and Gram stain scores predictive of subsequent preterm birth in asymptomatic women (Hauth et al). 2003;188:831-5
Vaginal sonography and cervical incompetence (Owen et al). 2003;188:586-96 (AJOG reviews)

Vagina, surgery
Sacrospinous cervicocolpopexy with uterine conservation for uterovaginal prolapse in elderly women: an evolving concept (Hefni et al). 2003;188:645-50
Vaginoplasty with Interceed absorbable adhesion barrier for complete squamous epithelialization in vaginal agenesis (Motoyama et al). 2003;188:1260-4
Vaginoplasty with split skin grafts from the scalp: optimization of the surgical treatment for vaginal agenesis (Höckel et al). 2003;188:1100-2

Vaginal administration; *see* Administration, intravaginal

Vaginal birth after cesarean
The effect of birth weight on vaginal birth after cesarean delivery success rates (Elkousy et al). 2003;188:824-30
Vaginal birth after cesarean section versus elective repeat cesarean delivery: weight-based outcomes (Carroll et al). 2003;188:1516-22

Vaginal bleeding; *see* Uterine hemorrhage

Vaginal diseases
Quality of life and sexual function after evaluation and treatment at a referral center for vulvovaginal disorders (Jensen et al). 2003;188:1629-37

Vaginal smears
Accuracy of detection of *Trichomonas vaginalis* organisms on a liquid-based Papanicolaou smear (Lara-Torre and Pinkerton). 2003;188:354-6
Comparison of cell collection and direct visualization cervical cancer screening adjuncts (Parham). 2003;188:S13-20 (Symposium)
Does the ALTS trial apply to the community-based practitioner? (Monk and Brewster). 2003;188:1381-2 (Editorial)
Postcolposcopy management strategies for patients referred with low-grade squamous intraepithelial lesions or human papillomavirus DNA–positive atypical squamous cells of undetermined significance: a two-year prospective study (Guido et al). 2003;188:1401-5 (Editors' choice)
The predictive value of cytologic testing in women with the human immunodeficiency virus who have low-grade squamous cervical lesions: a substudy of a randomized, phase III chemoprevention trial (Robinson et al). 2003;188:896-900
Results of a randomized trial on the management of cytology interpretations of atypical squamous cells of undetermined significance (Solomon et al). 2003;188:1383-90 (Editors' choice)
The science behind the effectiveness of in vivo screening (Felix). 2003;188:S8-12 (Symposium)
Shedding a new light on Bethesda III: new technologies in cervical screening (DiSaia). 2003;188:S1 (Symposium)
The significance of psammoma bodies in screening cervical cytologic smears (Muntz et al). 2003;188:1609-14
Simplification of the New Bethesda 2001 Classification System (Berek). 2003;188:S2-7 (Symposium)
Treatment of women with low-grade squamous intraepithelial lesions on cytologic evidence or biopsy results by board–certified gynecologists (Lee et al). 2003;188:693-8

Vaginal stenosis
Treatment of vaginal outflow tract obstruction in graft–versus-host reaction (Louis-Sylvestre et al). 2003;188:943-4

Vaginal suppository; *see* Pessaries

Vaginal tape procedure; *see* Surgery, gynecologic

Vaginosis, bacterial
Antibiotic treatment of bacterial vaginosis in pregnancy: a meta-analysis (Leitich et al). 2003;188:752-8
Clinical findings among young women with genital human papillomavirus infection (Mao et al). 2003;188:677-84
Vaginal polymorphonuclear leukocytes and bacterial vaginosis as markers for histologic endometritis among women without symptoms of pelvic inflammatory disease (Yudin et al). 2003;188:318-23

Vascular diseases
Fetal plasma stimulates endothelial cell production of cytokines and the family of suppressor of cytokine signaling in umbilical placental vascular disease (Wang et al). 2003;188:510-6

Vascular endothelium; *see* Endothelium, vascular

Vasodilatation
Raloxifene does not influence flow-mediated endothelium–dependent and endothelium-independent vasodilatation of osteopenic postmenopausal women (Cagnacci et al). 2003;188:313-7

Velocimetry; *see* Rheology

Velocity, blood; *see* Blood flow velocity

Version, fetal
Sublingual nitroglycerin versus intravenous ritodrine as tocolytic for external cephalic version: a double-blinded randomized trial (Bujold et al). 2003;188:1454-9

Very low birth weight infant; *see* Infant, low birth weight

Violence
Intimate partner violence and adverse pregnancy outcomes: a population-based study (Janssen et al). 2003;188:1341-7
Legal outcomes of sexual assault (Wiley et al). 2003;188:1638-41

Viral load
Genital tract and plasma human immunodeficiency virus viral load throughout the menstrual cycle in women who are infected with ovulatory human immunodeficiency virus (Money et al). 2003;188:122-8. Correction 2003;188:1038

Visceral fat; *see* Fats

Vitamin E
Increased vascular endothelial cell production of interleukin-6 in severe preeclampsia (Takacs et al). 2003;188:740-4

Voiding; *see* Urination

Voiding dysfunction; *see* Urinary incontinence

Vulvar diseases
Quality of life and sexual function after evaluation and treatment at a referral center for vulvovaginal disorders (Jensen et al). 2003;188:1629-37

W

Weight; *see* Body weight

Weight gain
Cephalopelvic disproportion/failure to progress diagnosis (Escamilla) (Letter); (Young) (Reply). 2003;188:1660-1

White Americans; *see* Caucasians

WISH cells; *see* Cell line

Wound infection
Subcutaneous drainage versus no drainage after minilaparotomy in gynecologic benign conditions: a randomized study (Panici et al). 2003;188:71-5

Wounds and injuries
Legal outcomes of sexual assault (Wiley et al). 2003;188:1638-41
Pre-emptive analgesia in gynecologic surgical procedures: preoperative wound infiltration with ropivacaine in patients who undergo laparotomy through a midline vertical incision (Updike et al). 2003;188:901-5
Subcutaneous stitch closure versus subcutaneous drain to prevent wound disruption after cesarean delivery: a randomized clinical trial (White and Ramsey) (Letter); (Chauhan et al) (Reply). 2003;188:861-2